

PRODUCTS, INC.

Page 1 Quote #171942 Rev #32

CUSTOMER QUOTE

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

To: HENDERSON PRODUCTS INC

Attn:

Quote Date: 4/18/2023 Valid Until: 5/18/2023 Quoted By: Matthew John Phone: 563-927-2828

Cell: 563-920-3666 Fax: 563-927-2521

Email: mjohn@hendersonproducts.com

Quoted:

DEMO KW SA WITHOUT WING

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Snow Plow Hitch CHANGE HITCH TO QUICK LINK (REF VALPARAISO WOC)

Reversing Cylinder Style: None or Top mount reversing cylinders

Plow Portion Hitch: Plow portion picked under plow Hitch, Truck Portion: Pin & loop hitch, low profile

Bumper to Frame Mounting Kit: No, upfitter supplied mounting

Hydraulic Lift Cylinder: 4" x 2" x 10" Double Acting Nitrided Lift Cylinder

High Pressure QD System: No High Pressure QD System

Holding Valve for Lift Cylinder: No Holding Valve For Lift Cylinder

Custom Options: Note Custom Details Below

Option 1 Description: AKRON STYLE HITCH ILO ABOVE 171640 X1

Option 2 Description: Option 3 Description:

HPI MarkE

COUNTRY/LANGUAGE: USA/ENGLISH

FAMILY: MARK E, CLASSIC

FLOOR LENGTH: 11' FLOOR LENGTH SIDE HEIGHT: 36" SIDE HEIGHT

BODY MATERIAL (SIDES/HEADSHEET): 10GA 201SS SIDES/HEADSHEET

SIDE BRACES: (1) 10GA 201SS WELD ON SIDE BRACE

TOP RAIL/RUB RAIL MATERIAL: 10GA 201SS TOP & RUB RAILS

REAR BOLSTER HEIGHT: 8" BOLSTER, 2-1/8" POCKETS
REAR BOLSTER MATERIAL: 7GA 201SS REAR BOLSTERS

FRONT BOLSTER: NO FRONT BOLSTERS FLOOR MATERIAL: 1/4" AR400 FLOOR

HOIST TYPE: TRN MT HOIST, INT DH, SUBFRM, DA
CYLINDER MODEL: CS/G4, DBL ACT, 2YR SALT WTY*

HOOKLIFT A-FRAME: NON-HOOKLIFT

HOIST MOUNT TYPE: STANDARD SUBFRAME

INSTALL HOIST & CRADLE: UPFITTER INSTALLED H&C

LONGSILLS: 5" I-BEAM LONGSILLS, SKIP WELD

BODY HINGE MAINTENANCE: GREASEABLE PINS, WITH BUSHINGS

TAILGATE STYLE: CONFIGURABLE STANDARD TAILGATE
TAILGATE SHEET MATERIAL: 7GA 201SS TAILGATE SHEET









PRODUCTS, INC.

CUSTOMER QUOTE

Page 2

Quote #171942

Rev #32

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

TAILGATE LINER: NO TAILGATE LINER

COAL CHUTE: NO COAL CHUTE

TAILGATE BRACE: 1 HORIZONTAL TAILGATE BRACE

TAILGATE LIFT STYLE/LOCATION: FORMED LIFT LOOP, TOP BRACE

TAILGATE RELEASE & CONTROL: DOUBLE ACTING, SS BUSHING, TG RELEASE

TAILGATE HINGE: STD, 1-1/4" PIN, 1" PLT TAILGATE CHAINS: ZINC TAILGATE CHAINS

BOLSTER CHAIN HOOKS: BANJO CHAIN HOOKS INSTALLED

HORIZONTAL J-HOOKS: NO HORIZONTAL J-HOOKS
TAILGATE PIN LANYARDS: TAILGATE PIN LANYARDS

TAILGATE AIR VALVE: NO TG AIR VALVE

LUBRICATION: GREASEABLE PINS, JAWS, & SHAFT

CABSHIELD STYLE/WIDTH/OVERHANG: WELD-ON, 22"x86", NO TARP SHROUD

CABSHIELD MATERIAL: 201SS, 10GA PANEL, 7GA ENDS CABSHIELD INSTALLATION: CABSHIELD SHIPS LOOSE

CABSHIELD OFFSET: OFFSET NOT APPLICABLE

CABSHIELD LIGHTING: CS LIGHTS, 2 FORWARD, 1 EACH SIDE, 2 REAR

ASPHALT LIP: NO ASPHALT LIP SIDE BOARDS: NO SIDEBOARDS CHANGE TO ILDOT RECT LIGHT HOLES. (4) REAR FACING.

SIDE LADDER LOCATION: LADDER/GRBHND, DS FRNT, SL SIDE LADDER TYPE: LADDER, PULLOUT 201SS, NO UPR

CUSTOM SIDE LADDER:

BODY STEPS: NO INTERIOR STEPS

RUB RAIL LIGHTING: NO RUB RAIL LIGHTING

REAR BOLSTER MARKER LIGHTING: 2.5" RED W/OBROUND BLSTR LIGHT

REAR FACING REAR BOLSTER LIGHT: 3 OBROUND LIGHT, HIGH TWO LIGHTS ILO 3

LIGHTING ADD ONS: NO BOLT-ON LIGHT BOX

LIGHTING PACKAGE: UPFITTER SUPPLIED LIGHT PACK

PWS TANKS: NO PREWET TANKS

PREWET PREP: NO PREWET BOX BRACKET
WALK RAILS: 2" DRVR & CURB WALK RAIL

TARP RAILS: NO TARP RAILS

VIBRATOR LOCATION: VIBRATOR PAD BETWEEN LONGSILLS

TGS INSTALLATION: NO FACTORY INSTALLED TGS

TGS INTEGRATION: NO TGS SPILL SHIELDS

TGS/ASPHALT LIP MOUNT HOLES: NO MOUNT HOLES IN BOLSTER

FINISH PREP: WASH & PRIME MILD PARTS ONLY

PAINT/FINISH: NO FINISH

NOTE 1:: ADDITIONAL CUSTOM OPTION CUSTOM OFFERING: DEDUCT GRAB HANDLE NOTE 2:: ADDITIONAL CUSTOM OPTION

CUSTOM OFFERING 2: 1/2in. SS HYDRAULIC LINES DS LONGSILL

NOTE 3:: NO ADDITIONAL CUSTOM OPTIONS
NOTE 4: NO ADDITIONAL CUSTOM OPTIONS
NOTE 5: NO ADDITIONAL CUSTOM OPTIONS
NOTE 6: NO ADDITIONAL CUSTOM OPTIONS
NOTE 7: NO ADDITIONAL CUSTOM OPTIONS
NOTE 8: NO ADDITIONAL CUSTOM OPTIONS









PRODUCTS, INC.

CUSTOMER QUOTE

Page 3

Quote #171942

Rev #32

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Installation Workup

Facility: IDC-OH

Chassis Delivery To Henderson: Truck Dealer/Customer Delivers

Completed Truck Delivery Method: Customer Pick-Up

Chassis Make: Kenworth Chassis Model Yr: 2023 Chassis Model: T480

Useable CA/CT: 94 (96.5 PER CHASSIS SPEC)

Front Axle Rating: 20,000 Rear Axle Rating: 26,000

Frnt Frame Ext Type: Special (Insert hours/materials in field below)

Front Frame Wall: Double Wall

Front Frame Width: 34"

Pump Location: Transmission Mount Pump

Transmission Type: Automatic

Transmission Model: Allison Transmission

Hitch Type: Low Profile or Manual Tilt Type Hitch

Mount Type: Engineered Truck Hitch (sales to order hitch w/ unit)

Mount Spec: KW MOUNT KIT 180889 X1
Front Bumper: OEM Bumper Cut and Split

Front Tow Hooks: Tow hooks Installed, Pair (supplied with chassis)

Hitch Options 1: STATIONARY GRILL KIT 176574 X1

Hitch Options 2: BUMPER P/N 159694 X2

Dump Body Type: Mark E Single Axle Floor Length: (11') floor length

Hoist Type: Tele Trun HoIst with Subframe, Internal Doghouse

Cylinder Type: Double Acting

Body Material (Sides/ends): Stainless Steel Type Body Material Tailgate Release Type: IDC Supplied manual air over air valve

Pressure Protection Valve: Direct to air tank valve (All except Int, Mack & Volvo)

Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit

Step(s): Supplied and install @ IDC (select from step options below)

Step QTY: 1

Step 1 Type: SS Serrated 18" Step (Rub Rail/Side Brace)

Step 1 Location: Driver Side Front, outside

Grab Handle(s): (2) IDC supplied/installed grab handles (select type below)

Grab Handle 1 Type: SS 17" grab handle Grab Handle 2 Type: SS 17" grab handle

Ladder(s): Supplied by factory, Install @ IDC (sales to order w/ unit)

Ladder Install QTY (Dump): (1) LADDER INSTALLED @ IDC (LABOR ONLY)

Ladder Install Style (Dump) 1: 3 Step Pull Out Ladder Install Loc 1 (Dump): Driver Side Front

Shovel Holder: (1) IDC Supl'd Spring Loaded SS Shovel Holder w/ SS brckt

Shovel Holder Loc (1): Driver side body

Body Spec Notes:









Body Spec Notes:

HENDERSON

PRODUCTS, INC.

Page 4

CUSTOMER QUOTE

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

_	_			
Body	Spec	Notes:		
Body	Spec	Notes:		
Body	Spec	Notes:		
Body	Spec	Notes:		
Body	Spec	Notes:		
Body	Spec	Notes:		
Body	Spec	Notes:		
Body	Spec	Notes:		
Body	Spec	Notes:		
Body	Spec	Notes:		
Body	Spec	Notes:		
Body	Spec	Notes:		
Body	Spec	Notes:		

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)









PRODUCTS, INC.

CUSTOMER QUOTE

Page 5

Quote #171942

Rev #32

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Mudflaps (Rear): Swinging w/Logo Mudflap Type (Rear): 36" Swinging, SS (with LOGO) Fenders: Poly fenders, Full Pair, single axle, SS mount Pintle Plate: Yes (select from options below) Pintle Plate Configuration: 3/4" Plate, PH20/45 Holes, SA w/ SubFrm (3LTC) Pintle Plate D-Rings: Qty (2) 1" D-rings, 50 deg bend Pintle Hook: 20 Ton Glad Hands: Remount OEM gladhands (labor only) Trailer Plug (1): Remount OEM Trailer Plug (QTY 1) Truck Wash: Complete Truck Wash/Clean/Vac 1 Warranty: Standard 1 Year Warranty Reflective Tape: Reflective Tape, Henderson Logo (60' Linear) Install Touch-up: Basic Installation Touch-Up Electrical: Yes (SELECT RELATED OPTIONS BELOW) Power Distribution Panel: Power Distribution Panel Misc Electrical Supplies: Req'd Misc Elect Supplies Plow Lights: Plow Lts, LED, Heated, Tlite, Round, Pair Plow Light Brackets: Plow Lt Brckts, SS, KENWORTH, Pair Cabshield Warning Light Qty: Qty 6 Lights (Order Holes with Unit) Cabshield Warning Lights: QTY 6, 6" LED Oval Strobes, Amber (order holes w/unit) Cabshield Lighting Harness: Cabshield Warning Lights Only (qty 2-6) Rear Dump Bolster (S/T/T): LED S/T/T, kit (NY/NJ) (order holes) OEM Light Remount: Remount OEM Chassis Lights Rear Dump Bolster (Back-up): B/U Lights, LED, Clear, Oval, pair (Order holes with body) Rear Dump Bolster Strobes: 6" LED Oval Strobes, Amber, 2 PR, (order holes w/unit) Back up alarm: Relocate chassis supplied b/u alarm (verify if incl w/ OEM) Backbone & Wire Standoffs: 10' Backbone (For SA) Electrical Spec Notes: Electrical Spec Notes: Electrical Spec Notes: Electrical Spec Notes: Electrical Spec Notes:

Electrical Spec Notes:

Electrical Spec Notes:









PRODUCTS, INC.

CUSTOMER QUOTE

Page 6

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Electrical Spec Notes:

Hydraulics: Full Hydraulic Package

Hyd Supplier: Certified (Select Pkg Below)

Hyd Supplier (Spec): 18356853
Controls Type: Electric Controls

PTO Type: Included in Hydraulics Package Reservoir Type: Supplied With Hydraulics

Reservoir Spec:

Valve Enclosure Type: Not Required

Low Oil Indicator: Yes, included in Hyd Pkg SS Tubing Upgrade: SA,F&R lines,6'Frnt,9'Rr Quick Coupler Upgrade: Standard Quick Couplers Hyd Options 1: PLUMB FOR SPREADER 160530 X5

Hyd Options 2: QD MOUNT AHEAD OF REAR BOLSTER HTE156.304 X2

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:









PRODUCTS, INC.

Page 7

CUSTOMER QUOTE

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509

FAX: 563-927-7106

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:









PRODUCTS, INC.

Page 8

CUSTOMER QUOTE

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Hydraulics Notes:

SS QD'S IN HYDRAULIC PACKAGE CAP PWS VALVE SECTION

Disclaimer: Paint not guaranteed to match OEM chassis color

IDC Paint Location: IDC-OH

Undercoat: Undercoat (Body Underside & Chassis)

Paint Code & Color (from color charts):

Specialty Equipment

Quotation Type: Henderson Supplied Chassis Chassis Make: KENWORTH T480 DEMO TRUCK

Chassis Quote #: JSKENWORTH X1 HENDERSON PO 275894

Chassis Details:









PRODUCTS, INC.

D---- (

Page 9

CUSTOMER QUOTE

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

_		
Signed	1:	Date:
	o the volatility in material costs and cha oject to change at time of manufacturing a	
Total:	\$439,154.00	
	e package: \$219,577.00 ge(s) : 2	
Chassis	Details:	
Chassis	Details:	
Chassis	Details:	
Cnassis	Details:	



Quote notes:



