





ELEVATIONS™ COMPONENTS


#	ITEM	QTY	FLOW GPM	FLOW LPM	CHOICE
INTERACTIVE WATER PLAY FEATURES					
1	Aquadome	1	20	76	n/a
2	Oval Spray No2	1	20	76	Paint:
3	Spray Bar	1	20	76	Paint:
WATER PLAY FEATURES					
4	Pipe Fall	1	60	227	n/a
5	Seven Falls	1	40	151	n/a
6	Supersplash	1	40	151	Bucket Paint: Seaflow™:
PLAY FEATURES					
7	Poly Slide	1	n/a	n/a	Polyl:
TOTAL WATER FLOW 7 300GPM 1131LPM					
STRUCTURES COMPONENTS					
A	Entry 32"	1	n/a	n/a	Paint:
B	Hex 32" (+Manifold)	1	200	757	Paint:
Main Posts Paint:					
Barrier Graphics SPLASHIE / OCEAN / JUNGLE A / B / A&B					

Elevations™, =E, USA
Rev 00SUBMITTAL 00

Elevations™ Top View



ELEVATIONS™ COLOR CHOICES



Paints




Seaflex™ Colors



Seaflex™ Dumping Belts & Flower



Toga™



Seaflex™ Barrier Graphics



Fiberglass Water Slides & Supersplash Buckets




Poly Slides




Handle Spheres

VORTEX SOURCE STRUCTURAL SYSTEMS INTERNATIONAL, INC. | VORTEXPOINT.COM | 1.877.826.8263 | 6231 VORTEX INTERNATIONAL, ALL RIGHTS RESERVED









PLAN VIEW
HEX DECK INSTALLATION OVERVIEW
Anchoring details

RECOMMENDED REINFORCED CONCRETE SLAB*
(OFFSET 12"-30CM)


DISTRIBUTION MANIFOLD LOCATED UNDER PLATFORM




DETAIL A1
POST ANCHORING DETAIL
Post on flat surface




DETAIL A2
POST ANCHORING DETAIL
Post on sloped surface



ELEVATION VIEW
HEX DECK INSTALLATION OVERVIEW
On flat surface



ELEVATION VIEW
HEX DECK INSTALLATION OVERVIEW
On sloped surface



DETAIL B
MANIFOLD SAFESWAP ANCHORING DETAIL

NOTES:
*REINFORCED CONCRETE SLAB UNDER STRUCTURE = 10" (25mm) THICK MINIMUM REINFORCED CONCRETE SLAB WITH #4 STEEL REBAR @ 12" (30cm) C-C BOTH WAYS. RECOMMENDED MINIMUM CONCRETE STRENGTH IS 38% @ 28 DAYS. AIR-ENTRAINED CONCRETE IS RECOMMENDED IN REGION SUBJECT TO FREEZING. VERIFY LOCAL CODES FOR OTHER LOCAL REQUIREMENTS.

• REFER TO MAINTENANCE MANUAL FOR INSTRUCTION AND INSTALLATION DETAILS

? [ee]a Elevations™, =E, USA
Rev 00SUBMITTAL 00

Elevations™ installation overview



VORTEX AQUATIC STRUCTURES INTERNATIONAL, INC. | VORTEX@VORTEX.COM | 1-877-536-3739 | ©2013 VORTEX INTERNATIONAL. ALL RIGHTS RESERVED.

