



November 12, 2021

PRESENTS THE FOLLOWING PROPOSAL FOR A



**PARADIGM SINGLE ENGINE, SINGLE AXLE
VACUUM EXCAVATOR
BUILT IN STREATOR, IL**



**For the:
Village of Orland Park
15655 S. Ravinia Ave.
Orland Park, IL 60462**



Village of Orland Park
15655 S. Ravinia Ave.
Orland Park, IL 60462

November 12, 2021
Page 2

NEW TRU VAC PARADIGM BY VACTOR VACUUM EXCAVATOR PROPOSAL

NEW 2022 TRU VAC PARADIGM BY VACTOR SINGLE AXLE VACUUM EXCAVATOR MOUNTED ON A 2023 MODEL YEAR SINGLE AXLE CHASSIS

Proposed Tru Vac Paradigm Includes All Standard Features and Product Enhancements Listed Below:

- 675 U.S. Gallon Debris Body
- 3/4 Opening Flat Door w/Hydraulic Open/Close and Lock
- 6" Drain Port Mounted in Bottom Portion of Rear Door and Capped
- DC Electric Debris Body Vibrator
- Single Stage Hydraulic Dump Cycliner - 50 deg. Dump Angle
- Rear Door Splash Shield
- Roots 616 RAM-V Positive Displacement Blower - 2,200 CFM and 15" Hg.
- Ultra Quiet Blower Silencer Package
- Hydrostatic Blower Drive
- Final Filter w/Polyester Insert for Dry Material Vacuuming - 5 Micron
- Vactor's Park-n-Dig Quick Setup Design
- Dual Cyclone Filtration
- 6" Vacuum Pipe Package (1 - 72" Dig Tube, 1 x 60", and 1 x 36") w/Clamps
- Anti-Siphon Water Tank Fill
- 2" Camlock w/25' Hydrant Fill Hose and Connection
- 3/4" x 25' Garden Hose Fill
- 2" Y-Strainer on Water Tank Fill
- 8 GPM/2500 PSI Water System
- Hydrostatic Water Pump Drive
- 1/2" x 50' Water digging Hose on Manual Extend/Spring Retract Reel
- Excavating Water Lance w/Quick Connect Fittings
- Wash-Down Gun
- 2 Vactor Oscillating Digging Nozzles
- 1/2" Convenience Water Valve for Washing Hands, Boots, or Tools
- Illuminated Curbside Control Station Featuring:
 - *Vactor E-Stop, Water Pump On/Off Control, Blower On/Off Control, Electric Vibrator
 - * 5" LCD display of Engine RPM, Blower RPM, Vacuum Level, Water Pump Mode, Blower Mode
 - *Water and Blower Hours, Work Mode, Blower and Hydraulic Temperature
 - * Air Compressor Temperature, Air Pressure, and Compressor Hourmeter
- Wireless Boom Control
- Hydraulic Tank Shut-Off Valves for Ease of Service
- Vactor Emergency Stops
- 6" Air-Operated Vacuum Relief Valve on Wireless Remote
- LED Work Light Curbside
- LED Tail, Stop, Turn, and Brake Lighting
- Rear Backup Camera with In-Cab Display

Village of Orland Park

November 12, 2021



Village of Orland Park
15655 S. Ravinia Ave.
Orland Park, IL 60462

November 12, 2021
Page 3

- Electronic Back-Up Alarm
- Rear Door Splash Shield
- Low Water Light and Alarm
- Unit Manufactured in an ISO 9001:2008 Quality Management Certified Facility
- Unit Manufactured in an ISO 14001:2004 Environmental Management Certified Facility
- 1 - Vactor Standard Operator and Maintenance Manual and USB Version
- All Painted and Powder Coated Components are Sand Blasted for Proper Adhesion Prior to Finishing
- Debris Body Painted Customer Colors per Vactor's 5 Stage Paint Process
- 4" Rear Door Loading Port w/4" x 25' Smooth-Bore Vacuum Hose
- 6" Dig Tube Handle Attachment
- 185 CFM Air Compressor
- 150 PSI and 110 PSI Dual Setting for Digging and Pneumatic Tools
- 1" x 25' Air Hose on Manual Extend/Spring Retract Reel
- Airspade 4000 Digging Lance w/Application Specific Digging Nozzle
- 300 Gallon US. Gal Water Capacity - HDPE Water Tank
- DigRight Technology
- Rear Door LED Work Light
- 2 Boom Mounted LED Work Lights
- 6" Extendable Loading Boom w/ 5' extension (Hydraulic Up/Down, In/Out & Manual Rotation)
- Water Heater for Water System - 175,000 BTU 12 Volt
- Corded Pendant for Boom and Water Pump Controls - Includes Vactor E-Stop
- Cold Weather Recirculator
- Cold Weather Package (Includes Insulated and Heated Water Pump Cabinet and Water Suction Line)
- 6 Amber LED Flashing Light System (2 Rear Mounted, 2 Passenger and 2 Driver Side)
- Rear Revolving Light - LED
- Front Bumper Toolbox
- Air Purge System for Water Lines
- Large Water Pump and Lance Storage Box, 38"w x 86"h x 26"d (Encloses Water Heater)
- Centralized Lubrication Point Manifold
- Rear Mounted One Piece LED Arrow Stick
- (1) 110 Volt, 3000 Watt, GFCI Electrical Outlet, Passenger Side
- Tool box, Passenger Side w/2 Slide Out Drawers, Underbody - 72"w x 28"h x 61"d
- Underbody Storage Tray - 27"w x 6"h x 66"d
- Tool box, Driver Side, Frame Mounted Front of Rear Tire - 36"w x 20"h x 30"d
- Tool box, Between Rear Tail Plate, 24" w X 12" h x 12" d
- 3/4 " X 25 ' 110 PSI Pneumatic Reel and Circuit Mounted at Rear
- Safety Cone Storage
- Tru Vac module painted Harvester red

CHASSIS:

- 2023 model year International MV607 single axle chassis, painted Harvester red



Village of Orland Park
15655 S. Ravinia Ave.
Orland Park, IL 60462

November 12, 2021
Page 4

SOURCEWELL COOPERATIVE PURCHASING CONTRACT #122017-FSC:

The TRUVAC PRODIGY by VACTOR is available through the Sourcewell Cooperative Purchasing Program. The Village of Orland Park is a Sourcewell member, ID # 58277, and is eligible to purchase a New TRUVAC PRODIGY by VACTOR utilizing contract #122017-FSC without incurring any fees or costs.

TruVac Paradigm by VACTOR Vacuum Excavator Pricing:

**Total Price with options listed on previous pages
mounted on a new International single axle chassis,
delivered to the Village of Orland Park, IL: \$322,644.00**

- *Municipal License, Title and Doc Fees Are Included In Price
- *Complete on-site operator and maintenance training included in price
- *3 day, TruVac by Vactor factory training classes in Streator, IL are included in price
- *Current delivery is approximately 180 – 270 days after receipt of order
- *Payment is due in full at time of delivery, no down payment is required

If you have any questions, or require additional information, please don't hesitate to call upon us. Standard Equipment looks forward to serving your equipment needs.

Sincerely,

Mike O'Connor

Account Manager
Standard Equipment Company
Cellular: (312) 208-5012