



Henderson Products - Illinois
11921 Smith Drive
Huntley, IL. 61042

Toll Free: 888-360-7483
Office: 847-836-4996
Norm: 815-503-2004

Quote

Date: **2/2/18**
To: **V/O Orland Park Attn: Tom Morgan**
By: **Norm LaValla**
Re: **Single Axle Complete Plow Truck W/O Scraper**

Revised 2--2-18

Deleted driver ID module

Corrected text made it more clear

Henderson Products-Illinois is pleased to quote the following equipment:

Henderson Products RSP 11' POLY 42" TT MB1

11' 3/8" Poly Moldboard
42" High
Integral shield
Torsion Trip
Mailbox trim Curb Side
3" x 2" x 10" nitrided top mounted reversing cylinders
12" non logo rubber deflector w/ss backer
Install Dual 5/8" x 8" AASHTO cutting edge
Single wrap around curb guard installed ea. side of moldboard
Installed parking jack
Quick Link Hitch

Henderson Products HCH Truck Hitch

Quick link
Flat fold lift arm
4" x 2" x 10" nitrided lift cylinder

Henderson Products MKESA2 10' 201 SS body w/24" sides

2" wide board pockets
Trunnion mount tele hoist, internal dog house w/ subframe
Mailhot CS90-4.5-3 Double acting
Vibrator mounting pad between longsills near front
Cougar DC2700 vibrator, use body up fitter switch for timer
304 SS fold down ladder curb side front
1.5" Grip strut walkrail above rubrail both sides on 201 ss brackets
1/2 cabshield 22" x 86" 201 ss 10ga w/7ga ends
(2) 6" obround cut outs ea., side facing rearward
Back up Alarm
Body up indicator on 5100 EX controller, spring finger actuation
Electric operated Air operated tailgate release, pancake style
Use factory up fitter switch for tailgate release

Dump Body Materials/Construction

1/4" AR400 Floor
5" Radius floor to side
5" I-beam Longsills
Single Weld on side brace
7gs 201 SS sides and headsheets
Top rail, 2" flat then sloped
7 ga 201 SS rear corner post
(2) 6" obround cutouts ea. side
Standard tailgate
7ga 201 ss tailgate sheet

Double horizontal 10ga 201 ss bracing Continued from Previous page
Tailgate lift loop
Air tailgate release
SS Tailgate chain
Mild steel spreader shields
Installed with through bolt through SS tube welded in tailgate

Dump Body Lighting

Mini light bar (**R1LPPA**) on SS swing bracket
install on driver side on top of cabshield
2 LED S/T/T rear facing on cab shield (**Grote**)
2 LED Warns rear facing on cab shield (**5GA00FAR**)
2 Whelen LED Warns, one in ea. rear corner post (**5GA00FAR**)
2 Grote LED B/U - S/T/T , one in ea. rear corner post (**54672**)
2.5" LED side marker lights
Hella 220 series Halogen plow lights
SS mounting plow light brackets for use on Factory hood convex mirror
Air tailgate release
Use factory up fitter switch

Undertailgate spreader Henderson Products TGS

96" grade 50 steel, **Highway Orange**
5:1 gear box w/6" reverse flight auger

Auger motor w/integral speed sensor
Clock motor to protect sensor through under side of side flange
SS seal plate for spinner motor
SS Slurry tube installed in auger trough, **3-4' long not seven feet.**
customer to supply nozzle information
Amber Spreader light installed under driverside rear corner ABL

Pre-wetting

Behind cab (2) 120 gallon poly tanks combined 240 gallon
4.1 GPM Bronze pump driven by integral Hyd motor
Closed loop
System flush kit

Pintle Plate Assembly

3/4" plate
Glad hands
Installed upper corners by frame
3 LED ICC lights
2" Pintle ball combination
Plate drilled for multiple pintle hook heights
Install factory lights
Install LED LP light
Digital brake controller
Brake controller wired to pin 6
6 pin round trailer plug
9 pin factory trailer plug should be packed with grease and tied up under frame rail

Central Hydraulic System

Force America SSC 5100 ex
Parker 278 Series Hot Shift PTO
TXV Series Load Sensing Pump
Add-a-Stack Load sensing valve assembly
Cross over relief with PSI relief
install in plow reversing circuit
VT35 w/ss cover, intank filter, temp/level sender
Pressure filter
Extra Filter element
Dual axis plow control & single axis hoist control w/push pull cables
ARC Wireless temp sensor, its what force provided. Robe Lowe also requested.
SS hydraulic tubing ran to front for plow

Continued from Previous page
SS hydraulic tubing ran to rear for spreader
Short whip hoses used from hydraulic valve to SS tubing and SS tubing to couplers

GPS/AVL System

Precise IX403-H
Precise Antenna, Magnetic/Adhesive, Cell, GPS
Cable -ext-io-serial-ix403
Deleted 6950022 Driver module

Calibration of spreader and pre-wetting system at time of delivery or prior to winter of 2017/2018

Plain no logo reflective tape
Vacuum inside of truck
Wash outside of truck prior to delivery

Price per Unit:	\$71,886.00
Number of Units	2
Extended Price	\$143,772.00
Tax	
Total Quote Price	\$143,772.00

FOB Huntley, IL

Please note the following regarding installation quotes:

A clean truck frame without obstruction is assumed in the pricing of our quote. Re-positioning of air tanks, fuel tanks or other obstacles to the ease of installation may require additional charges. Henderson will notify you before modification if this occurs.