

Permit #

SKIPPED

*** BUSINESS OR ORGANIZATION NAME**

Cirque Entertainment II, LLC / Cirque Italia

*** BUSINESS OR ORGANIZATION NAME ADDRESS**

2903 9th St W
Bradenton FL 34205

*** PHONE #**

(941) 539-3596

*** EMAIL**

rosa@cirqueitalia.com

*** CONTACT PERSON**

Manuel Rebecchi

*** CONTACT PERSON ADDRESS**

2903 9th St W
Bradenton FL 34205

*** PHONE #**

(941) 539-3596

*** EMAIL**

rosa@cirqueitalia.com

*** CHAIRPERSON OF SPECIAL EVENT**

Manuel Rebecchi

*** CHAIRPERSON ADDRESS**

2903 9th St W
Bradenton FL 34205

*** PHONE #**

(941) 539-3596

*** EMAIL**

rosa@cirqueitalia.com

*** EVENT DAY CONTACT PERSON**

Manuel Rebecchi

*** EVENT DAY CONTACT PERSON ADDRESS**

2903 9th St W
Bradenton FL 34205

*** PHONE #**

(941) 539-3596

*** EVENT DAY CONTACT PERSON EMAIL**

rosa@cirqueitalia.com

*** LOCATION AND ADDRESS OF EVENT**

Orland Square 288 Orland Square Dr. Orland Park, IL 60462

*** TYPE OF EVENT:**

Circus - Temporary Acrobatic Theatrical Cirque Style Circus show under a tent

*** EVENT ON PUBLIC PROPERTY**

MOVING EVENT

*** EVENT ON PRIVATE PROPERTY**

OUTDOOR EVENT

COMMERCIAL FILMING/PICTURES

*** DESCRIPTION OF EVENT**

Temporary Acrobatic Theatrical Cirque Style Circus Show No Animals, No Alcohol, No Open Fires, No Pyro, No Games, No Rides, No Parades, No Street Closures.

*** LIST DATES OF EVENT WITH HOURS OF OPERATION**

Fri April 25, 2025 / 6pm - 11pm Sat April 26, 2025 / 12pm - 11pm Sun April 27, 2025 / 12pm - 11pm Mon April 28, 2025 / 6pm - 11pm

*** SET-UP DATE & TIME**

04/22/2025 8:00 AM

*** TEAR-DOWN DATE & TIME**

04/29/2025 11:00 PM

*** APPROXIMATE NUMBER OF PERSONS INVITED AND/OR EXPECTED TO ATTEND OR PARTICIPATE**

300 - 400 per show

(Additional Fees May Apply)

*** WILL FOOD BE SERVED?**

YES

*** WILL YOUR EVENT INCLUDE A FOOD TRUCK? (Food being prepared and served from the vehicle)**

NO

*** WILL ALCOHOL BE SERVED? (If YES, contact Mayor's Office at 708-403-6160 and complete the "Application for Temporary Liquor License.")**

NO

PHONE #

SKIPPED

EMAIL

SKIPPED

*** WILL GENERATORS BE UTILIZED?**

YES

If YES, please describe the size/type:

Generator #1 Detroit Diesel 92power V6 300 KW, Generator #2 Stalwart & Stevenson 12 VTDGT-400

*** WILL THERE BE A RAFFLE? (Contact Village Clerk at 708-403-6150)**

NO

PHONE #

SKIPPED

EMAIL

SKIPPED

*** WILL THERE BE LIVE ENTERTAINMENT? (Music must end by 10:30PM Sun-Th, 11:30PM Fri-Sat)**

YES

*** WILL THERE BE TEMPORARY SIGNAGE? (Banners, Inflatables, Etc.)**

NO

*** WILL THERE BE A TENT?**

YES

*** WILL THERE BE ANY STRUCTURES OTHER THAN A TENT? (Stage, Etc.)**

NO

If YES, list structures:

SKIPPED

*** WILL THERE BE ANY ROAD OR SIDEWALK OR RIGHT-OF-WAY CLOSURES?**

NO

*** WILL THE EVENT BEGIN AT ONE LOCATION AND TERMINATE AT ANOTHER?**

NO

If YES, complete the questions below. If NO, sign and date to complete application.

1. The route to be traveled, the starting point, the termination point, and the location of any stopping point, speakers' platforms, or similar, if any. (A. Provide Map, B. Google Aerial Image with route traced is OK.)

N/A No Animals, No Alcohol, No Open Fires, No Pyro, No Rides, No Games, No Parades, No Street Closures

Attachment

SKIPPED

2. The approximate number of persons who, and animals and vehicles which, will constitute the event, types of animals, and description of the vehicles.

N/A No Animals, No Alcohol, No Open Fires, No Pyro, No Rides, No Games, No Parades, No Street Closures

3. The hours when the event will start and terminate.

Mon - Fri 6pm - 11pm Sat & Sun 12pm - 11pm

4. Please provide a statement as to whether the event will occupy all or a portion of the width of the streets proposed to be traversed.

The event will be set up on the Mall Parking lot (Not a Public Street)

5. The location of any assembly areas for the event.

N/A

6. The time and location at which units of the event will begin to assemble at any such assembly area or areas.

N/A

Please attach the above information if your event falls into the applicable category.

*** APPLICANT NAME**

Cirque Entertainment II, LLC / Manuel Rebecchi

*** DATE**

03/19/2025

* I attest that the information provided above is to the best of my knowledge accurate. I understand that by checking this box and providing my name and date above, this also acts as my signature.

Checking this box also acts as my signature.



March 14, 2025

Village of Orland Park
14700 Ravinia Drive
Orland Park, IL 60462

Ref: Cirque Italia

To Whom It May Concern:

This letter serves as authorization for Cirque Italia to use Orland Square Mall's Parking Lot for the Cirque Italia Program. They have been approved for use the of parking lot for program dates 4/25/2025-4/28/2025 with set up taking place beginning 4/21/2024 and break down on 4/29/2024.

Cirque Italia assumes all responsibility for obtaining all required government approvals, obtaining and keeping effective all licenses and permits necessary for the event, and shall otherwise comply with all applicable governmental rules and regulations.

If you have any questions regarding Orland Square Mall's authorization for Cirque Italia's parking lot usage submission to the Village of Orland Park, please contact Mall Management/Marketing at 708.349.1647 or reach out to David Langlands, Area Director of Business Development at 708-890-1602.

Sincerely,
Cathy Mein
Cathy Mein
Director of Marketing

Orland Park, IL

When: April 25th – 28th, 2025


Where: 288 Orland Square Drive, Orland Park, IL 60462

At: Orland Square

Near: in the parking lot

- Under the stunning White & Blue Tent-

- **April 25 – Friday: 7:30pm**
- **April 26– Saturday: 1:30pm, 4:30pm & 7:30pm**
- **April 27– Sunday: 1:30pm & 4:30pm**
- **April 28– Monday: 7:30pm**



Orland Square
4.3 ★★★★★ (9,226)
Shopping mall · 📍

Overview Reviews About


Directions **Save** **Nearby** **Send to phone** **Share**

Longtime indoor mall with numerous fashion brands, beauty services, restaurants & a food court. >

📍 288 Orland Square Dr, Orland Park, IL 60462

NOTES:
NO ALCOHOL!
Both tents have **NO SMOKING** signs and Fire extinguishers throughout tents and at all exits. Exit signs – light up at every exit with the generator on as backup light in case of an emergency. No fire performances along with NO Pyrotechnics in the show! **NO ANIMALS!**
Main tent is round – 131 ft.
Entrance tent – 39 ft. x 158 ft.
Tent capacity is 998 seats
Seating is bleacher style with bucket style seats! No benches in the tent.
Front tent has concessions – **NO COOKING UNDER TENT! PRE-MADE & BOUGHT PRODUCT ONLY. ATTACHED ADDITIONAL LAYOUT OF FRONT TENT.**
Anchoring tent is with stakes located all around each tent.

- Parking is directed by staff that run the show. Parked in rows of 50 (parallel).
- Designated ADA parking in the front area of parking closest to the tent with signs in the ground showing area





FLAME RETARDANT

Fabric Registration

LICENSE NUMBER: F-044408

PRECONSTRAINT 702 BLACKOUT

Product Marketed by:

SERGE FERRARI

ZONE INDUSTRIELLE BP54 38352 LA TOUR DU PIN
CEDEX

Issue Date : 06/03/2024

Expiration Date : 06/30/2025

This product meets the minimum requirements of flame resistance established by the California State Fire Marshal for products identified in Section 13115, California Health and Safety Code.

The scope of the approved use of this product is provided in the current edition of the
CALIFORNIA APPROVED LIST OF FLAME RETARDANT CHEMICALS AND
FABRICS, GENERAL AND LIMITED APPLICATIONS CONCERNS published by the
California State Fire Marshal.

C Walker

Issued By Cortney Walker
Fire Engineering License Manager
Fire Engineering & Investigations Division

Patricia J. Setter

Reviewed and Approved By Patricia Setter
Deputy State Fire Marshal III
Fire Engineering & Investigations Division

OFFICE OF THE STATE FIRE MARSHAL

Please visit calfire.govmotus.org for more information on Licensing and Permitting with CAL FIRE



Total Quality. Assured.

16015 Shady Falls
Elmendorf, Texas 78112

Telephone: 210-635-8100
Facsimile: 210-635-8101
www.intertek.com/building

TEST REPORT FOR SERGE FERRARI

Report No.: 103491724SAT-003

Date: 5/9/18

REPORT QUALITY TO

Serge Ferrari

Zone Industrielle BP 54

38352 La Tour Du Pin Cedex

La Tour Du Pin, 38110

France

SECTION 1

SCOPE

Intertek Building & Construction (B&C) was contracted by Serge Ferrari, Zone Industrielle BP 54, 38352 La Tour Du Pin Cedex, La Tour Du Pin, 38110, France, to evaluate the flame spread and smoke developed properties of 1002. Testing was conducted at the Intertek B&C test facility in Elmendorf, Texas. Results obtained are tested values and were secured by using the designated test method(s). A summary of test results and the complete graphical test data is reported herein.

This report does not constitute performance certification of this product nor an opinion or endorsement by this laboratory.

SECTION 2

SUMMARY OF TEST RESULTS

Specimen I.D.: 1002

ASTM E84-18 Test Results

FLAME SPREAD INDEX	SMOKE DEVELOPED INDEX
5	350

For INTERTEK B&C:

COMPLETED BY: Joseph Martinez

TITLE: Technician

SIGNATURE:

DATE: 5/9/18

REVIEWED BY: Servando Romo

TITLE: Project Engineer

SIGNATURE:

DATE: 5/9/18

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample(s) tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

SERGE FERRARI SAS

TEST REPORT

SCOPE OF WORK

NFPA 701-2019, METHOD 2 - STANDARD METHODS OF FIRE TESTS FOR FLAME PROPAGATION OF TEXTILES AND FILMS FOR FLAT SHEETS (SEE SECTION 13.1.3) ON 702 OPAQUE

REPORT NUMBER

105207650MID-001B

TEST DATE(S)

10/05/22

ISSUE DATE

10/06/22

[REVISED DATE]

N/A


PAGES

5

DOCUMENT CONTROL NUMBER

GFT-OP-10c (09/29/20)

© 2017 INTERTEK



TEST REPORT FOR SERGE FERRARI SAS

Report No.: 105207650MID-001B

Date: 10/06/22

REPORT ISSUED TO

SERGE FERRARI SAS

Zone Industrielle BP 54

38352 La Tour Du Pin Cedex

La Tour Du Pin, 38110

France

SECTION 1

SCOPE

Intertek Testing Services NA, Inc. dba Intertek Building & Construction (B&C) was contracted by Serge Ferrari SAS, Zone Industrielle BP 54, 38352 La Tour Du Pin Cedex, La Tour Du Pin, 38110, France to perform testing in accordance with NFPA 701-2019, Method 2 - *Standard Methods of Fire Tests for Flame Propagation of Textiles and Films for Flat Sheets* (See section 13.1.3), on their 702 Opaque. Results obtained are tested values and were secured by using the designated test method(s). Testing was conducted at Intertek test facility in Middleton, WI.

Unless differently required, Intertek reports apply the "Simple Acceptance" rule also called "Shared Risk approach," of ILAC-G8:09/2019, Guidelines on Decision Rules and Statements of Conformity.

Intertek B&C will service this report for the entire test record retention period. The test record retention period ends four years after the test date. Test records, such as detailed drawings, datasheets, representative samples of test specimens (where required by Certification or Accreditation bodies), or other pertinent project documentation, will be retained for the entire test record retention period.

SECTION 2

SUMMARY OF TEST RESULTS

702 Opaque met the specified performance requirements.

For INTERTEK B&C:

COMPLETED BY: Joel Zumwalt

TITLE: Lab Technician III

SIGNATURE:

DATE: 10/06/22

REVIEWED BY: Sandy Osborne

TITLE: Lab Technician I

SIGNATURE:

DATE: 10/06/22

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample(s) tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

TEST REPORT FOR SERGE FERRARI SAS

Report No.: 105207650MID-001B

Date: 10/06/22

SECTION 3

TEST METHOD(S)

The specimens were evaluated in accordance with the following:

NFPA 701-2019, Standard Methods of Fire Tests for Flame Propagation of Textiles and Films

SECTION 4

MATERIAL SOURCE/INSTALLATION

Test samples were provided by the client. The results outlined in this report apply to the sample as received. Samples were received at the Evaluation Center on October 3, 2022 in good condition verified by Sample ID# MID2210031411-002.

SECTION 5

EQUIPMENT

EQUIPMENT			
DESCRIPTION - ASSET #:	Stopwatch - 1404	CALIBRATION DUE:	4/5/2023
DESCRIPTION - ASSET #:	Oven - 1200	CALIBRATION DUE:	FRO
DESCRIPTION - ASSET #:	Scale - 1396	CALIBRATION DUE:	4/5/2023
DESCRIPTION - ASSET #:	Test Cabinet - 1203	CALIBRATION DUE:	FRO
DESCRIPTION - ASSET #:	Flowmeter - 1209	CALIBRATION DUE:	8/5/2023
DESCRIPTION - ASSET #:	Burner- 1473	VBU:	10/5/2022
DESCRIPTION - ASSET #:	Oven Logger - 701	CALIBRATION DUE:	1/6/2023
DESCRIPTION - ASSET #:	Temp/Humid Reader - 1562	CALIBRATION DUE:	2/2/2023
DESCRIPTION - ASSET #:	Temp/Humid Reader Sample Rm- 1451	CALIBRATION DUE:	3/21/2023

SECTION 6

TEST PROCEDURE

Testing was conducted in accordance with Chapter 14; Flame Test Procedures for Test Method 2. There were no deviations to the standard.

SECTION 7

TEST CRITERIA

TEST CRITERIA	
1. No specimen shall continue flaming for more than two sec.	
2. Length of char shall not exceed 17.1 in from the bottom edge of the specimen.	
3. No flaming on the floor of apparatus is allowed for longer than 2 sec.	

TEST REPORT FOR SERGE FERRARI SAS

Report No.: 105207650MID-001B

Date: 10/06/22

SECTION 8

TEST SPECIMEN DESCRIPTION

Samples were received as a large roll white in color consisting of Polyester yarns (1100 dtex) coated with PVC flame retardant on both sides and varnished. Weight : 830 g/m²±-5% Thickness: 0.63 mm±-10% Polyester yarn 1100 dtex : 24% - PVC flame retardant : 76%. It was then cut to ten approximately 47" by 5" panels. The panels were subjected to conditioning for at least 60 minutes at 105°C ± 3°C and not more than 180 minutes by Intertek prior to testing.

SECTION 9

TEST RESULTS

TEST RESULTS			
Specimen	After Flame	Floor Flaming (sec)	Char Length (in)
1	0	0	6.13
2	0	0	7.00
3	0	0	6.06
4	0	0	7.38
5	0	0	7.50
6	0	0	7.19
7	0	0	7.50
8	0	0	6.19
9	0	0	6.75
10	0	0	6.19
Average	0	0	6.79

OBSERVATIONS

Specimens ignited upon introduction to test flame producing light grey smoke. Specimens self-extinguished prior to removal of test flame. Specimens exhibited no flaming dripping.

SPECIMEN DENSITY			
	Specimen 1	Specimen 2	Specimen 3
Weight (g)	8.78	8.71	8.83
Length (mm)	101	101	101
Width (mm)	100	100	101
g/m ²	869.31	862.38	865.60
		Average	865.76

SECTION 10

CONCLUSION

No specimen continued flaming for more than two seconds. The length of char did not exceed 17.1 inches from the bottom edge of the specimen for flat sheets (see section 13.1.3). No flaming on floor of apparatus lasted longer than two seconds.

702 Opaque met the specified performance requirements.

TEST REPORT FOR SERGE FERRARI SAS


Report No.: 105207650MID-001B

Date: 10/06/22

SECTION 11


REVISION LOG

REVISION #	DATE	SECTION	REVISION
0	10/06/22	N/A	Original Report Issue



-No other Lighting or electrical Elements within 5' of water tank.

- inner and outer fountain pipes bonded to ground




Public Safety Announcement

At the beginning of every performance the public will hear:

Welcome all to the 2024 Edition of Cirque Italia before we begin the show today, we'd like to make you all aware of the emergency exit locations in our tent. Please look around you and make yourself aware of the lighted exit signs and their locations.

In case of an emergency, we ask that you walk, do not run to the nearest exit to you which will lead you outside of the tent to safety, and where Cirque Italia staff will be waiting to assist you.

Thank you for your attention.



Security Plan


To whom it may concern:

Cirque Italia has its own crew of Certified Crowd Mangers & Security Staff that travel with the event. Their main responsibilities include but are not limited to; Crowd Control, Patrolling the grounds and General Public Safety. (The crews take turns walking the grounds to ensure all is in order and provide overnight 24-hour surveillance)

1. One hour before the public arrives, they are to check the grounds to ensure all is in place for the event and the means of egress.
2. During the event they are to remain in and around the tents (making rounds) to ensure all is running smoothly.
3. At the end of the event, they are assigned to an exit to facilitate and assist the public as they exit the tents\.
4. They are instructed to keep an eye out and report any suspicious or unusual activity directly to the onsite / Emergency Manager who will then decide the appropriate course of action.

At Cirque Italia the safety and wellbeing of our audience is our main goal and responsibility, we want to ensure the patrons have an enjoyable and memorable experience with us.

Thank you.



High Wind Action Plan

In the event of High Winds of more than 55mph, Designated Team Leaders begin immediate evacuation of the Tent with the assistance of the designated staff leaders who are certified in Crowd Management. The sound crew will then notify the public immediately regarding the evacuation over the PA system.

The public will hear the following Instructions:

Please listen to the following instructions: "We request at this time the immediate evacuation of the tent. Please proceed to the nearest exit closest to you. Please look around you, there are seven exits located in the Tent. We ask that you walk, do not run to the nearest exit which will lead you outside of the Tent to safety, where there will be Cirque Italia staff awaiting to assist".

Cirque Italia staff and crew will assist in leading the public safely away from the structure of the Tents. All staff and crew have two-way radios to communicate quickly in such case of emergency. Staff is easily identified as they will be wearing neon vest and will have flashlights.

Once the public is cleared out of the tent, the staff will then also clear out of the tent and the Tent Boss will then oversee the tent structure to determine if it is safe to disassemble or remove the tent from the site due to the severity of the weather. In which we have wind monitoring devices that help determine the steps that Cirque Italia staff will take in either the removal of the tent or a full personnel evacuation from the premises to safety.

Thank you.



Emergency Fire and Evacuation Plan

At Cirque Italia the safety of the audience, its employees and its venues are of paramount importance to management and staff. And with total safety in mind, we have developed the following procedure to deal with emergencies and evacuation of the tent, whether due to fire or any other public safety emergency. The procedure consists of three specific actions that all staff are trained and familiar with.

1. In the event of an evacuation due to fire or other public safety emergency they will follow the protocol in section of this plan as well as the direction of the Fire Team Members who will also be providing emergency action instructions.
2. Once safely out of the tent, staff will proceed to the predetermined external SAFE location (The Mall Building) a safe distance away from the tent.
3. The Fire Safety Team Members assigned to each exit have two-way radios to communicate with management and obtain the most up to date information regarding the status of the tent, to provide instructions for staff members and assist exiting patrons if needed.

A. Emergency Instructions

1. In the event of a fire or any other emergency 911 is the first call (Done by the Onsite & Emergency manager.) All staff are then notified by way of radios and or cell phones.
2. In the tent the show will stop, all lights will come on and the audience will be informed over the PA system of the emergency at hand and will be given instructions to walk, not run to the nearest exit calmly and safely.
3. Direct verbal instructions will continue over the Tent PA System.

In addition to the Instructions above if you see a fire or smell smoke, please try to immediately contact one of the Fire Safety team members located at each entrance.

If you cannot find a Fire Safety team member, please advise someone in the front tent or at the ticket office of the situation and they will make sure to tend to the emergency. There are fire extinguishers at every exit and emergency exits signs next to each entrance and exit of the tent.

B.

After notifying staff or receiving instructions to evacuate quickly try to do as many of the following things as possible **if safe to do so**.

1. Terminate all performances, music, phone conversations, meetings and vacate both tents and restrooms ASAP.
2. Close any cabinet drawers secure any monies or funds in the areas that have such requirements. Close box office doors behind you, remain calm and head for the emergency SAFE location.
3. Leave TENTS quickly and proceed to the predetermined SAFE location and check in with the Fire Safety members.
4. It is important for you to check in with the Fire Safety team staff once you have arrived safely at the SAFE location as they will have the two-way radios and will be in touch with the emergency service personnel and they can advise when and if, it will be safe to return to the tent.
Checking in will also enable the Fire Safety Team to determine if any staff members are still in the tent.
5. In the event of a non – fire emergency, Staff will follow the same procedure as above. Staying in contact with the Fire Team Staff will keep you informed of any instructions that may need to be followed as they are in contact with the Emergency Service personnel during any emergency.

C. Technical Information

1. In the event of a Fire or smoke situation, Fire Safety Team members have portable flashlights, and each exit has a fire extinguisher. There is also a PA System throughout the tents. In this case all management, Fire Team and Security Staff members stay closely connected, if the need for an evacuation arises. In this case all teams work together to make that decision.

D. Fire Safety Teams and their Duties.

At the direction of the onsite Emergency manager, each tent has a Fire Safety Team composed of responsible and dedicated individuals who undergo training in Fire safety and evacuation. The Fire Safety Team are periodically trained by a class that certifies them as a Crowd Manager. In every City/ Location that we visit the Fire Department, Police and emergency offices are always provided with our emergency action plans.

The Fire Safety Teams will direct evacuations of the tent and any emergency including fires, high winds, blackouts, bomb threats or any other situation that will require evacuating the tent.

In the event of Fire or evacuation the staff shall determine the location of the fire or source of smoke and immediately assume an emergency and notify the onsite emergency manager.

When necessary, the tent will be evacuated according to directions over the PA system with the following guidelines:

1. The most critical area for evacuation is the tent and all audience members in all locations in or near the tent. Evacuation from the locations shall be instituted when instructions from crowd control managers indicate such action. Evacuation should be via unaffected areas.
2. Crowd control managers and staff shall see that all occupants are notified of the fire or other emergency and see that they proceed immediately to execute the fire safety and evacuation plan.
3. The crowd control managers on the premises will immediately notify the onsite emergency manager who will then notify 911 of the particulars of the emergency.
4. In the event that exits are affected by fire and or smoke, the fire safety team members will direct attendees to alternate exits if an exit is unusable or cut off for any reason.
5. Although the tents have emergency backup power systems, staff members make rounds several times a day to visually check for fire or smoke conditions
6. In the event of a fire, fire safety teams will wear their emergency vests, have flashlights and portable radios to communicate with all staff.

E. Disabled employees or public

1. It is the responsibility of crowd control managers to periodically meet to discuss the needs of any employees or disabled public attendees who would need assistance during an evacuation or emergency. Fire teams are responsible for maintaining an update list of such personnel and public attendees and assign "buddies" to assist during an evacuation. Advanced plans are worked out regularly between the crowd control manager and staff to always maintain a plan in place to assure ADA people are assisted by and able to exit with the help of staff or personnel.
2. With the assistance of the designated control manager or coworker, a disabled audience member or employee should proceed to the ramp exit if assembled to assure safe exit and await assistance by authorized personnel.
3. If exists determined to be unusable, this will be informed over the PA system and Fire safety team members and staff will direct everyone to alternate exits.





Onsite & Emergency Manager

Diego Astaiza (580) 743-1227 or Emiliano Fusco (515) 227-0761

Tent Boss- Julio Rivera (848) 863-0161

Tent #1 - Entrance Tent -Fire Team members – Maria Maiz, Susana Silva.

Tent #2 - Main Tent – Fire Team members – Cindi Astaiza, Lara Dominguez.



CLIENTE

MANUEL AMERICA
Cirque Italia GOLD

CONTENUTO

TENSO 50 x 70 mt
Cupola Ottagonale 12,95
+ 2 ring

RIF.

COD.769

DISEGNO

IP. 01

DATA 09/00/00

GOLD

Certificate of Achievement
This is to certify that

Ezequiel Astaiza
has completed the course

Crowd Management Training
Crowd Manager Training 2024



606071VE4
Date Issued: December 1, 2024
Certificate is valid for two years from date issued.



Certificate of Achievement
This is to certify that

Frida Padilla

has completed the course
Crowd Management Training

Crowd Manager Training 2024



uk1USdPo2L

Date Issued: November 30, 2024

Certificate is valid for two years from date issued.



Certificate of Achievement
This is to certify that

Lara Dominguez
has completed the course
Crowd Management Training


Crowd Manager Training 2024



71BEHmP4M

Date Issued: November 30, 2024

Certificate is valid for two years from date issued.



Certificate of Achievement
This is to certify that

Yolanda Padilla

has completed the course
Crowd Management Training

Crowd Manager Training 2024



eIBSG4Z8kU
Date Issued: April 26, 2024
Certificate is valid for two years from date issued.



Professional cheese dispenser



Water connection- food grade hose

3 componenet sink

Hot & Cold water

Hot Dog
Machine

Popcorn
Machine

Slushes
Machine

Hand
Washing
sink

Cleaning supplies held
under cabinet

holding tank

Door

Fridge for a
bottle Drinl

Fridge- cooler Bottled Drinks held

Hot holding
Machine

Snow Cone
Machine


Window

Concessions trailers are identical
Stand 1 and Stand 2

CONCESSION:
Holding Tank
Hand washing Station
Warmer, hot holder
Popcorn Machine
Snowcone Machine
Nacho Warmer

Cotton
Candy
Machine






Emergency lights
located. Powered
by generator.

No Smoking Signs
are located and Fire
Extinguishers

CONCESSION:

Holding Tank
Hand washing Station
Warmer, hot holder
Popcorn Machine
Snowcone Machine
Nacho Warmer



~ Concessions Menu ~

We sell mostly pre – packed items.

Popcorn

Cotton Candy

Hot Dogs

Nachos w/ Cheese

Bottled Water

Bottled Sodas

Slushes

Lemonade

**All bought at Sam's, Wal-Mart, Costco, BJ's,
Gold Medal & Local grocery Stores.**

PROOF
of
LEARNING

Emiliano Fusco

has successfully completed the training for

Food Protection Manager

Date Completed: 2025-3-7

Instructor Name: Nick Eastwood

Approved hours: 8

Name of course: Food Protection Manager



The Always Food Safe Company
899 Montreal Circle, St. Paul, 55102
www.alwaysfoodsafe.com



Nick Eastwood
President
The Always Food Safe Company



**FLORIDA
RESTAURANT &
LODGING
ASSOCIATION**

SAFESTAFF®

ServSafe
National Restaurant Association

Florida
dbpr
Department of Business
Professional Regulation

DBPR-CONTRACTED FOOD SAFETY PROVIDER

DBPR Approved Program Provider No. 1752486

YAMISELLY LEON

FOODHANDLER NAME

11/21/1977

DATE OF BIRTH

has successfully completed the SafeStaff®
Foodhandler Training Program

cirque italia

BUSINESS NAME

Tommy Toth

TRAINER'S NAME

24596306

TRAINER'S CFPM CERTIFICATE NUMBER

7104475

CERTIFICATE NUMBER

5/29/2024

DATE OF TRAINING

5/29/2027

DATE OF EXPIRATION





FLORIDA
RESTAURANT &
LODGING
ASSOCIATION

SAFESTAFF®

ServSafe
National Restaurant Association

Florida
dbpr
Department of Business
& Professional Regulation

DBPR-CONTRACTED FOOD SAFETY PROVIDER

DBPR Approved Program Provider No. 1752486

MARCOS MORENO TOXQUI

FOODHANDLER NAME

1/3/1983

DATE OF BIRTH

has successfully completed the SafeStaff®
Foodhandler Training Program

Cirque italia

BUSINESS NAME

Tommy Toth

TRAINER'S NAME

24596306

TRAINER'S CFPM CERTIFICATE NUMBER

7085637

CERTIFICATE NUMBER

5/20/2024

DATE OF TRAINING

5/20/2027

DATE OF EXPIRATION





March 14, 2025

Village of Orland Park
14700 Ravinia Drive
Orland Park, IL 60462

Ref: Cirque Italia

To Whom It May Concern:

This letter serves as authorization for Cirque Italia to use Orland Square Mall's Parking Lot for the Cirque Italia Program. They have been approved for use the of parking lot for program dates 4/25/2025-4/28/2025 with set up taking place beginning 4/21/2024 and break down on 4/29/2024.

Cirque Italia assumes all responsibility for obtaining all required government approvals, obtaining and keeping effective all licenses and permits necessary for the event, and shall otherwise comply with all applicable governmental rules and regulations.

If you have any questions regarding Orland Square Mall's authorization for Cirque Italia's parking lot usage submission to the Village of Orland Park, please contact Mall Management/Marketing at 708.349.1647 or reach out to David Langlands, Area Director of Business Development at 708-890-1602.

Sincerely,
Cathy Mein
Cathy Mein
Director of Marketing

Orland Park, IL

When: April 25th – 28th, 2025


Where: 288 Orland Square Drive, Orland Park, IL 60462

At: Orland Square

Near: in the parking lot

- Under the stunning White & Blue Tent-

- **April 25 – Friday: 7:30pm**
- **April 26– Saturday: 1:30pm, 4:30pm & 7:30pm**
- **April 27– Sunday: 1:30pm & 4:30pm**
- **April 28– Monday: 7:30pm**



Orland Square
4.3 ★★★★★ (9,226)
Shopping mall · 📍

Overview Reviews About


[Directions](#) [Save](#) [Nearby](#) [Send to phone](#) [Share](#)

Longtime indoor mall with numerous fashion brands, beauty services, restaurants & a food court. >

📍 288 Orland Square Dr, Orland Park, IL 60462

NOTES:
NO ALCOHOL!
Both tents have **NO SMOKING** signs and Fire extinguishers throughout tents and at all exits. Exit signs – light up at every exit with the generator on as backup light in case of an emergency. No fire performances along with NO Pyrotechnics in the show! **NO ANIMALS!**
Main tent is round – 131 ft.
Entrance tent – 39 ft. x 158 ft.
Tent capacity is 998 seats
Seating is bleacher style with bucket style seats! No benches in the tent.
Front tent has concessions – **NO COOKING UNDER TENT! PRE-MADE & BOUGHT PRODUCT ONLY. ATTACHED ADDITIONAL LAYOUT OF FRONT TENT.**
Anchoring tent is with stakes located all around each tent.

- Parking is directed by staff that run the show. Parked in rows of 50 (parallel).
- Designated ADA parking in the front area of parking closest to the tent with signs in the ground showing area





FLAME RETARDANT

Fabric Registration

LICENSE NUMBER: F-044408

PRECONSTRAINT 702 BLACKOUT

Product Marketed by:

SERGE FERRARI

ZONE INDUSTRIELLE BP54 38352 LA TOUR DU PIN
CEDEX

Issue Date : 06/03/2024

Expiration Date : 06/30/2025

This product meets the minimum requirements of flame resistance established by the California State Fire Marshal for products identified in Section 13115, California Health and Safety Code.

The scope of the approved use of this product is provided in the current edition of the
CALIFORNIA APPROVED LIST OF FLAME RETARDANT CHEMICALS AND
FABRICS, GENERAL AND LIMITED APPLICATIONS CONCERNS published by the
California State Fire Marshal.

C Walker

Issued By Cortney Walker
Fire Engineering License Manager
Fire Engineering & Investigations Division

Patricia J. Setter

Reviewed and Approved By Patricia Setter
Deputy State Fire Marshal III
Fire Engineering & Investigations Division

OFFICE OF THE STATE FIRE MARSHAL

Please visit calfire.govmotus.org for more information on Licensing and Permitting with CAL FIRE



Total Quality. Assured.

16015 Shady Falls
Elmendorf, Texas 78112

Telephone: 210-635-8100
Facsimile: 210-635-8101
www.intertek.com/building

TEST REPORT FOR SERGE FERRARI

Report No.: 103491724SAT-003

Date: 5/9/18

REPORT QUALITY TO

Serge Ferrari

Zone Industrielle BP 54
38352 La Tour Du Pin Cedex
La Tour Du Pin, 38110
France

SECTION 1

SCOPE

Intertek Building & Construction (B&C) was contracted by Serge Ferrari, Zone Industrielle BP 54, 38352 La Tour Du Pin Cedex, La Tour Du Pin, 38110, France, to evaluate the flame spread and smoke developed properties of 1002. Testing was conducted at the Intertek B&C test facility in Elmendorf, Texas. Results obtained are tested values and were secured by using the designated test method(s). A summary of test results and the complete graphical test data is reported herein.

This report does not constitute performance certification of this product nor an opinion or endorsement by this laboratory.

SECTION 2

SUMMARY OF TEST RESULTS

Specimen I.D.: 1002

ASTM E84-18 Test Results

FLAME SPREAD INDEX	SMOKE DEVELOPED INDEX
5	350

For INTERTEK B&C:

COMPLETED BY: Joseph Martinez

TITLE: Technician

SIGNATURE:

DATE: 5/9/18

REVIEWED BY: Servando Romo

TITLE: Project Engineer

SIGNATURE:

DATE: 5/9/18

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample(s) tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

SERGE FERRARI SAS

TEST REPORT

SCOPE OF WORK

NFPA 701-2019, METHOD 2 - STANDARD METHODS OF FIRE TESTS FOR FLAME PROPAGATION OF TEXTILES AND FILMS FOR FLAT SHEETS (SEE SECTION 13.1.3) ON 702 OPAQUE

REPORT NUMBER

105207650MID-001B

TEST DATE(S)

10/05/22

ISSUE DATE

10/06/22

[REVISED DATE]

N/A


PAGES

5

DOCUMENT CONTROL NUMBER

GFT-OP-10c (09/29/20)

© 2017 INTERTEK



TEST REPORT FOR SERGE FERRARI SAS

Report No.: 105207650MID-001B

Date: 10/06/22

REPORT ISSUED TO

SERGE FERRARI SAS

Zone Industrielle BP 54

38352 La Tour Du Pin Cedex

La Tour Du Pin, 38110

France

SECTION 1

SCOPE

Intertek Testing Services NA, Inc. dba Intertek Building & Construction (B&C) was contracted by Serge Ferrari SAS, Zone Industrielle BP 54, 38352 La Tour Du Pin Cedex, La Tour Du Pin, 38110, France to perform testing in accordance with NFPA 701-2019, Method 2 - *Standard Methods of Fire Tests for Flame Propagation of Textiles and Films for Flat Sheets* (See section 13.1.3), on their 702 Opaque. Results obtained are tested values and were secured by using the designated test method(s). Testing was conducted at Intertek test facility in Middleton, WI.

Unless differently required, Intertek reports apply the "Simple Acceptance" rule also called "Shared Risk approach," of ILAC-G8:09/2019, Guidelines on Decision Rules and Statements of Conformity.

Intertek B&C will service this report for the entire test record retention period. The test record retention period ends four years after the test date. Test records, such as detailed drawings, datasheets, representative samples of test specimens (where required by Certification or Accreditation bodies), or other pertinent project documentation, will be retained for the entire test record retention period.

SECTION 2

SUMMARY OF TEST RESULTS

702 Opaque met the specified performance requirements.

For INTERTEK B&C:

COMPLETED BY: Joel Zumwalt

TITLE: Lab Technician III

SIGNATURE:

DATE: 10/06/22

REVIEWED BY: Sandy Osborne

TITLE: Lab Technician I

SIGNATURE:

DATE: 10/06/22

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample(s) tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

TEST REPORT FOR SERGE FERRARI SAS

Report No.: 105207650MID-001B

Date: 10/06/22

SECTION 3

TEST METHOD(S)

The specimens were evaluated in accordance with the following:

NFPA 701-2019, Standard Methods of Fire Tests for Flame Propagation of Textiles and Films

SECTION 4

MATERIAL SOURCE/INSTALLATION

Test samples were provided by the client. The results outlined in this report apply to the sample as received. Samples were received at the Evaluation Center on October 3, 2022 in good condition verified by Sample ID# MID2210031411-002.

SECTION 5

EQUIPMENT

EQUIPMENT			
DESCRIPTION - ASSET #:	Stopwatch - 1404	CALIBRATION DUE:	4/5/2023
DESCRIPTION - ASSET #:	Oven - 1200	CALIBRATION DUE:	FRO
DESCRIPTION - ASSET #:	Scale - 1396	CALIBRATION DUE:	4/5/2023
DESCRIPTION - ASSET #:	Test Cabinet - 1203	CALIBRATION DUE:	FRO
DESCRIPTION - ASSET #:	Flowmeter - 1209	CALIBRATION DUE:	8/5/2023
DESCRIPTION - ASSET #:	Burner- 1473	VBU:	10/5/2022
DESCRIPTION - ASSET #:	Oven Logger - 701	CALIBRATION DUE:	1/6/2023
DESCRIPTION - ASSET #:	Temp/Humid Reader - 1562	CALIBRATION DUE:	2/2/2023
DESCRIPTION - ASSET #:	Temp/Humid Reader Sample Rm- 1451	CALIBRATION DUE:	3/21/2023

SECTION 6

TEST PROCEDURE

Testing was conducted in accordance with Chapter 14; Flame Test Procedures for Test Method 2. There were no deviations to the standard.

SECTION 7

TEST CRITERIA

TEST CRITERIA	
1. No specimen shall continue flaming for more than two sec.	
2. Length of char shall not exceed 17.1 in from the bottom edge of the specimen.	
3. No flaming on the floor of apparatus is allowed for longer than 2 sec.	

TEST REPORT FOR SERGE FERRARI SAS

Report No.: 105207650MID-001B

Date: 10/06/22

SECTION 8

TEST SPECIMEN DESCRIPTION

Samples were received as a large roll white in color consisting of Polyester yarns (1100 dtex) coated with PVC flame retardant on both sides and varnished. Weight : 830 g/m²±-5% Thickness: 0.63 mm±-10% Polyester yarn 1100 dtex : 24% - PVC flame retardant : 76%. It was then cut to ten approximately 47" by 5" panels. The panels were subjected to conditioning for at least 60 minutes at 105°C ± 3°C and not more than 180 minutes by Intertek prior to testing.

SECTION 9

TEST RESULTS

TEST RESULTS			
Specimen	After Flame	Floor Flaming (sec)	Char Length (in)
1	0	0	6.13
2	0	0	7.00
3	0	0	6.06
4	0	0	7.38
5	0	0	7.50
6	0	0	7.19
7	0	0	7.50
8	0	0	6.19
9	0	0	6.75
10	0	0	6.19
Average	0	0	6.79

OBSERVATIONS

Specimens ignited upon introduction to test flame producing light grey smoke. Specimens self-extinguished prior to removal of test flame. Specimens exhibited no flaming dripping.

SPECIMEN DENSITY			
	Specimen 1	Specimen 2	Specimen 3
Weight (g)	8.78	8.71	8.83
Length (mm)	101	101	101
Width (mm)	100	100	101
g/m ²	869.31	862.38	865.60
		Average	865.76

SECTION 10

CONCLUSION

No specimen continued flaming for more than two seconds. The length of char did not exceed 17.1 inches from the bottom edge of the specimen for flat sheets (see section 13.1.3). No flaming on floor of apparatus lasted longer than two seconds.

702 Opaque met the specified performance requirements.

TEST REPORT FOR SERGE FERRARI SAS

Report No.: 105207650MID-001B


Date: 10/06/22


SECTION 11

REVISION LOG

REVISION #	DATE	SECTION	REVISION
0	10/06/22	N/A	Original Report Issue

CIRQUE ITALIA






Public Safety Announcement

At the beginning of every performance the public will hear:

Welcome all to the 2024 Edition of Cirque Italia before we begin the show today, we'd like to make you all aware of the emergency exit locations in our tent. Please look around you and make yourself aware of the lighted exit signs and their locations.

In case of an emergency, we ask that you walk, do not run to the nearest exit to you which will lead you outside of the tent to safety, and where Cirque Italia staff will be waiting to assist you.

Thank you for your attention.



High Wind Action Plan

In the event of High Winds of more than 55mph, Designated Team Leaders begin immediate evacuation of the Tent with the assistance of the designated staff leaders who are certified in Crowd Management. The sound crew will then notify the public immediately regarding the evacuation over the PA system.


The public will hear the following Instructions:

Please listen to the following instructions: "We request at this time the immediate evacuation of the tent. Please proceed to the nearest exit closest to you. Please look around you, there are seven exits located in the Tent. We ask that you walk, do not run to the nearest exit which will lead you outside of the Tent to safety, where there will be Cirque Italia staff awaiting to assist".

Cirque Italia staff and crew will assist in leading the public safely away from the structure of the Tents. All staff and crew have two-way radios to communicate quickly in such case of emergency. Staff is easily identified as they will be wearing neon vest and will have flashlights.

Once the public is cleared out of the tent, the staff will then also clear out of the tent and the Tent Boss will then oversee the tent structure to determine if it is safe to disassemble or remove the tent from the site due to the severity of the weather. In which we have wind monitoring devices that help determine the steps that Cirque Italia staff will take in either the removal of the tent or a full personnel evacuation from the premises to safety.

Thank you.



Security Plan

To whom it may concern:

Cirque Italia has its own crew of Certified Crowd Mangers & Security Staff that travel with the event. Their main responsibilities include but are not limited to; Crowd Control, Patrolling the grounds and General Public Safety. (The crews take turns walking the grounds to ensure all is in order and provide overnight 24-hour surveillance)

1. One hour before the public arrives, they are to check the grounds to ensure all is in place for the event and the means of egress.
2. During the event they are to remain in and around the tents (making rounds) to ensure all is running smoothly.
3. At the end of the event, they are assigned to an exit to facilitate and assist the public as they exit the tents\.
4. They are instructed to keep an eye out and report any suspicious or unusual activity directly to the onsite / Emergency Manager who will then decide the appropriate course of action.

At Cirque Italia the safety and wellbeing of our audience is our main goal and responsibility, we want to ensure the patrons have an enjoyable and memorable experience with us.

Thank you.



Emergency Fire and Evacuation Plan

At Cirque Italia the safety of the audience, its employees and its venues are of paramount importance to management and staff. And with total safety in mind, we have developed the following procedure to deal with emergencies and evacuation of the tent, whether due to fire or any other public safety emergency. The procedure consists of three specific actions that all staff are trained and familiar with.

1. In the event of an evacuation due to fire or other public safety emergency they will follow the protocol in section of this plan as well as the direction of the Fire Team Members who will also be providing emergency action instructions.
2. Once safely out of the tent, staff will proceed to the predetermined external SAFE location (The Mall Building) a safe distance away from the tent.
3. The Fire Safety Team Members assigned to each exit have two-way radios to communicate with management and obtain the most up to date information regarding the status of the tent, to provide instructions for staff members and assist exiting patrons if needed.

A. Emergency Instructions

1. In the event of a fire or any other emergency 911 is the first call (Done by the Onsite & Emergency manager.) All staff are then notified by way of radios and or cell phones.
2. In the tent the show will stop, all lights will come on and the audience will be informed over the PA system of the emergency at hand and will be given instructions to walk, not run to the nearest exit calmly and safely.
3. Direct verbal instructions will continue over the Tent PA System.

In addition to the Instructions above if you see a fire or smell smoke, please try to immediately contact one of the Fire Safety team members located at each entrance.

If you cannot find a Fire Safety team member, please advise someone in the front tent or at the ticket office of the situation and they will make sure to tend to the emergency. There are fire extinguishers at every exit and emergency exits signs next to each entrance and exit of the tent.

B.

After notifying staff or receiving instructions to evacuate quickly try to do as many of the following things as possible **if safe to do so**.

1. Terminate all performances, music, phone conversations, meetings and vacate both tents and restrooms ASAP.
2. Close any cabinet drawers secure any monies or funds in the areas that have such requirements. Close box office doors behind you, remain calm and head for the emergency SAFE location.
3. Leave TENTS quickly and proceed to the predetermined SAFE location and check in with the Fire Safety members.
4. It is important for you to check in with the Fire Safety team staff once you have arrived safely at the SAFE location as they will have the two-way radios and will be in touch with the emergency service personnel and they can advise when and if, it will be safe to return to the tent.
Checking in will also enable the Fire Safety Team to determine if any staff members are still in the tent.
5. In the event of a non – fire emergency, Staff will follow the same procedure as above. Staying in contact with the Fire Team Staff will keep you informed of any instructions that may need to be followed as they are in contact with the Emergency Service personnel during any emergency.

C. Technical Information

1. In the event of a Fire or smoke situation, Fire Safety Team members have portable flashlights, and each exit has a fire extinguisher. There is also a PA System throughout the tents. In this case all management, Fire Team and Security Staff members stay closely connected, if the need for an evacuation arises. In this case all teams work together to make that decision.

D. Fire Safety Teams and their Duties.

At the direction of the onsite Emergency manager, each tent has a Fire Safety Team composed of responsible and dedicated individuals who undergo training in Fire safety and evacuation. The Fire Safety Team are periodically trained by a class that certifies them as a Crowd Manager. In every City/ Location that we visit the Fire Department, Police and emergency offices are always provided with our emergency action plans.

The Fire Safety Teams will direct evacuations of the tent and any emergency including fires, high winds, blackouts, bomb threats or any other situation that will require evacuating the tent.

In the event of Fire or evacuation the staff shall determine the location of the fire or source of smoke and immediately assume an emergency and notify the onsite emergency manager.

When necessary, the tent will be evacuated according to directions over the PA system with the following guidelines:

1. The most critical area for evacuation is the tent and all audience members in all locations in or near the tent. Evacuation from the locations shall be instituted when instructions from crowd control managers indicate such action. Evacuation should be via unaffected areas.
2. Crowd control managers and staff shall see that all occupants are notified of the fire or other emergency and see that they proceed immediately to execute the fire safety and evacuation plan.
3. The crowd control managers on the premises will immediately notify the onsite emergency manager who will then notify 911 of the particulars of the emergency.
4. In the event that exits are affected by fire and or smoke, the fire safety team members will direct attendees to alternate exits if an exit is unusable or cut off for any reason.
5. Although the tents have emergency backup power systems, staff members make rounds several times a day to visually check for fire or smoke conditions
6. In the event of a fire, fire safety teams will wear their emergency vests, have flashlights and portable radios to communicate with all staff.

E. Disabled employees or public

1. It is the responsibility of crowd control managers to periodically meet to discuss the needs of any employees or disabled public attendees who would need assistance during an evacuation or emergency. Fire teams are responsible for maintaining an update list of such personnel and public attendees and assign "buddies" to assist during an evacuation. Advanced plans are worked out regularly between the crowd control manager and staff to always maintain a plan in place to assure ADA people are assisted by and able to exit with the help of staff or personnel.
2. With the assistance of the designated control manager or coworker, a disabled audience member or employee should proceed to the ramp exit if assembled to assure safe exit and await assistance by authorized personnel.
3. If exists determined to be unusable, this will be informed over the PA system and Fire safety team members and staff will direct everyone to alternate exits.




Onsite & Emergency Manager

Diego Astaiza (580) 743-1227 or Emiliano Fusco (515) 227-0761

Tent Boss- Julio Rivera (848) 863-0161

Tent #1 - Entrance Tent -Fire Team members – Maria Maiz, Susana Silva.

Tent #2 - Main Tent – Fire Team members – Cindi Astaiza, Lara Dominguez.



CLIENTE	
MANUEL AMERICA Cirque Italia GOLD	
CONTENUTO	
TENSO 50 x 70 mt Cupola Ottagonale 12,95 + 2 ring	
RIF.	
COD.769	
DISEGNO	
IP. 01	
DATA	
09/00/00	

GOLD

Certificate of Achievement
This is to certify that

Ezequiel Astaiza
has completed the course

Crowd Management Training
Crowd Manager Training 2024



666671VE4
Date Issued: December 1, 2024
Certificate is valid for two years from date issued.



Certificate of Achievement
This is to certify that

Frida Padilla

has completed the course
Crowd Management Training

Crowd Manager Training 2024



uk1USdPo2L

Date Issued: November 30, 2024

Certificate is valid for two years from date issued.



Certificate of Achievement
This is to certify that

Lara Dominguez
has completed the course
Crowd Management Training

Crowd Manager Training 2024



71BEHmP4M

Date Issued: November 30, 2024

Certificate is valid for two years from date issued.



Certificate of Achievement
This is to certify that

Yolanda Padilla

has completed the course
Crowd Management Training

Crowd Manager Training 2024



eIBSG4Z8kU
Date Issued: April 26, 2024
Certificate is valid for two years from date issued.



Professional cheese dispenser



Water connection- food grade hose

3 componenet sink

Hot & Cold water

Hot Dog
Machine

Popcorn
Machine

Slushes
Machine

Hand
Washing
sink

Cleaning supplies held
under cabinet

holding tank

Door

Fridge for a
bottle Drinl

Fridge- cooler Bottled Drinks held

Hot holding
Machine


Snow Cone
Machine

Window

Cotton
Candy
Machine

Concessions trailers are identical
Stand 1 and Stand 2

CONCESSION:
Holding Tank
Hand washing Station
Warmer, hot holder
Popcorn Machine
Snowcone Machine
Nacho Warmer




Emergency lights
located. Powered
by generator.

No Smoking Signs
are located and Fire
Extinguishers

CONCESSION:

Holding Tank
Hand washing Station
Warmer, hot holder
Popcorn Machine
Snowcone Machine
Nacho Warmer



~ Concessions Menu ~

We sell mostly pre – packed items.

Popcorn

Cotton Candy

Hot Dogs

Nachos w/ Cheese

Bottled Water

Bottled Sodas

Slushes

Lemonade

**All bought at Sam's, Wal-Mart, Costco, BJ's,
Gold Medal & Local grocery Stores.**

PROOF
of
LEARNING

Emiliano Fusco

has successfully completed the training for

Food Protection Manager

Date Completed: 2025-3-7

Instructor Name: Nick Eastwood

Approved hours: 8

Name of course: Food Protection Manager



The Always Food Safe Company
899 Montreal Circle, St. Paul, 55102
www.alwaysfoodsafecompany.com



Nick Eastwood
President
The Always Food Safe Company



**FLORIDA
RESTAURANT &
LODGING
ASSOCIATION**

SAFESTAFF®

ServSafe
National Restaurant Association

Florida
dbpr
Department of Business
Professional Regulation

DBPR-CONTRACTED FOOD SAFETY PROVIDER

DBPR Approved Program Provider No. 1752486

YAMISELLY LEON

FOODHANDLER NAME

11/21/1977

DATE OF BIRTH

has successfully completed the SafeStaff®
Foodhandler Training Program

cirque italia

BUSINESS NAME

Tommy Toth

TRAINER'S NAME

24596306

TRAINER'S CFPM CERTIFICATE NUMBER

7104475

CERTIFICATE NUMBER

5/29/2024

DATE OF TRAINING

5/29/2027

DATE OF EXPIRATION





FLORIDA
RESTAURANT &
LODGING
ASSOCIATION

SAFESTAFF®

ServSafe
National Restaurant Association

Florida
dbpr
Department of Business
& Professional Regulation

DBPR-CONTRACTED FOOD SAFETY PROVIDER

DBPR Approved Program Provider No. 1752486

MARCOS MORENO TOXQUI

FOODHANDLER NAME

1/3/1983

DATE OF BIRTH

has successfully completed the SafeStaff®
Foodhandler Training Program

Cirque italia

BUSINESS NAME

Tommy Toth

TRAINER'S NAME

24596306

TRAINER'S CFPM CERTIFICATE NUMBER

7085637

CERTIFICATE NUMBER

5/20/2024

DATE OF TRAINING

5/20/2027

DATE OF EXPIRATION

