



A proposal for
VILLAGE OF ORLAND PARK, IL
NAPA IBS
ORLAND PARK, IL 60462

Quote # SF-2026-02211 Revision # 2

Apr 22, 2026

Quotation valid until: Jul 21, 2026

This document outlines a comprehensive truck package, comprising the following equipment. The listed equipment is designed to be installed and operated as an integrated system, ensuring full compatibility and optimal performance.

Front Plow

Plow Hitch

V-Box Sand and Salt Spreader

Prewet System

Chassis

Installation

NPPGov Contract Number: PS22170

Quote prepared by: Daniel Montiel

Package Model - PACKAGE

PLOW

Plow Style	Reversible RSP/OWP
Plow Profile	Integral Shield
Plow Moldboard Modifications	RH Mailbox Cut
Plow Trip Type	Torsion Trip Edge
Plow Height	42 inch
Plow Length	11 foot
Plow Moldboard Material Type	Orange Polyurethane
Plow Moldboard Material Thickness	3/8 inch Poly
Plow Moldboard Paint	Plow Frame Black, Poly Moldboard
Plow Cutting Edge type	Standard
Plow Cutting Edge Description	Standard 5/8 X 8 Cutting Edge
Plow Pushframe type	Standard Pushframe
Plow Pushframe Width	Standard Width
Plow Reversing Cylinders	4" x 2" Nitrided Reversing Cylinders
Cushion Valve	Cushion Valve (Standard)
Cylinder Hose Kit	Cylinder Hose Kit (Standard)
Plow Running Gear Shape	No Running Gear
Plow Running Gear	No Running Gear
Plow Hitch Type	Quick Link Hitch
Plow Deflector	Rubber Deflector No Logo Installed
Plow Sight Marker	36" Poly Plow Marker (Ship Loose)
Parking Jack	Parking Jack Shipped Loose
Moldboard Shoes	No Moldboard Shoe
Curb Guards	Wrap Around Curb Guard, Pair
Moldboard Bottom Angle Gussets	Standard Gussets
Blade Saver	No Blade Saver
Special Request	
Standard 5/8 X 8 Cutting Edge	LINE ITEM ADDITIONAL SHIPPED LOOSE CUTTING EDGE (1) 81936

HITCH

Truck Side Hitch Type	Low Profile
Hitch Family	Basic Hitch
Lift Cylinder	4"x2" Nitrided Cylinder
Hitch Connection Type	Quick Link Hitch
Hitch Mounting Hardware	No Mounting Hardware

FSH

Model	FSH - Dual Auger
Steel Type	201 Stainless Steel
Hopper Height	50" Hopper Height
Hopper Length	10' Hopper Length
Body Design	84" Wide Standard Body
Auger Feedgate	No Rear Feedgate (Standard)

Lift Loops
 Conveyor Type
 Idler Grease Lines
 Conveyor Motor
 Hydraulic Flow Divider
 Motor Guard
 Spinner Disc
 Spinner Chute
 Spinner Extension
 Tip Up Chute
 Hardware Type
 Paint
 Primer
 Inverted Vee
 Top Grate Screens

Hold Down Kit
 A-Frame
 Chassis Frame Mount Kit
 Trunnion/Bumper
 Mudflap Kit
 Body Guides
 Leg Stand
 Spill Shield
 Rubber Side Shields
 Cabshield
 Lighting
 Ladder
 Side Tubes & Rear Hose Kit

Hose Kit
 Prewet Install

Special Request
 84" Wide Standard Body

Standard Lift Loops
Standard Auger Flighting
Idler Grease Lines Extended to Rear
Dual Auger Motors w/ Sensor
Basic Hydraulic Flow Divider
Auger Motor Guard (installed)
20" Poly Urethane Spinner Disc
Telescopic Chute w/ Dump Over (w)
10" Spinner Extension
No Tip Up Chute
Stainless Steel Hardware
Paint NA
No Primer (Natural Finish)
Inverted Vee Optional (Factory Installed)
STD Duty Screens, Stainless Steel (Factory Installed)
No Hold Down Kit
No A-Frame
Frame Mount Kit (No Catwalks)
No Trunnion Latch
No Mudflap Kit
No Body Guide Kit
No Leg Stand
No Spill Shield(s)
No Rubber Side Spill Shields
No Cabshield
Light Bar, 9 Light LED (Factory Installed)
No Ladder
SS Hyd Side Tubes, Rear Hoses (No PWS Hoses)
No Hose Kit
No Prewet System

- LINE ITEM CABSHIELD TO BE PART# 179705.201 CABSHIELD, 22" X 78", 10GA (4) REAR (ILDOT) LIGHT HOLES. - SHIPPED LOOSE FOR USC INSTALL.
- LINE ITEM SUBFRAME 195579

PWS

Control Console Type
 Prewet Type
 Material Type/Support Frame
 Tank 2 Size/Selection
 Application
 Tank 1 Size/Selection
 Slurry Tube

No Control Console
Hydraulic Prewet
304SS Support Frame
Extra 200 Gallon Wrap-Around Tank
V-box Spreader
200 Gallon Wrap-Around 10' Fsh Minimum
No Slurry

Install Prewet System
Flush Kit
Tank Float Switch
Air Bleed Kit
Install Prewet with Catwalks
Spray Nozzle Type
Hardware Type
Spreader Spinner Chute
Prewet Function
Fittings

Special Request

Vbox Spreader

Prewet Installed
Flush kit
No Float Switch
No Air Bleed Kit
Install With No Catwalks
Variable Displacement Hose Nozzle
Stainless Steel Hardware
Spreader Spinner Chute, Tele with Dumpover
Hydraulic with Flow Meter No Valve (8gpm)
2" Fill with 1.5" Poly Fittings

LINE ITEM (1) 140734.304 SINGLE LANE BOOM PACK

CHASSIS

Chassis Supplier
Order Type
Chassis Make
Chassis Model
Chassis Model Year
Hood Snow Door
Hood Type
Grille Style
Cab Type
Front Frame Extensions
Front Frame Wall Type
Front Frame Wall Thickness
Front Frame Rail Height
Front Bumper
Front Frame Width
Front Suspension Load Rating
Set Back/Forward Axle
Chassis Axle Quantity
Chassis CA/CT (Usable)
PTO/Pump Provisions
Pump Location
Transmission Model
Transmission Cooler
Backup Alarm
Battery Box Placement
Momentary Dash Switch Qty
Rocker Switch Qty
Plow Light Prep
Beacon/Strobe Prep
Trailer Plug
Body builder plug
Chassis Supplied Camera
Tow Hooks

Customer Supplied Chassis
Turnkey Install
Peterbilt
548
Model Year 2026
No Snow Door On Hood
Vocational Hood Style
Stationary Grille
Regular Cab
20" Front Frame Extensions
Single Wall Front Frame
.34" Frame Rail Wall Thickness
10-3/4" Frame Height
OEM Front Bumper Included
34" Front Frame Width
Under 15K Front Suspension
Axle Not Set Back/Forward
Single Axle
85
PTO Provisions Driver Side
Transmission Mount Pump
Allison 3000 Transmission
Standard Transmission Cooler
Chassis Back Up Alarm Not Included
Battery Box Under Cab
No Momentary Dash Switch
3 Latching Dash Switch
Chassis Plow Light Ready
OEM Strobe/Beacon_switch_wiring
7 Pin Round Plug OEM Installed
Bodybuilder Plug Installed
No Chassis Supplied Camera
Chassis Supplied Front Tow Hook

Winch Mount
Glad Hands
Air Line Provision for Glad Hands
Air Tank Placement
Fuel Tank Location
Fuel Tank Shape
Def Tank Location
Fuel Tank Size
Passenger Seat Style

**No Chassis Winch Mount
Glad Hands Included
Air Line Provisions Included
Under Frame Air Tank
Under Driver Door Fuel Tank
D-Shaped Fuel Tank
Def Directly In Front Of Fuel Tank
60-69 Gallon Fuel Tank Size
Air Ride Passenger Seat**

INSTALLATION

Chassis Delivery To Henderson
USC Build Facility
Installation Order Type
Completed Truck Delivery
Non-Henderson Equipment
USC Paint Location
Hooklift
Liquid Type
Spreader Type
Dump Body Type
Scraper Type
Wing Type
Front Plow Type
Hitch Type
Plow Portion Hitch
Hitch Mount Style
Front Bumper
Front Tow Hooks
Plow Markers
Plow Rubber Deflector
Plow Jack Install
QD Mount Location Field

**Truck Dealer/Customer Delivers
USC-IL
Turnkey Install
Henderson Delivers (100 Miles or Less)
No Non-Henderson Equipment
Not Required For Job
No Job Specific Hooklift
V-Box Prewet System
FSH Spreader
No Dump Body
No Underbody Scraper
No Wing Plow
Reversible Plow
Low Profile
Plow Attachment Quick Link
Cheek Plate Hitch Mount Kit
OEM Bumper Cut And Split
Tow Hooks, 44K Lb, Pair, USC Supplied
Factory Supplied and Installed at USC
Rubber Deflector Installed at Manufacturing
Plow Jack Installed at Upfit
Stainless Steel Quick Disconnect Mount, Front
Of Bolster
Hydraulic Drive Spreader
Chassis Mount Spreader (V-Block)
Not Required
Not Required On Job
Supplied by factory, installed at USC
Not Required
Not Required
Standard Spinner Install
Hydraulic Drive, Henderson Upfit Installed
Supplied By Henderson Upfit, Included With
Hydraulic Package
Supplied By Factory
Supplied By Factory Henderson Upfit Installed**

Spreader Drive Type
Spreader Mount Type
Spreader Cabshield
Spreader Underbody Pan
Spreader Chassis Mount Kit
Spreader Ladder
Spreader Bumper
Spreader Spinner Install Type
Liquid Drive Configuration
Liquid Controls

Feedback Sensor
Flush Kit

Liquid Selector Valve Required

Slurry Tube

Prewet Discharge Location

Pintle Plate information

Pintle Hook Selection

Rear Mudflap Mounting

Rear Mudflap Material

Rear Center Mudflap Mounting

Front Center Mudflap Mounting

Front Mudflap Mounting

Poly Fenders

Pintle Plate

Pintle Plate Thickness

Pintle Plate OEM Lights

Pintle Plate ICC Lights

Pintle Hook Hole Pattern

Reflective Tape

Lube System

Miscellaneous D-Ring Quantity

Exhaust Elbows

Automatic Tire Chains

Pusher Axle

Toolbox

Trailer Plug 2

Trailer Plug 1

Gladhands

Pintle Plate D-Rings

Chipper Bar

Rear Tow Hook

PDP Mount Location

Misc Electrical Supplies

GPS System

Pavement Temp Sensor

USC Light Package

Grille Light(s)

Camera Wash Kit

Camera 2 Location

Camera 1 Location

Camera Type/Monitor

Camera Quantity

Camera System

Wiper(s)

Switchbox

**Supplied By Factory, Installed At Henderson
Upfit**

Not Required

Front Or Rear

**No OEM Light Holes, ICC/ 3/4" Combo, 10/20 ton
combo holes, Subframe**

20 Ton

Frame Mount Stainless Steel

Rubber Rear Mudflap No Logo

Not Required On Job

Front Center Mudflap Not Required

Front Mudflap Not Required

**Poly Fenders, Full Pair, Single Axle, Stainless
Steel Mount**

Pre-Fab Pintle Plate Installed

3/4" Pintle Plate Thickness

No Pintle Plate OEM Lights

Qty 3, 3/4" ICC Lights

20 Ton

No Logo Reflective Tape 60' Linear

No Lube System Required

Not Required

Exhaust Elbow Not Required

Tire Chains Not Required

Pusher Axle Not Required

Not Required

Not Required For Job

7 Pin Trailer Plug, Truck, 7-Way RV

Glad Hands Fixed Straight S&E Dust Drop Pair

Qty 2, 1" D-Rings, 50 Degree Bend

Chipper Bar Not Required

44K Lb Pair Installed Rear

PDP Mounted On Back Wall

Misc Electrical Supplies Required

GPS System Not Required

Roadwatch, Stand Alone Display

72" Whelen Kit 2 Light ILDOT Standard

Grille Lights Not Required

Camera Wash Kit Not Required

Rear Spinner

Cabshield Mounted

Camera Type Not Required

2 Hydraulic Supplied Cameras

Camera System Included In Hydraulic Package

Wiper Not Required

No Switch Box Necessary

License Plate Lights

Brake Controller
Body Up Switch/Light
Back Up Alarm Bracket
Back Up Alarm
Roof Beacon Light
Worklight 2 Location
Worklight 2 Type
Worklight 1 Location
Worklight 1 Type
Worklight Quantity
Roof Spotlight
Mirrors
Driving Lights
Plow Lights Brackets

Plow Lights
Hydraulic System Source
Hydraulic System Manufacturer
Control Mount Location
Hydraulic Control Type
PTO Type
Reservoir Type
Hydraulic Package
Total Number of Quick Coupler Pairs
Required
Quick Coupler Upgrade
Return Filter
Low Oil Indicator
High Temperature Oil Shutdown
Low Oil Shutdown
Valve Enclosure Mount Location
Valve Enclosure Size
Valve Enclosure Supplier
Plow Pressure Relief Valve
Stainless Steel Tubing
Undercoat
Touch Up Paint

Special Request

Fsh Spreader

Special Request

Spreader Cabshield Not Required

Special Request

**Henderson Upfit Supplied License Plate Light
Grey Housing
Voyager Brake Controller
Proximity Switch/Bracket/Harness
Back Up Alarm Bracket Not Required
97 Decibel
Not Required
Rear Spinner
LED Worklight, 5" Round, Optilux
Rear Spinner
LED Worklight, 5" Round, Optilux
Quantity 2 Worklights
Not Required
Not Required
Driving Lights Not Required
Stainless Steel, Freightliner, Western Star/Other,
Pair
ABL, Heated
Henderson Supplied Hydraulic System
Certified
Floor Plate/Pedestal Mount Control
Electric Controls
Included In Hydraulics
Supplied With Equipment
Full Hydraulic Package
2 Pair QD Couplers**

**Stainless Steel QD Couplers
Supplied With Hydraulic Package
Supplied With Hydraulic Package
High Temp Oil Shutdown Not Required
Not Required
Driver Side Valve enclosure, Frame Mount
Supplied With Hydraulic Package
Valve Enclosure Supplied w/ Hydraulics
No Plow Pressure Relief Valve
SS Lines to Front and Rear of Truck
No Undercoat Required
No Additional Touch Up Paint**

INSTALL FACTORY SUPPLIED SINGLE LANE SPRAY BOOM
TO PREWET KIT.

INSTALL FACTORY SUPPLIED DUMP STYLE CABSHIELD
179705.201 TO SPREADER.

72" Whelen Kit 2 Lite Ildot Standard (1)188611 LIGHT,ALLEY,PAIR,WHELEN
Special Request
Full Hydraulic Package

- ADD:
- (1)177210 FILTER,T-PORTED,HIGH PRESSURE
 - (1)160343 VALVE, PRESSURE PROTECTION

Special Request
Hydraulic System Manufacturer: Certified Quote 11027221
Certified

Original Package Price: \$158,080.00

Total Package with applicable NPPGov Discount: \$134,407.00

Freight: \$585.00

Package (s): 2

Total: \$264,607.72

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Henderson offers a deposit program with additional discounts. Please contact your Henderson sales representative for more details.

All terms and conditions apply. Terms of Sale Document available at http://www.hendersonproducts.com/assets/Terms_of_sale.pdf

Signed: _____ **Date:** _____

Quote notes: