|                            |  | States Postal Service<br>ge Statement — Standard Mail  | VILL  | Comments: VILLAGE OF ORLAND PARK POSTAGE ESTIMATE USING THE ORLAND INDICIA HELD AT ORLAND PARK POST OFFICE  |   |  |  |  | Post Office: Note Mail Arrival Date & Time (Do Not Round-Stamp)   |  |   |  |  |
|----------------------------|--|--|---|---|---|--|--|--|---|--|---|--|--|
| M<br>A<br>I<br>L<br>E<br>R | V<br>1.<br>O                             | rmit Holder's Name and Address and nail Address, if Any  ILLAGE OF ORLAND PARK 4600 S RAVINIA AVE IRLAND PARK IL 60462  APS Cust. Ref. No.   | Maili<br>than<br>JSS<br>999<br>BUI                                  | Name and Address of Mailing Agent (If other than permit holder)  JSSCO dbaDES PLAINES PRINTING, LLC 999 COMMERCE COURT BUFFALO GROVE IL 60089  CRID 4545968 |   |  |  |  | Name and Address of Mail Owner (If other than permit holder)  VILLAGE OF ORLAND PARK 14600 S RAVINIA AVE ORLAND PARK IL 60462 |  |   |  |  |
| M A I L I N G              | Po<br>OR<br>Ty<br>Po<br>Pe<br>12:        | st Office of Mailing LAND PARK IL 60462  pe of   | Maile ogs  Weig  nother Clas Printed Matt Mail Pieces, Enter Coding | Weight of a Single Piece  |   |  |  | Statemen ORLAND SSF Tran Total # of F Total Wei te For Pic of Deli 12/                         | Pieces in Mailing 26,274 ght 14,450.7000 eces Bearing a Simp very Statistics File of 15/2015                                  | Alternative Method   | rays rays Trays Ays ys 9 ess Enter Date e Method                    |  |  |
| P O S T A G                | Pa<br>1<br>2                             | s is a Political Mailing [] Yes [X] No This is Official E arts Completed (Select all that apply) [] A [] B  Price at Which Postage Affixed (Check one) Complete if [] Correct [] Lowest [] Neither   | lection Mail  | C [ ]D [ ]E [X]F [ ]G [ ]H [ ]L [ ]M [ ]S [  Subtotal Postage (A  te mailing includes pieces bearing metered/PC Postage or pre                              |   |  |  |  |   | illpiece contains DVD/CD or other disk.  [ ] NSA  (Add Parts Totals) 7,61  recanceled stamps.  stage Affixed                     |   |  |  |
| E                          | 5  | Fee Flat Dollar Amount  5 Permit # Net Postage Due (Line 1 +/- Lines 2, 3, 4)  Additional Postage Payment (State reason)   |   |   |   |  |  |  |   |  |   |  |  |
| U S S S S                  | Po<br>(Po                                | or postage affixed add additional payment to net postage due permit imprint add additional payment to total postage.  In the state of the postage in the state of |   | Total Adjusted Postage Affixed Total Adjusted Postage Permit Imprint  |   |  |  |  |   |  |   |  |  |
|                            |  | Postmaster: Report Total Postage in AIC 208 Simplified Addressing (EDDM), Permit Imprint Only)  Total Adjusted Postage Simplified Addressing (EDDM)  |   |   |   |  |  |  |   |  | )   |  |  |
| CERTIFICATIO               | Th<br>ag<br>ag<br>Th<br>cor<br>lav<br>ma | centive/Discount Claimed:  e mailer's signature certifies acceptance of liability for and a ent signs this form, the agent certifies that he or she is auth rees to pay any deficiencies. In addition, agents may be lial e mailer hereby certifies that all information furnished on the mply with all postal standards and the mailing qualifies for the or postal regulation. I understand that anyone who furnish ay be subject to criminal and/or civil penalties, including fine gnature of Mailer or Agent  | orized to sole for any is form is a he prices a les false or        | deficien<br>deficien<br>accurate<br>and fees<br>mislead<br>risonmer   | pehalf of the scies result and the scies result and the scies and the scies are the scies and the scies are the scies and the scies are the scient are the scies are the scies are the scient are | e defe mai ing from the control of t | iler and om mattomplete; at the non this | s assessed of<br>that the mail<br>ers within the<br>that the ma<br>nailing does<br>form or who | ler is boun<br>leir respon<br>il and the s<br>not contail<br>omits info<br>arding our   | d by the certificati<br>sibility, knowledge<br>supporting docum<br>n any matter proh<br>irmation requested<br>Privacy Policy vis | on and<br>e, or control.<br>entation<br>ibited by<br>d on this form | 1.   |  |
| N                          |  | -  |   | JERRY CUVALA  |   |  |  |  | Extension   |  |   |  |  |
| SPS USE ONL                | NON BEOSTALONE! SITES                    | Weight of a Single Piece   | Date M  | lailer No   | gures at lef<br>? If yes, re<br>tified  | eason  |  | ı  | ] Yes [   | Round Stamp (R<br>Payment Date   | dequired)   | NON BPPS USE ONLY TO BESTALDER ONLY ET ED ITES |  |
|                            | S  |  |   |   | . ,   |  |  |  |   |  |   |  |  |

## Part F — Standard Mail — Carrier Route Flats

|                                     |                  | Ota                          | · · · · · | a Man Garrier     | itoute i it | 4.0 |  |          |          |       |         |
|-------------------------------------|------------------|------------------------------|-----------|-------------------|-------------|-----|--|----------|----------|-------|---------|
| Flats 3.3 oz. (0.2063 lbs.) or less |                  |                              |           |                   |             |     |  |          |          |       |         |
|                                     |                  | Price                        |           | No. of            |             |     |  | Subtotal | Discount | Fee   | Total   |
|                                     | Entry            | Category                     | Price     | Pieces            |             |     |  | Postage  | Total**  | Total | Postage |
| F1                                  | None             | Saturation*                  | 0.214     |                   |             |     |  |          |          |       |         |
| F2                                  | None             | HD Plus                      | 0.240     |                   |             |     |  |          |          |       |         |
| F3                                  | None             | HD                           | 0.245     |                   |             |     |  |          |          |       |         |
| F4                                  | None             | Basic                        | 0.300     |                   |             |     |  |          |          |       |         |
| F5                                  | None I           | Basic - CR<br>Bundles/Pallet | 0.295     |                   |             |     |  |          |          |       |         |
| F6                                  | DNDC             | Saturation*                  | 0.179     |                   |             |     |  |          |          |       |         |
| F7                                  | DNDC             | HD Plus                      | 0.206     |                   |             |     |  |          |          |       |         |
| F8                                  | DNDC             | HD                           | 0.211     |                   |             |     |  |          |          |       |         |
| F9                                  | DNDC             | Basic                        | 0.267     |                   |             |     |  |          |          |       |         |
| F10                                 | DNDC             | Basic - CR<br>Bundles/Pallet | 0.262     |                   |             |     |  |          |          |       |         |
| F11                                 | DSCF             | Saturation*                  | 0.169     |                   |             |     |  |          |          |       |         |
| F12                                 | DSCF/<br>DFSS    | HD Plus                      | 0.196     |                   |             |     |  |          |          |       |         |
| F13                                 | DSCF/<br>DFSS    | HD                           | 0.201     |                   |             |     |  |          |          |       |         |
| F14                                 | DSCF             | Basic                        | 0.256     |                   |             |     |  |          |          |       |         |
| F15                                 | DSCF             | Basic - CR<br>Bundles/Pallet | 0.251     |                   |             |     |  |          |          |       |         |
| F16                                 | DDU              | Saturation*                  | 0.159     |                   |             |     |  |          |          |       |         |
| F17                                 | DDU              | HD Plus                      | 0.186     |                   |             |     |  |          |          |       |         |
| F18                                 | DDU              | HD                           | 0.191     |                   |             |     |  |          |          |       |         |
| F19                                 | DDU              | Basic                        | 0.248     |                   |             |     |  |          |          |       |         |
| F20                                 | DDU <sub>E</sub> | Basic - CR<br>Bundles/Pallet | 0.243     |                   |             |     |  |          |          |       |         |
| F21                                 | Detach           | ed Addr Label                | 0.036     |                   |             |     |  |          |          |       |         |
| F22                                 | Detach           | ed Mktg Label                | 0.036     |                   |             |     |  |          |          |       |         |
| Fla                                 | ts EDI           | <b>DM</b> 3.3 o.             | z. (0.20  | 63 lbs.) or less* |             |     |  |          |          |       |         |
|                                     | F4               | Price                        | Delas     | No. of            |             |     |  | Subtotal | Discount | Fee   | Total   |
| F00                                 | Entry            | Category                     | Price     | Pieces            |             |     |  | Postage  | Total    | Total | Postage |
|                                     | None             | Saturation                   | 0.215     |                   |             |     |  |          |          |       |         |
|                                     | None             | HD Plus                      |           |                   |             |     |  |          |          |       |         |
|                                     | None             | HD<br>Basis                  |           |                   |             |     |  |          |          |       |         |
|                                     | None<br>DNDC     | Basic<br>Saturation          | 0.180     |                   |             |     |  |          |          |       |         |
|                                     | DNDC             | HD Plus                      | 0.100     |                   |             |     |  |          |          |       |         |
|                                     | DNDC             | HD Flus                      |           |                   |             |     |  |          |          |       |         |
|                                     | DNDC             | Basic                        |           |                   |             |     |  |          |          |       |         |
|                                     |                  | Saturation                   | 0.170     |                   |             |     |  |          |          |       |         |
| 101                                 | 2001             | Catalation                   | 5.175     |                   |             |     |  |          |          |       |         |

HD

Basic

0.160

F32 DSCF HD Plus F33 DSCF HD F34 DSCF Basic F35 DDU Saturation

F36 DDU HD Plus F37 DDU

F38 DDU

Part F continued next page

<sup>\*</sup> Full Service Intelligent Mail Option not available

## Part F — Standard Mail — Carrier Route Flats

| Flats Over 3.3 oz. but less than 16 oz. |                              |                |  |                  |                    |                |         |                    |                     |                     |              |                  |
|---|------------------------------|----------------|--|------------------|--------------------|----------------|---------|--------------------|---------------------|---------------------|--------------|------------------|
| Entre                                   | Price<br>Category            | Piece<br>Price |  | No. of<br>Pieces | Pieces<br>Subtotal | Pound<br>Price | Pounds  | Pounds<br>Subtotal | Subtotal<br>Postage | Discount<br>Total** | Fee<br>Total | Total<br>Postage |
| Entry                                   |                              |                |  | rieces           | Subtotal           | 0.641          | Fourius | Subtotal           | Postage             | IOIAI               | iotai        | rostage          |
| F39 None                                | Saturation*<br>HD Plus       | 0.081          |  |                  |                    |                |         |                    |                     |                     |              |                  |
| F40 None                                |                              | 0.088          |  |                  |                    | 0.641          |         |                    |                     |                     |              |                  |
| F41 None                                | HD                           | 0.113          |  |                  |                    | 0.641          |         |                    |                     |                     |              |                  |
| F42 None                                | Basic                        | 0.150          |  |                  |                    | 0.732          |         |                    |                     |                     |              |                  |
| F43 None                                | Basic - CR<br>Bundles/Pallet | 0.145          |  |                  |                    | 0.732          |         |                    |                     |                     |              |                  |
| F44 DNDC                                | Saturation*                  | 0.081          |  |                  |                    | 0.473          |         |                    |                     |                     |              |                  |
| F45 DNDC                                | HD Plus                      | 0.088          |  |                  |                    | 0.473          |         |                    |                     |                     |              |                  |
| F46 DNDC                                | : HD                         | 0.113          |  |                  |                    | 0.473          |         |                    |                     |                     |              |                  |
| F47 DNDC                                | Basic                        | 0.150          |  |                  |                    | 0.564          |         |                    |                     |                     |              |                  |
| F48 DNDC                                | Basic - CR<br>Bundles/Pallet | 0.145          |  |                  |                    | 0.564          |         |                    |                     |                     |              |                  |
| F49 DSCF                                | Saturation*                  | 0.081          |  |                  |                    | 0.423          |         |                    |                     |                     |              |                  |
| F50 DSCF                                |                              | 0.088          |  |                  |                    | 0.423          |         |                    |                     |                     |              |                  |
| F51 DSCF                                | HD                           | 0.113          |  |                  |                    | 0.423          |         |                    |                     |                     |              |                  |
| F52 DSCF                                | Basic                        | 0.150          |  |                  |                    | 0.514          |         |                    |                     |                     |              |                  |
| F53 DSCF                                | Basic - CR<br>Bundles/Pallet | 0.145          |  |                  |                    | 0.514          |         |                    |                     |                     |              |                  |
| F54 DDU                                 |                              | 0.081          |  |                  |                    | 0.378          |         |                    |                     |                     |              |                  |
| F55 DDU                                 | HD Plus                      | 0.088          |  |                  |                    | 0.378          |         |                    |                     |                     |              |                  |
| F56 DDU                                 | HD                           | 0.113          |  |                  |                    | 0.378          |         |                    |                     |                     |              |                  |
| F57 DDU                                 | Basic                        | 0.150          |  |                  |                    | 0.469          |         |                    |                     |                     |              |                  |
| F58 DDU                                 | Basic - CR<br>Bundles/Pallet | 0.145          |  |                  |                    | 0.469          |         |                    |                     |                     |              |                  |
| F59 Detac                               | hed Addr Label               | 0.036          |  |                  |                    |                |         |                    |                     |                     |              |                  |
| F60 Detac                               | hed Mktg Label               | 0.036          |  |                  |                    |                |         |                    |                     |                     |              |                  |

| Flats EDDM Over 3.3 oz. but less than 16 oz.* |                   |                |                  |                    |                |             |                    |                     |                   |              |                  |
|---|-------------------|----------------|------------------|--------------------|----------------|-------------|--------------------|---------------------|-------------------|--------------|------------------|
| Entry   | Price<br>Category | Piece<br>Price | No. of<br>Pieces | Pieces<br>Subtotal | Pound<br>Price | Pounds      | Pounds<br>Subtotal | Subtotal<br>Postage | Discount<br>Total | Fee<br>Total | Total<br>Postage |
| F61 None                                      | Saturation        | 0.082          |                  |                    | 0.641          |             |                    |                     |                   |              |                  |
| F62 None                                      | HD Plus           |                |                  |                    |                |             |                    |                     |                   |              |                  |
| F63 None                                      | High Density      |                |                  |                    |                |             |                    |                     |                   |              |                  |
| F64 None                                      | Basic             |                |                  |                    |                |             |                    |                     |                   |              |                  |
| F65 DNDC                                      | Saturation        | 0.082          |                  |                    | 0.473          |             |                    |                     |                   |              |                  |
| F66 DNDC                                      | HD Plus           |                |                  |                    |                |             |                    |                     |                   |              |                  |
| F67 DNDC                                      | High Density      |                |                  |                    |                |             |                    |                     |                   |              |                  |
| F68 DNDC                                      | Basic             |                |                  |                    |                |             |                    |                     |                   |              |                  |
| F69 DSCF                                      | Saturation        | 0.082          |                  |                    | 0.423          |             |                    |                     |                   |              |                  |
| F70 DSCF                                      | HD Plus           |                |                  |                    |                |             |                    |                     |                   |              |                  |
| F71 DSCF                                      | High Density      |                |                  |                    |                |             |                    |                     |                   |              |                  |
| F72 DSCF                                      | Basic             |                |                  |                    |                |             |                    |                     |                   |              |                  |
| F73 DDU                                       | Saturation        | 0.082          | 26,274           | 2,154.4680         | 0.378          | 14,450.7000 | 5,462.3646         | 7,616.8326          |                   |              | 7,616.8326       |
| F74 DDU                                       | HD Plus           |                |                  |                    |                |             |                    |                     |                   |              |                  |
| F75 DDU                                       | High Density      |                |                  |                    |                |             |                    |                     |                   |              |                  |
| F76 DDU                                       | Basic             |                |                  |                    |                |             |                    |                     |                   |              |                  |

<sup>\*</sup> Full Service Intelligent Mail Option Not Available

F77 Part F Total (Add lines F1-F76) \$ 7,616.8326

## **Full Service Intelligent Mail Option**

F78 DISPLAY ONLY Flats - Number of pieces that comply: x 0.001 = \$

<sup>\*\*</sup> May contain both Full Service Intelligent Mail and other discount.