Prepared for: JOSHUA BURMAN, VILLAGE OF ORLAND PARK

2020 F-59 Commercial Stripped Chassis 4x2 208" WB DRW Base (F5K)

Price Level: 35



Client Proposal

Prepared by: Zachary Harville Quote ID: ORLANDF59

Date: 09/03/2020



VILLAGE OF ORLAND PARK Prepared by: Zachary Harville

09/03/2020



2020 F-59 Commercial Stripped Chassis 4x2 208" WB DRW Base (F5K)

Price Level: 35 | Quote ID: ORLANDF59

Selected Equip & Specs

Dimensions

Exterior length: 350.1"* Front track: 91.6"Turning radius: 28.1'

Wheelbase: 208.0"* Rear track: 95.4"

Powertrain

* 350hp 7.3L OHV 16 valve V-8 engine with DEVCT variable valve control, SMPI

federal

Rear-wheel drive

Fuel Economy Highway: N/A

- Recommended fuel : regular unleaded
- TorqShift 6 speed automatic transmission with overdrive
- Fuel Economy Cty: N/A

Suspension/Handling

- Front I-Beam non-independent leaf spring suspension with anti-roll bar
- Firm ride Suspension
- Front and rear 19.5 x 6.75 black steel wheels
- Dual rear wheels

- * Rear DANA S130 rigid axle leaf spring suspension with anti-roll bar, Sachs brand name shocks
- Hydraulic power-assist re-circulating ball Steering
- * LT245/70SR19.5 GBSW highway front and rear tires

Body Exterior

Trailer harness

* Front and rear 19.5 x 6.75 wheels

Convenience

- Cruise control with steering wheel controls
- · Manual telescopic steering wheel

Seats and Trim

- Seating capacity of 1
- Fixed driver seat

· Manual tilt steering wheel

Front temporary driver seatFixed passenger seat

Entertainment Features

Steering wheel mounted radio controls

Lighting, Visibility and Instrumentation

- Auto on headlights
- Oil pressure gauge
- Trip computer

- Tachometer
- Outside temperature display
- Trip odometer

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

VILLAGE OF ORLAND PARK Prepared by: Zachary Harville

09/03/2020



Sutton Ford Inc. | 21315 Central Avenue Matteson Illinois | 604432893

2020 F-59 Commercial Stripped Chassis 4x2 208" WB DRW Base (F5K)

Price Level: 35 | Quote ID: ORLANDF59

Selected Equip & Specs (cont'd)

Safety	and	Sec	urity
---------------	-----	-----	-------

- 4-wheel ABS brakes
- 4-wheel disc brakes

- Hill hold control
- Driveline traction control

Dimensions

General	We	iqľ	าts
---------	----	-----	-----

* Curb 6,388 lbs	. * GVWR	22,000 lbs.
------------------	----------	-------------

* Payload 15,610 lbs.

Front Weights

* Front GAWR	8,000 lbs.	* Front curb weight	3,276 lbs.
* Front axle capacity	8,000 lbs.	* Front spring rating	8,000 lbs.

* Front tire/wheel capacity 7,780 lbs.

Rear Weights

* Rear GAWR	15,000 lbs.	* Rear curb weight	3,112 lbs.
* Rear axle capacity	15,000 lbs.	* Rear spring rating	15,000 lbs.

* Rear tire/wheel capacity 14,620 lbs.

Trailering Type

Harness Yes

General Trailering

* Towing capacity	4000 lbs.	GCWR	26000 lbs.

Fuel Tank type

Capacity40 gal.

Front Frame

35 " * Height unloaded

Rear Frame

* Height unloaded 39 "


Powertrain

Engine Type

Block material	Iron	Cylinders	V-8
Head material	Aluminum	Ignition	Spark
Injection	Sequential MPI	Liters	7.3L
Orientation	Longitudinal	Recommended fuel	Regular unleaded
Valves per cylinder		Valvetrain	OHV

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

VILLAGE OF ORLAND PARK Prepared by: Zachary Harville





Sutton Ford Inc. | 21315 Central Avenue Matteson Illinois | 604432893

2020 F-59 Commercial Stripped Chassis 4x2 208" WB DRW Base (F5K)

Price Level: 35 | Quote ID: ORLANDF59

elected Equip & Specs (cont'd) Variable valve control DEVCT	
Engine Spec	
Bore 4.21" Displacement 445 cu.in.	Compression ratio 10.5:1 Stroke 3.98"
Engine Power	
SAEJ1349 AUG2004 compliant Yes Torque 468 ftlb @ 3,900 RPM	Output 350 HP @ 3,900 RPM
Alternator	
Type HD	Amps
Battery	
Amp hours 78 Type HD	Cold cranking amps 750
Engine Extras	
Oil cooler Yes	
Transmission	
Electronic control Yes	Lock-up Yes
Overdrive Yes	Speed 6
Type Automatic	
Transmission Gear Ratios	
1st	2nd 2.318
3rd 1.516 5th 0.858	4th 1.149 6th 0.674
Reverse Gear ratios 3.128	0.071
Transmission Torque Converter	
Stall ratio 1.90	
Transmission Extras	
Driver selectable mode Yes	Oil cooler Regular duty
Drive Type	Ç
Type Rear-wheel	
Drive Feature	
Traction control Driveline	
Drive Axle	
* Ratio	
Exhaust	
Material Stainless steel	System type Single
	7

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

VILLAGE OF ORLAND PARK Prepared by: Zachary Harville

09/03/2020



2020 F-59 Commercial Stripped Chassis 4x2 208" WB DRW Base (F5K)

Price Level: 35 | Quote ID: ORLANDF59

Selected Equip & Specs (cont'd)

L	γ	11	S	S	Ю	r	ıs

CARB Federal

fuel Economy

Fuel type Gasoline

Driveability

R	ra	L۵	c
\boldsymbol{D}	a	ĸt	0

ADS	4-WIIEEI	* ADS Channels	· · · · · · · · · · · · · · · · · · ·
Type	4-wheel disc	Vented discs	Front and rear

Brake Assistance

Hill hold control Yes

Suspension Control

Ride

Front Suspension

Independence	I-Beam non-independent	Type Leaf
Anti-roll har	Regular	

Front Spring

Type		* Grade	
------	--	---------	--

Front Shocks

Type Sachs brand name

Rear Suspension

* Independence DANA S130 rigid axle		Type Leaf
Anti-roll bar	Regular	

Rear Spring

TypeMulti-lear	* Grade	HD
----------------	---------	----

Rear Shocks

Type Sachs brand name

Steering

Activation	Hydraulic power-assist	Type Re-circulating ball
* Type	Regular	


Steering Specs

of wheels 2

Exterior

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

VILLAGE OF ORLAND PARK Prepared by: Zachary Harville





Sutton Ford Inc. | 21315 Central Avenue Matteson Illinois | 604432893

2020 F-59 Commercial Stripped Chassis 4x2 208" WB DRW Base (F5K)

Price Level: 35 | Quote ID: ORLANDF59

Selected Equip & Specs (cont'd)	
Front Wheels	
Diameter 19.5"	* Width 6.75"
Rear Wheels	
Diameter 19.5"	* Width 6.75"
Dual Yes	
Front and Rear Wheels	
Appearance Black	Material Steel
Front Tires	
Aspect 70	Diameter 19.5"
Sidewalls	Speed
* Tread Highway	Type LT
* Width 245mm	LT load rating G
* RPM	
Rear Tires	
Aspect	Diameter 19.5"
Sidewalls	Speed
* Tread Highway	Type LT
* Width 245mm	LT load rating G
* RPM	
Wheels	
* Front track 91.6"	* Rear track 95.4"
Turning radius 28.1'	Wheelbase 208.0"
Body Features	
Body material None	
Exterior Dimensions	
Length 350.1" Frame section modulus 9.5cu.in. Front bumper to Front axle 36.3"	Axle to end of frame 105.8" Frame yield strength (psi) 36000.0
Seating	
Front Seats	
Type Temporary driver seat	
Front Seat Trim	
Material None	Back material None
Matorial	2dok material

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

VILLAGE OF ORLAND PARK Prepared by: Zachary Harville





2020 F-59 Commercial Stripped Chassis 4x2 208" WB DRW Base (F5K)

Price Level: 35 | Quote ID: ORLANDF59


Selected Equip & Specs (cont'd)

Convenience

Audio Controls	
Steering wheel controls Yes	
Cruise Control	
Cruise control With steering wheel controls	
Door Lock Activation	
Type None	
Instrumentation Type	
Display Analog	
Instrumentation Gauges	
Tachometer Yes	Oil pressure Yes
Engine temperature Yes	Transmission fluid temp Yes
Engine hour meter Yes	
Instrumentation Displays	
Exterior temp Yes	
Instrumentation Feature	
Trip computer Yes	Trip odometer Yes
Steering Wheel Type	
Material Urethane Telescoping Manual	Tilting Manual
1 0	
Front Side Windows	
Window 1st row activation None	
Front Windshield	
Wiper None	
Interior	
Floor Trim	
Coverage None	Covering None
Trim Feature	
Gear shifter material Urethane	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

VILLAGE OF ORLAND PARK Prepared by: Zachary Harville





Sutton Ford Inc. | 21315 Central Avenue Matteson Illinois | 604432893

2020 F-59 Commercial Stripped Chassis 4x2 208" WB DRW Base (F5K)


Price Level: 35 | Quote ID: ORLANDF59

As Configured Vehicle

Code	Description
F5K	Base Vehicle Price (F5K)
696A	Order Code 696A
	Includes: - Engine: 7.3L 2V DEVCT NA PFI V8 Gas - Transmission: TorqShift 6-Speed Automatic w/OD 6R140. Includes Tow/Haul mode Seats Not Included (No Pedestal)
99N	Engine: 7.3L 2V DEVCT NA PFI V8 Gas
44P	Transmission: TorqShift 6-Speed Automatic w/OD 6R140. Includes Tow/Haul mode.
NONAX1	5.38 Axle Ratio
20\$	GVWR: 22,000 lbs. Payload Package
	Includes HydroMax power brake assist, 4-sensor/4 channel 4-wheel ABS, 15,000 lbs. rear DANA S130 axle, 8,000 lbs. front GAWR and 15,000 lbs. rear GAWR and heavy-duty front track bar package. Includes: - 5.38 Axle Ratio - Wheels: 19.5" x 6.75" Black Steel (6) - Tires: 245/70Rx19.5G BSW Highway
T96	Tires: 245/70Rx19.5G BSW Highway
64W	Wheels: 19.5" x 6.75" Black Steel (6)
STDST	Seats Not Included (No Pedestal)
208WB	208" Wheelbase
57T	Air Conditioning Prep Package (57T)
	Includes suction line for the A/C package (all major AC components and includes suction line - less evaporator).
425	50-State Emissions
UTILIMASTER	STEP VAN

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

VILLAGE OF ORLAND PARK Prepared by: Zachary Harville





Sutton Ford Inc. | 21315 Central Avenue Matteson Illinois | 604432893

2020 F-59 Commercial Stripped Chassis 4x2 208" WB DRW Base (F5K)

Price Level: 35 | Quote ID: ORLANDF59

Pricing Summary - Single Vehicle

	MSRP
Vehicle Pricing	
Base Vehicle Price	\$32,775.00
Options & Colors	\$2,590.00
Upfitting	\$125,994.00
Destination Charge	\$1,195.00
Subtotal	\$162,554.00
Pre-Tax Adjustments	
Description	
Government/Municipal Discount	-\$3,800.00
Total	\$158,754.00
Customer Signature	Acceptance Date