Job Number:

AUTO MEDICS

13751 Southwest Highway Orland Park, IL 60462 (708)460-9400

PRELIMINARY ESTIMATE

Written By: Fred Skvarla Adjuster:

Insured: VILLAGE OF ORLAND PARK

Owner: VILLAGE OF ORLAND PARK

Address: 15655 RAVINIA

ORLAND PARK, IL 60462

Business: (708)403-6350x6106

Fax: (708)403-8798

Claim #SQUAD # 11

Policy #

Deductible:

Date of Loss:

Type of Loss: Collision

Point of Impact: 11. Left Front

Inspect Location:

Insurance

Company:

Days to Repair

2010 FORD CROWN VICTORIA POLICE 8-4.6L-FI 4D SED WHITE Int:BLUE

VIN: 2FABF7BV7AX139850 Lic: M/P 2676 IL Prod Date: 05/2010 Odometer: 20883

Air Conditioning Rear Defogger . Tilt Wheel
Intermittent Wipers Tinted Glass Body Side Moldings
Wood Interior Trim Dual Mirrors Clear Coat Paint Clear Coat Paint Power Windows Power Trunk/Gate Release Power Steering
Power Brakes
Power Locks
Power Mirrors
Power Adjustable Pedals
Stored
Stored
Power Air Bag

FM Radio
Anti-Lock Brakes (4)
Front Side Impact Air Bag Driver Air Bag Passenger Air Bag

4 Wheel Disc Brakes Bucket Seats Automatic Transmission

Overdrive Deluxe Wheel Covers

| NO - | OP. | DESCRIPTION | QTY | EXT. | PRICE | LABOR | PAINT |
|------|------|------------------------------|-----|------|-------|-------|-----------|
| 1 | | FRONT BUMPER | | | | | · |
| 2 | | O/H front bumper | | | | 2.7 | |
| 3** | Repl | RECOND Bumper cover | 1 | 552. | 00 | Incl. | 2.8 |
| 4 | _ | Add for Clear Coat | | | | | 1.1 |
| 5 | Repl | Impact bar | 1 | 119. | 17 | Incl. | |
| 6 | | FRONT PANELS | | | | | |
| 7 | Repl | Front panel | 1 | 300. | 35 | Incl. | 1.7 |
| 8 | | Add for Clear Coat | | | | | 0.7 |
| 9 | | Add for Edging | | | | | 0.5 |
| 10 | Repl | Grille w/o chrome emblem | 1 | 129. | 02 | Incl. | 1.0 |
| | _ | black-fleet | | | | | |
| 11 | | Overlap Major Non-Adj. Panel | | | | | -0.2 |
| 12 | | Add for Clear Coat | | | | | 0.2 |
| 13 | | RADIATOR SUPPORT | | | | | |
| 14 | Repl | Radiator support | l | 340. | 30 | 5.5 | 1.2 |

Job Number:

PRELIMINARY ESTIMATE 2010 FORD CROWN VICTORIA POLICE 8-4.6L-FI 4D SED WHITE Int:BLUE

| NO. | OP. | DESCRIPTION | QTY | EXT. | PRIC | E LABOR | PAINT |
|------------|-------|---|-----|-------|--------------------|--------------|------------------|
| 15 | Repl | | | | | Incl. | |
| 16 | • | FRONT LAMPS RECOND LT Headlamp assy | | | | | |
| 17** | Repl | RECOND LT Headlamp assy | 1 . | · 87 | .00 | Incl. | |
| 1 R | | HOOD | | | | | |
| 19** | Repl | HOOD A/M CAPA Hood | 1 | . 409 | .00 | 1.5 | 3.0 |
| 20 | ,p | Overlap Major Adj. Panel | | | | | -0.4 |
| 21 | | Add for Clear Coat | | | | | 0.5 |
| | | | | | | | 1.5 |
| 23 | Repl | Add for Underside (Complete) RT Hinge | 1 | 36 | .75 | 0.4 | |
| 24 | p= | Add for Clear Coat | | | | | 0.1 |
| 25 | | LT Hinge | 1 | 37 | . 95 | Incl. | 0.3 |
| 26 | | Add for Clear Coat | | | | | 0.1 |
| 27 | Repl | | 1 | 46 | .15 | Incl. | |
| | Kebr | AIR CONDITIONER & HEATER | | | | | |
| 28 | | Condenser | 1 | 329 | . 05 | m Incl. | |
| 29 | керт | FENDER | - | • | | | |
| 30 | D1 | A/M CAPA LT Fender | 1 | 214 | . 00 | 2.6 | 2.0 |
| | керт | Overlap Major Adj. Panel | _ | | | | -0.4 |
| 32 | | Add for Clear Coat | | | | | 0. |
| 33 | | Add for Edging | | | | | 0. |
| 34 | | Deduct for Overlap | | | | -0.4 | |
| 35 | | | 1 | 93 | .53 | | |
| 36 | керт | LT Fender liner | 7 | | | 0.0 | 1. |
| | Rpr | RT Fender | | | | | <u>1.</u> -0. |
| 38 | | Overlap Major Adj. Panel | | | | | 0. |
| | | Add for Clear Coat | | | | | ٠. |
| 40 | | WINDSHIELD | 4 | 6 7 | 0.7 | 0.5 | |
| 41 | Repl | Reservoir assy w/electronic inst. | 1 | 0.2 |) .) / | 0.5 | |
| 42 | | COOLING | | | | | |
| | Rpr | Radiator | | | | m <u>1.0</u> | |
| | | Fan assy | 1 | 304 | 1.44 | m Incl. | |
| 45# | Repl | FRT PUSH BUMPER | | 333 | | | |
| | | 2 Wheel Alignment | 1 | 69 | 9.95 | | |
| 47# | Rpr | Set up gauge & Measure genisus | 3 | | | 1.5 | F |
| 48# | Rpr | | | | | 2.5 | |
| 49# | | Flex Agent | 1 | | | | 0. |
| 50# | Refn | Tint | | | | | 0. |
| 51# | | Hazardous Waste Removal | 1 | ; | 3.00 | | |
| 52# | | Cover Car from Overspray | 1 | ! | 5.00 | | |
| 52# 53# | | Corrosion Protectin | 1 | 12 | 2.00 | 0.3 | |
| 54# | Δlan | Align Headlamps | | | | 0.5 | |
| 55# | 21311 | Evacuate & re-charge system | 1 | 5 | 9.95 | | |
| 56# | | Recovery Refrigerant | 1 | | | 1.4 | |
| 50# 57# | panl | Preon/per pound | 1 | 1 | 9.95 | T | |
| 58# | YOP' | Dex-cool (1 gallon) | 1 | 2 | 3.42 | T | |
| 59 59 | | FRONT DOOR | | | | | |
| 59 60* | Rpr | _ , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | <u>0.5</u> | <u>1</u> . |
| 6 U - | KDI | entry | | | | | |

Job Number:

PRELIMINARY ESTIMATE

2010 FORD CROWN VICTORIA POLICE 8-4.6L-FI 4D SED WHITE Int: BLUE

| NO. | OP. | DESCR | IPTIO | 9N | QTY | EXT. | PRICE | LABOR | PAINT |
|-------------------|----------|--------------------------|-------|-----------|-----|------|---------|-------|-------|
| 61 | Ove | rlap Major | Adj. | Panel | | | | | -0.4 |
| 62 | Add | for Clear | Coat | | | | | | 0.1 |
| 63# 6 4 | Repl San | d nibs and OTHER CHAR | | | 1 | | | 0.5 | |
| 65# | Tow | ing | | | 1 | 90. | .00 | | |
| | | | Subt | otals ==> | | 3731 | . 62 | 22.6 | 20.0 |

Estimate Notes:

NOTE

OPEN ON HIDDEN DAMAGE UNTIL TEAR DOWN IS COMPLETED MAY BE HIDDEN DAMAGE CAUSING SUPPLEMENTAL CHARGE. & DECALS MUST BE SUPPLIED BY VILLAGE OF ORLAND PARK

| Parts | | | | | | 3528.30 |
|----------------|------|-----|------------|----------|----------|---------|
| Body Labor | 18.6 | hrs | Ø | \$ | 46.00/hr | 855.60 |
| Paint Labor | 20.0 | hrs | (a) | \$ | 46.00/hr | 920.00 |
| Frame Labor | 4.0 | hrs | æ | \$ | 65,00/hr | 260.00 |
| Paint Supplies | 20.0 | hrs | 9 | \$ | 26.00/hr | 520.00 |
| Sublet/Misc. | | | | | | 113.32 |
| Other Charges | | | | | | 90.00 |
| | | | | | | |
| SUBTOTAL | | | | | \$ | 6287.22 |
| | | | | | | |
| GRAND TOTAL | | | | | 5 | 6287.22 |
| ADJUSTMENTS: | | | | | | |
| Deductible | | | | | | 0.00 |
| | | | - - | <u>.</u> | | |
| CUSTOMER PAY | | | | | \$ | 0.00 |
| INSURANCE PAY | | | | | \$ | 6287.22 |

ILLINOIS LAW REQUIRES THAT VEHICLE REPAIRERS MUST BE LICENSED IN ACCORDANCE WITH SECTION 5-301 OF THE ILLINOIS VEHICLE CODE.

This estimate has been prepared based on the use of crash parts supplied by a source other than the manufacturer of your motor vehicle. Warranties applicable to these replacement parts are provided by the manufacturer or distributor of these parts rather than the manufacturer of your vehicle.

Job Number:

PRELIMINARY ESTIMATE

2010 FORD CROWN VICTORIA POLICE 8-4.6L-FI 4D SED WHITE Int: BLUF

Estimate based on MOTOR CRASH ESTIMATING GUIDS. Unless otherwise noted all items are derived from the Guide DR2JA03, CCC Data Date 06/01/2011, and the parts selected are DEM-parts manufactured by the vehicles Original Equipment Manufacturer. OEM parts are available at OE/Vehicle dealerships. OPT OEM (Optional OEM) or ALT OEM (Alternative OEM) parts are OEM parts that may be provided by or through alternate sources other than the OEM vehicle dealerships. OPT OEM or ALT OEM parts may reflect some specific, special, or unique pricing or discount. OPT OEM or ALT OBM parts may include "Blemished" parts provided by OEM's through OEM vehicle dealerships. Asterisk (*) or Double Asterisk (**) indicates that the parts and/or labor information provided by MOTOR may have been modified or may have come from an alternate data source. Tilde sign (~) items indicate MOTOR Not-Included Labor operations. Non-Original Equipment Manufacturer aftermarket parts are described as AM, Qual Repl Parts or Comp Repl Parts which stands for Competitive Replacement Farts. Used parts are described as LKQ. ()ual Recy Parts, RCY, or USED. Reconditioned parts are described as Recond. Recored parts are described as Recore. NAGS Part Numbers and Benchmark Prices are provided by National Auto Glass Specifications. Labor operation times listed on the line with the NAGS information are MOTOR suggested labor operation times. NAGS labor operation times are not included. Pound sign (#) items indicate manual entries. Some 2010 vehicles contain minor changes from the previous year. For those vehicles, prior to receiving updated data from the vehicle manufacturer, labor and parts data from the previous year may be used. The CCC ONE estimator has a complete list of applicable vehicles. Parts numbers and prices should be confirmed with the local dealership. THE FOLLOWING IS A LIST OF ABBREVIATIONS OR SYMBOLS THAT MAY BE USED TO DESCRIBE WORL TO BE DONE OR FARTS TO BE REPAIRED OR REPLACED: MOTOR ABBREVIATIONS/SYMBOLS: D=DISCONTINUE) PART A=APPROXIMATE PRICE LABOR TYPES: B=BODY LABOR D=DIAGNOSTIC E=ELECTRICAL F=FRAME G=GLASS M=MECHANICAL P=PAINT LABOR S=STRUCTURAL T=TAKED MISCELLANEOUS X=NON TAKED MISCEL LANEOUS PATHWAYS: ADJ-ADJACENT ALGN-ALIGN A/M-AFTERMARKET BLND-BLEND CAPA-CERTIFIED AUTOMOTIVE PARTS ASSOCIATION NSF=NSF INTERNATIONAL CERTIFIED PART D&R=DISCONNECT AND RECONNECT EST=ESTIMATE EXT. PRICE-UNIT PRICE MULTIPLIED BY THE QUANTITY INCL-INCLUDED MISC-MISCELLANBOUS NAGS-NATIONAL AUTO GLASS SPECIFICATIONS NON-ADJ-NON ADJACENT O/H=OVERHAUL OP-OPERATION NO=LINE NUMBER DIY-OUANTITY QUAL RECY=QUALITY RECYCLED PART QUAL REPL=QUALITY REPLACEMENT PART COMP REPL PARTS=JOMPETITIVE REPLACEMENT PARTS RECONDERECONDITION REPNEREFINISH REPLEREPLACE R&JEREMOVE AND INSTALL R&R-REMOVE AND REPLACE RPR=REPAIR RT=RIGHT SECT=SECTION SUBL=SUBLET LT=1EFT W/O=WITHOUT w/ =with/ symbols: #=manual line entry *=other [ie..motors database information was changed] **=DATAEASE LINE WITH AFTERMARKET N=NOTES ATTACHED TO LINE. OPT OEM=ORIGINAL EDIJIPMENT MANUFACTURER PARTS EITHER OPTIONALLY SOURCED OR OTHERWISE PROVIDED WITH SOME UNIQUE PRICING OR DISCOUNT. NWCPP-NATIONWIDE CRASH PARTS PROGRAM.

CCC Pathways - A product of CCC Information Services Inc.

Job Number:

12407

PRELIMINARY ESTIMATE

2010 FORD CROWN VICTORIA POLICE 8-4.6L-FI 4D SED WHITE Int:BLUE

ALTERNATE PARTS SUPPLIERS

| 3 RECOND Bumper cover | Part No. | FO1000647R | Price \$552.00 |
|----------------------------|----------|-------------|----------------|
| 17 RECOND LT Headlamp assy | Part No. | FO2502200R | Price \$87.00 |
| 19 A/M CAPA Hood | Part No. | FO1230181PP | Price \$4)9.00 |
| 31 A/M CAPA LT Fender | Part No. | F01240190C | Price \$214.00 |
| <u> </u> | | | |

Keystone - Complete 3327 WEST 47TH PLACE CHICAGO, IL 60632 (800)622-0096 (773)927-9600