

Central

**Book Region:** 

Date: 3/23/25 RAC File Number: 657860 RAC Appraiser: RACUser

Appraiser's Email: bgrogan@racadj.com

# **ACV Sheet**

Claim Number: 2501W06W023 Insured Name: Village of Orland Park

Ins. Company: IPMG Claimant Name: same

**Date of Loss:** 12/23/24 **Vehicle:** 2021 Ford Police Interceptor

Mileage: 24,840

VIN: 1FM5K8AW8MNA21524

Estimate Amount: \$27,523.56 License Plate: 654BIW

**Book Date:** Vehicle Location: Rizza Ford 8100 W. 15

8100 W. 159<sup>th</sup> St Orland Park, II. 60462

708-364-2285

<u>Equipment</u>	<u>Description</u>	<u>NADA</u>
Base Value:		\$25,950.00
Engine:	V-6 3.3L Hybrid	0
Transmission:	AT - AWD	
Air Conditioning:		
Power Brakes:		0
Power Steering:		0
Wheels:	Aluminum	\$250.00
Wheel Covers:		0
Audio:	AM-FM-ST	0
Power Seats:		0
<b>Power Windows:</b>		0
Power Locks:		0
Cruise Control:		0
Defogger:		0
Tilt Wheel:		0
Sun Roof:		0
Other:	Trailer hitch/towing	\$400.00
NALIDAMA ARIEMATANA ARIEMA		
Mileage Adjustment:		\$2,925.00

Total: \$29,525.00



#### **RAC Adjustments-Illinois**

ALL SUPPLEMENTS REQUIRE PRIOR APPROVAL IN WRITING

Workfile ID:

7dd54e3f

PRIOR TO BEING PERFORMED 1740 S. Bell School Road Suite A Cherry Valley, IL 61016

For:

#### **IPMG**

### Supplement of Record 1 with Summary

**Owner: Village of Orland Park Job Number: 657860** 

Written By: Bill Grogan | 815-222-4610 | bgrogan@racadj.com

Insured: Claim #: 250106W023 Village of Orland Park Policy #:

Type of Loss: Collision Date of Loss: Days to Repair: 12/23/2024 12:00 AM

Point of Impact: 15 Total Loss

Overhead Console

Owner: **Inspection Location:** Repair Facility:

Village of Orland Park Village of Orland Park Joe Rizza Ford 15655 S Ravinia Ave 15655 S Ravinia Ave 8100 W. 159th St. Orland Park, IL 60462 Orland Park, IL 60462 Orland Park, IL 60462 Work (708) 277-4757 Cell (708) 403-0300 Business

License #: 36-3579965 (708) 403-6350 Business (708) 403-6350 Business

#### **VEHICLE**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black

VIN: 1FM5K8AW8MNA21524 Production Date: 10/2021 Interior Color: Black License: 654BIW Odometer: 24,840 **Exterior Color:** Black

State: IN Condition: Good

**TRANSMISSION** Air Conditioning Stereo Cloth Seats **Automatic Transmission Intermittent Wipers** Search/Seek **Bucket Seats** 

4 Wheel Drive Tilt Wheel **Auxiliary Audio Connection** Reclining/Lounge Seats

**POWER** WHEELS Cruise Control **SAFETY** 

**Power Steering** Rear Defogger Drivers Side Air Bag Aluminum/Alloy Wheels **Power Brakes** Message Center Passenger Air Bag **PAINT** 

**Power Windows** Steering Wheel Touch Controls Anti-Lock Brakes (4) Clear Coat Paint **OTHER** Power Locks Rear Window Wiper 4 Wheel Disc Brakes

**Power Mirrors** Telescopic Wheel Traction Control Rear Spoiler Power Driver Seat California Emissions Climate Control Stability Control

**DECOR TRUCK** Backup Camera Front Side Impact Air Bags **Dual Mirrors** Parking Sensors Head/Curtain Air Bags Trailer Hitch

**RADIO** Trailering Package Privacy Glass Hands Free Device

Xenon or L.E.D. Headlamps

AM Radio **CONVENIENCE** FM Radio **SEATS** 

3/23/2025 12:47:19 PM 466279 Page 1

# **Owner: Village of Orland Park**

**Job Number: 657860** 2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black

Line		Oper	Description	Part Number	Qty	Extended Price \$	Labor	Paint
1	FRONT BUMP	ER						
2			O/H front bumper				4.5	
3		Repl	Bumper cover w/o auto park	LB5Z17D957SCPTM	1	564.46	Incl.	2.4
4			Add for Clear Coat					1.0
5		Repl	RT Side trim w/o fog lamps	LB5Z15A246AA	1	89.50	Incl.	
6		Repl	Lower cover INTERCEPTOR	LB5Z17D957AB	1	292.00	Incl.	
7		Repl	Lower deflector retainer	W714040S300	4	13.00		
8		Repl	Lower deflector	L1MZ8310F	1	214.37	Incl.	
9		Repl	Impact bar (ALU)	L1MZ17757A	1	257.82	0.6	
10		R&I	License bracket w/o deluxe holder INTERCEPTOR				0.2	
11		Repl	License bracket rivet	W704342S300	2	17.00		
12		Repl	RT Bracket	LB5Z17C947A	1	40.23	Incl.	
13		Repl	RT Bracket rivet	W702852S300	8	8.48		
14	GRILLE							
15		Repl	Grille INTERCEPTOR	LB5Z8200FC	1	613.15	Incl.	
16		R&I	Emblem w/INTERCEPTOR				Incl.	
17	FRONT LAMPS	S						
18		Repl	RT Headlamp assy w/o adaptive headlamps level 2 headlamps	MB5Z13008AY	1	2,056.05	Incl.	
19			Aim headlamps				0.5	
20	RADIATOR SU	JPPOR	Г					
21		Repl	Radiator support w/o active shutter	L1MZ16138N	1	742.87	3.5	
22		R&I	Upper tie bar to 05/13/2024 (MAG)				0.7	
23	*	Rpr	Upper tie bar to 05/13/2024 (MAG)				<u>2.0</u>	1.0
24	S01	Repl	Reinforcement	LB5Z8A284A	1	110.45	0.2	
25	S01	Repl	Air deflector w/INTERCEPTOR	LB5Z8312B	1	189.03	0.2	
26	S01	Repl	Lower deflector INTERCEPTOR	LB5Z8327A	1	98.02	Incl.	
27	S01	Repl	Skid plate w/INTERCEPTOR	L1MZ78001A08B	1	552.42	0.1	
28	COOLING							
29		R&I	Radiator outer			m	2.7 M	
30		R&I	Radiator inner			m	2.7 M	
31	AIR CONDITI	ONER 8	& HEATER					
32		Repl	AC Service evacuate & recharge		1	m	1.4 M	
33		R&I	Condenser			m		
34		Repl	AC Service refrigerant recovery		1	m	0.4 M	
35	HOOD	-	·					
36	S01	Repl	Hood (ALU)	LB5Z16612A	1	1,092.65	1.1	3.0
37	S01		Add for Clear Coat					1.2
38	S01		Add for Underside(Complete)					1.5

#### **Owner: Village of Orland Park** Job Number: 657860 2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black 39 S01 Add for Clear Coat 0.3 40 S01 LB5Z16B990A Repl Front w'strip 1 49.23 Incl. **FENDER** 41 42 Repl RT Fender w/HEV RB5Z16005A 1 294.37 2.7 2.0 43 S01 Overlap Major Non-Adj. Panel -0.2 44 Add for Clear Coat 0.4 45 0.5 Add for Edging Add for Clear Coat 0.1 46 Repl RT Fender liner LB5Z16102C 1 130.00 Incl. 47 48 Repl RT Fender ledge cvr LB5Z7802038B 1 86.73 0.3 0.3 49 Repl RT Rear insulator LB5Z16060A 1 102.30 Incl. 50 Add for Clear Coat 0.1 51 RT Wheel flare w/o auto park LB5Z16038AC 1 295.45 0.3 52 S01 RT Apron/rail assy w/3.3 liter HEV N1MZ16054F 1 3,300.27 s 15.5 1.6 Repl (UHS) 53 S01 -0.2 Overlap Major Non-Adj. Panel 54 Repl 0.2 0.3 S01 RT Support bracket (ALU) 1 55.68 N1MZ16A200A 55 S01 Add for Clear Coat 0.1 **ELECTRICAL** 56 \* 57 S01 Repl Inverter L1MZ7B012J 1 1,173.33 2.0 M 58 **ENGINE** 59 S01 Repl R&I engine assy NONE 1 m 8.5 M 60 **WHEELS** 61 R&I RT/Front R&I wheel m 0.1 FRONT SUSPENSION 62 63 O/H frt susp rt m 3.5 M 296.36 m 64 Repl RT Hub assy LB5Z1104E 1 Incl. 65 RT Knuckle w/INTERCEPTOR LB5Z3K185A 1 289.09 m Incl. RT Rr lwr cntl arm LB5Z3078B 1 216.36 m Incl. 66 Repl w/INTERCEPTOR 67 RT Ft lwr cntl arm LB5Z3082B 1 351.67 m Incl. Repl w/INTERCEPTOR 68 Repl RT Stabilizer link LB5Z5K484A 1 71.27 m Incl. S01 1 148.00 m Incl. 69 Repl RT Spring stamped LB5C5310F\* LB5Z5310F 70 S01 Repl RT Lower pad LB5Z5536A 1 14.52 71 S01 Repl RT Upper pad LB5Z5415A 1 33.17 72 S01 Repl RT Bumper w/INTERCEPTOR LB5Z3020B 1 28.83 73 S01 LB5Z18198A 1 68.18 Repl **RT** Bearing Stabilizer bar w/INTERCEPTOR 74 S01 Repl LB5Z5482C 1 286.67 m 1.6 M 75 S01 Repl Susp crossmember NB5Z5C145D 1 965.23 m 6.2 M **INTERCEPTOR** S01 76 -0.5 M Deduct for Overlap 77 S01 Deduct for Overlap -0.5 M 78 S01 Deduct for Overlap -4.3 M

LB5Z5F078B

1

485.08

79

80

**TIRES** 

S01

Repl

Protector

Dwner: Village of Orland Park  021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black							Job Number: 657860		
021 FC 81	*	ce mierce	Repl	GDYR 255/60R18 Eagle Enforcer	GY07093	лон ыас	.k 257.99	0.3	
01			кері	AW VSB 108V	G107093	1	237.99	0.5	
82	STEEF	RING GE	AR & L	INKAGE					
83		S01	Repl	Gear assy 3.3 liter HEV	P1MZ3504Y	1	1,038.18 m	3.2 M	
84		S01		Deduct for Overlap				-0.3 M	
85		S01		Deduct for Overlap				-2.4 M	
86	WIND	SHIELD							
87		S01	R&I	w/INTERCEPTOR w/o collision mitigation				3.3	
				Note: To replace rt fender inner structure					
88	_	RUMENT							
89	*	S01	R&I	Reinf beam				<u>1.2</u> M	
90		S01	R&I	R&I instrument panel				4.5 M	
				Note: To replace rt fender inner structure					
91		T DOOR		DT O .				2.0	2
92	*		Rpr	RT Outer panel				<u>2.0</u>	2.
93				Overlap Major Adj. Panel					-0.
94 or	*		рот	Add for Clear Coat				0.4	0.
95	4.			RT Lower molding black BASE, INTERCEPTOR				<u>0.4</u>	
96			R&I	RT Belt molding				0.3	
97			R&I	RT Mirror outside Interceptor, w/o strobe lamps				0.3	
98			R&I	RT Handle, outside INTERCEPTOR				0.4	
99			R&I	RT R&I trim panel				0.5	
100	#		Repl	Hazardous waste removal		1	10.00		
101	#		Repl	Cover Car		1	10.00	0.2	
102	#		Refn	Color tint / color match					0.
103	#		Rpr	Color sand and buff				1.4	
104	#		Repl	Corrosion protection		1	5.00	0.3	
105	#		Repl	Flex additive		1	10.00		
106	#		Rpr	Pre Scan				0.5 M	
107	#		Rpr	Post Scan				0.5 M	
108	#		Subl	Four wheel alignment		1	150.00 X		
109	#		Subl	Mount and Balance		1	50.00 X		
110		S01	R&I	RT R&I door assy				1.2	
111	**	S01	Repl	A/M Coolant		1	30.00		
112	**	S01	Repl	A/M Motor Oil		1	20.00		
113	**	S01	Repl	A/M Power steering fluid		1	10.00		
114	**	S01	Repl	A/M Transmission fluid		1	60.00		
115	**	S01	Repl	A/M Windshield washer fluid		1	3.00		
116	#	S01	Repl	Urethane kit		1			
117	#	S01	Rpr	Program steering gear  SUBTO			17,347.46	2.0 M <b>76.2</b>	

# **Owner: Village of Orland Park**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black

### **ESTIMATE TOTALS**

Category	Basis		Rate	Cost \$
Parts				17,147.46
Body Labor	43.3 hrs	@	\$ 64.00 /hr	2,771.20
Paint Labor	18.3 hrs	@	\$ 64.00 /hr	1,171.20
Mechanical Labor	32.9 hrs	@	\$ 165.00 /hr	5,428.50
Paint Supplies	18.3 hrs	@	\$ 44.00 /hr	805.20
Miscellaneous				200.00
Subtotal				27,523.56
Total Cost of Repairs				27,523.56
Deductible				50,000.00
Total Adjustments				27,523.56
Net Cost of Repairs				-22,476.44

**Job Number: 657860** 

**Job Number: 657860** 

# **Owner: Village of Orland Park**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black

#### **SUPPLEMENT SUMMARY**

Line		Oper	Description	Part Number	Qty	Extended Price \$	Labor	Paint
Chang	ed Items	·						
37			Add for Clear Coat					-0.3
44	S	01	Add for Clear Coat					0.4
Delete	d Items							
31	HOOD							
32	*	Rpr	Hood (ALU)				<u>-6.0</u>	-3.0
33			Add for Clear Coat					-1.2
36			Overlap Major Adj. Panel					0.4
45	*	Rpr	RT Inner fender w/3.3 liter HEV (UHS)				s <u>-3.0</u>	-1.0
46			Overlap Major Non-Adj. Panel					0.2
56		Repl	RT Strut w/INTERCEPTOR 3.3 liter HEV	LB5Z18124G	1	-150.55	m Incl.	
57	STEERING	GEAR & I	INKAGE					
58		Repl	RT Outer tie rod	R1MZ3A130C	1	-93.82	m Incl.	
59		Repl	RT Inner tie rod	L1MZ3280E	1	-91.82	m -1.3 M	
60	#	Rpr	Frt sreering rack - check					
Added	Items							
24	S	01 Repl	Reinforcement	LB5Z8A284A	1	110.45	0.2	
25	S	01 Repl	Air deflector w/INTERCEPTOR	LB5Z8312B	1	189.03	0.2	
26	S	01 Repl	Lower deflector INTERCEPTOR	LB5Z8327A	1	98.02	Incl.	
27	S	01 Repl	Skid plate w/INTERCEPTOR	L1MZ78001A08B	1	552.42	0.1	
35	HOOD							
36	S	01 Repl	Hood (ALU)	LB5Z16612A	1	1,092.65	1.1	3.0
37	S	01	Add for Clear Coat					1.2
38	S	01	Add for Underside(Complete)					1.5
39	S	01	Add for Clear Coat					0.3
40	S	01 Repl	Front w'strip	LB5Z16B990A	1	49.23	Incl.	
43	S	01	Overlap Major Non-Adj. Panel					-0.2
52	S	01 Repl	RT Apron/rail assy w/3.3 liter HEV (UHS)	N1MZ16054F	1	3,300.27	s 15.5	1.6
53	S	01	Overlap Major Non-Adj. Panel					-0.2
54	S	01 Repl	RT Support bracket (ALU)	N1MZ16A200A	1	55.68	0.2	0.3
55	S	01	Add for Clear Coat					0.1
56	ELECTRICA	<b>\L</b>						
57	* S	01 Repl	Inverter	L1MZ7B012J	1	1,173.33	<u>2.0</u> M	
58	ENGINE							
59	S	01 Repl	R&I engine assy	NONE	1		m 8.5 M	
69	S	01 Repl	RT Spring stamped LB5C5310F*	LB5Z5310F	1	148.00	m Incl.	
70	S	01 Repl	RT Lower pad	LB5Z5536A	1	14.52		
71	S	01 Repl	RT Upper pad	LB5Z5415A	1	33.17		

Owne	er: Villa	ge of	Orlai	nd Park				Job Numb	er: 65786
021 FC	ORD Police	Interce	eptor U	tility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hyb	rid Port/Direct Injec	ction Blac	k		
72		S01	Repl	RT Bumper w/INTERCEPTOR	LB5Z3020B	1	28.83		
73		S01	Repl	RT Bearing	LB5Z18198A	1	68.18		
74		S01	Repl	Stabilizer bar w/INTERCEPTOR	LB5Z5482C	1	286.67	m 1.6	5 M
75		S01	Repl	Susp crossmember INTERCEPTOR	NB5Z5C145D	1	965.23	m 6.2	2 M
76		S01		Deduct for Overlap				-0.5	5 M
77		S01		Deduct for Overlap				-0.5	5 M
78		S01		Deduct for Overlap				-4.3	ВМ
79		S01	Repl	Protector	LB5Z5F078B	1	485.08		
82	STEERI	NG GE	AR & L	INKAGE					
83		S01	Repl	Gear assy 3.3 liter HEV	P1MZ3504Y	1	1,038.18	m 3.2	2 M
84		S01		Deduct for Overlap				-0.3	ВМ
85		S01		Deduct for Overlap				-2.4	M
86	WINDS	HIELD							
87		S01	R&I	Windshield FORD, w/INTERCEPTOR w/o collision mitigation				3.3	}
				NOTE: To replace rt fender inner structure					
88	INSTRU	MENT	PANE	L					
89	*	S01	R&I	Reinf beam				<u>1.2</u>	<u> M</u>
90		S01	R&I	R&I instrument panel				4.5	5 M
				NOTE: To replace rt fender inner structure					
110		S01	R&I	RT R&I door assy				1.2	2
111	**	S01	Repl	A/M Coolant		1	30.00		
112	**	S01	Repl	A/M Motor Oil		1	20.00		
113	**	S01	Repl	A/M Power steering fluid		1	10.00		
114	**	S01	Repl	A/M Transmission fluid		1	60.00		
115	**	S01	Repl	A/M Windshield washer fluid		1	3.00		
116	#	S01	Repl	Urethane kit		1			
117	#	S01	Rpr	Program steering gear				2.0	) M
	,			SUBTO	OTALS		9,475.75	32.7	

# **CHANGES TO ADJUSTMENTS**

#### **Owner: Village of Orland Park**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black

#### **TOTALS SUMMARY**

Category	Basis		Rate	Cost \$
Parts				9,475.75
Body Labor	12.8 hrs	@	\$ 64.00 /hr	819.20
Paint Labor	3.1 hrs	@	\$ 64.00 /hr	198.40
Mechanical Labor	19.9 hrs	@	\$ 165.00 /hr	3,283.50
Paint Supplies	3.1 hrs	@	\$ 44.00 /hr	136.40
Subtotal				13,913.25
Total Supplement Amount				13,913.25
NET COST OF SUPPLEMENT				13,913.25

Job Number: 657860

#### **CUMULATIVE EFFECTS OF SUPPLEMENT(S)**

Estimate	13,610.31	Bill Grogan   815-222-4610   bgrogan@racadj.c om
Supplement S01	13,913.25	Bill Grogan   815-222-4610   bgrogan@racadj.c om
Workfile Total:	\$ 27,523.56	
TOTAL ADJUSTMENTS:	\$ 27,523.56	
NET COST OF REPAIRS:	\$ -22,476.44	

ALL SUPPLEMENTS MUST BE PRE-APPROVED IN WRITING PRIOR TO BEING PERFORMED.

PURSUANT TO SECTION 5.301 OF THE ILLINOIS MOTOR VEHICLE CODE, VEHICLE REPAIRERS MUST BE LICENSED. AUTHORIZATION TO REPAIR MUST COME FROM VEHICLE OWNER! NO SUPPLEMENTS WITHOUT INSPECTION AND PRIOR APPROVAL!

ILLINOIS LAW REQUIRES THAT VEHICLE REPAIRERS MUST BE LICENSED IN ACCORDANCE WITH SECTION 5-301 OF THE ILLINOIS VEHICLE CODE.

This estimate has been prepared based on the use of crash parts supplied by a source other than the manufacturer of your motor vehicle. Warranties applicable to these replacement parts are provided by the manufacturer or distributor of these parts rather than the manufacturer of your vehicle.

**Job Number: 657860** 

#### **Owner: Village of Orland Park**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black

Estimate based on MOTOR CRASH ESTIMATING GUIDE and potentially other third party sources of data. Unless otherwise noted, (a) all items are derived from the Guide DR2MF20, CCC Data Date 03/17/2025, and potentially other third party sources of data; and (b) the parts presented are OEM-parts. OEM parts are manufactured by or for the vehicle's Original Equipment Manufacturer (OEM) according to OEM's specifications for U.S. distribution. OEM parts are available at OE/Vehicle dealerships or the specified supplier. OPT OEM (Optional OEM) or ALT OEM (Alternative OEM) parts are OEM parts that may be provided by or through alternate sources other than the OEM vehicle dealerships with discounted pricing. Asterisk (\*) or Double Asterisk (\*\*) indicates that the parts and/or labor data provided by third party sources of data may have been modified or may have come from an alternate data source. Tilde sign (~) items indicate MOTOR Not-Included Labor operations. The symbol (<>) indicates the refinish operation WILL NOT be performed as a separate procedure from the other panels in the estimate. Non-Original Equipment Manufacturer aftermarket parts are described as Non OEM, A/M or NAGS. Used parts are described as LKQ, RCY, or USED. Reconditioned parts are described as Recond. Recored parts are described as Recore. NAGS Part Numbers and Benchmark Prices are provided by National Auto Glass Specifications. Labor operation times listed on the line with the NAGS information are MOTOR suggested labor operation times. NAGS labor operation times are not included. Pound sign (#) items indicate manual entries.

Some 2024 vehicles contain minor changes from the previous year. For those vehicles, prior to receiving updated data from the vehicle manufacturer, labor and parts data from the previous year may be used. The CCC ONE estimator has a list of applicable vehicles. Parts numbers and prices should be confirmed with the local dealership.

The following is a list of additional abbreviations or symbols that may be used to describe work to be done or parts to be repaired or replaced:

#### SYMBOLS FOLLOWING PART PRICE:

m=MOTOR Mechanical component. s=MOTOR Structural component. T=Miscellaneous Taxed charge category. X=Miscellaneous Non-Taxed charge category.

#### SYMBOLS FOLLOWING LABOR:

D=Diagnostic labor category. E=Electrical labor category. F=Frame labor category. G=Glass labor category. M=Mechanical labor category. S=Structural labor category. (numbers) 1 through 4=User Defined Labor Categories.

#### OTHER SYMBOLS AND ABBREVIATIONS:

Adj.=Adjacent. Algn.=Align. ALU=Aluminum. A/M=Aftermarket part. Blnd=Blend. BOR=Boron steel. CAPA=Certified Automotive Parts Association. CFC=Carbon Fiber.

D&R=Disconnect and Reconnect. HSS=High Strength Steel. HYD=Hydroformed Steel. Incl.=Included. LKQ=Like Kind and Quality. LT=Left. MAG=Magnesium. Non-Adj.=Non Adjacent. NSF=NSF International Certified Part. O/H=Overhaul. Qty=Quantity. Refn=Refinish. Repl=Replace. R&I=Remove and Install. R&R=Remove and Replace. Rpr=Repair. RT=Right. SAS=Sandwiched Steel. Sect=Section. STS=Stainless Steel. Subl=Sublet. UHS=Ultra High Strength Steel. N=Note(s) associated with the estimate line.

CCC ONE Estimating - A product of CCC Intelligent Solutions Inc.

The following is a list of abbreviations that may be used in CCC ONE Estimating that are not part of the MOTOR CRASH ESTIMATING GUIDE:

BAR=Bureau of Automotive Repair. EPA=Environmental Protection Agency. NHTSA= National Highway Transportation and Safety Administration. PDR=Paintless Dent Repair. VIN=Vehicle Identification Number.

**Job Number: 657860** 

# **Owner: Village of Orland Park**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black

### **TIRE PARTS SUPPLIERS**

Line	Description	Supplier		Price
81	GDYR 255/60R18 Eagle Enforcer AW VSB 108V	Tire Rack		\$ 257.99
	7101 VORDEN PKWY, SOUTH BEND IN	46628-0	(800) 445-0179	



#### **RAC Adjustments-Illinois**

Workfile ID:

7dd54e3f

ALL SUPPLEMENTS REQUIRE PRIOR APPROVAL IN WRITING PRIOR TO BEING PERFORMED 1740 S. Bell School Road Suite A Cherry Valley, IL 61016

For:

#### **IPMG**

#### **Estimate of Record**

**Owner: Village of Orland Park Job Number: 657860** 

Written By: Bill Grogan | 815-222-4610 | bgrogan@racadj.com

Insured: Claim #: 250106W023 Village of Orland Park Policy #:

Type of Loss: Collision Date of Loss: Days to Repair: 12/23/2024 12:00 AM

Point of Impact: 01 Right Front

Overhead Console

Owner: **Inspection Location: Repair Facility:** Village of Orland Park Village of Orland Park Joe Rizza Ford

15655 S Ravinia Ave 15655 S Ravinia Ave 8100 W. 159th St. Orland Park, IL 60462 Orland Park, IL 60462 Orland Park, IL 60462 Work (708) 277-4757 Cell (708) 403-0300 Business

License #: 36-3579965 (708) 403-6350 Business (708) 403-6350 Business

#### **VEHICLE**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black

VIN: 1FM5K8AW8MNA21524 Production Date: 10/2021 Interior Color: Black License: 654BIW Odometer: 24,840 **Exterior Color:** Black

State: IN Condition: Good

**TRANSMISSION** Air Conditioning Stereo Cloth Seats **Automatic Transmission** Intermittent Wipers Search/Seek **Bucket Seats** 

4 Wheel Drive Tilt Wheel **Auxiliary Audio Connection** Reclining/Lounge Seats

**POWER** WHEELS Cruise Control **SAFETY** 

**Power Steering** Rear Defogger Drivers Side Air Bag Aluminum/Alloy Wheels **Power Brakes** Message Center Passenger Air Bag **PAINT** 

**Power Windows** Steering Wheel Touch Controls Anti-Lock Brakes (4) Clear Coat Paint **OTHER** Power Locks Rear Window Wiper 4 Wheel Disc Brakes

**Power Mirrors** Telescopic Wheel Traction Control Rear Spoiler

Power Driver Seat California Emissions Climate Control Stability Control **DECOR TRUCK** Backup Camera Front Side Impact Air Bags **Dual Mirrors** Parking Sensors Head/Curtain Air Bags Trailer Hitch

**RADIO** Trailering Package Privacy Glass Hands Free Device

Xenon or L.E.D. Headlamps

AM Radio **CONVENIENCE** FM Radio **SEATS** 

2/24/2025 3:01:26 PM 466279 Page 1

**Job Number: 657860** 

# **Owner: Village of Orland Park**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black

Line	Ope	r Description	Part Number	Qty	Extended Price \$	Labor	Paint
1	FRONT BUMPER	,			•		
2		O/H front bumper				4.5	
3	Repl	Bumper cover w/o auto park	LB5Z17D957SCPTM	1	564.46	Incl.	2.4
4		Add for Clear Coat					1.0
5	Repl	RT Side trim w/o fog lamps	LB5Z15A246AA	1	89.50	Incl.	
6	Repl	Lower cover INTERCEPTOR	LB5Z17D957AB	1	292.00	Incl.	
7	Repl	Lower deflector retainer	W714040S300	4	13.00		
8	Repl	Lower deflector	L1MZ8310F	1	214.37	Incl.	
9	Repl	Impact bar (ALU)	L1MZ17757A	1	257.82	0.6	
10	R&I	License bracket w/o deluxe holder INTERCEPTOR				0.2	
11	Repl	License bracket rivet	W704342S300	2	17.00		
12	Repl	RT Bracket	LB5Z17C947A	1	40.23	Incl.	
13	Repl	RT Bracket rivet	W702852S300	8	8.48		
14	GRILLE						
15	Repl	Grille INTERCEPTOR	LB5Z8200FC	1	613.15	Incl.	
16	R&I	Emblem w/INTERCEPTOR				Incl.	
17	FRONT LAMPS						
18	Repl	RT Headlamp assy w/o adaptive headlamps level 2 headlamps	MB5Z13008AY	1	2,056.05	Incl.	
19		Aim headlamps				0.5	
20	RADIATOR SUPPOR	RT					
21	Repl	Radiator support w/o active shutter	L1MZ16138N	1	742.87	3.5	
22	R&I	Upper tie bar to 05/13/2024 (MAG)				0.7	
23	* Rpr	Upper tie bar to 05/13/2024 (MAG)				2.0	1.0
24	COOLING						
25	R&I	Radiator outer			m	2.7 M	
26	R&I	Radiator inner			m	2.7 M	
27	AIR CONDITIONER	& HEATER					
28	Repl	AC Service evacuate & recharge		1	m	1.4 M	
29	R&I	Condenser			m	Incl.	
30	Repl	AC Service refrigerant recovery		1	m	0.4 M	
31	HOOD						
32	* Rpr	Hood (ALU)				<u>6.0</u>	3.0
33		Add for Clear Coat					1.2
34	FENDER						
35	Repl	RT Fender w/HEV	RB5Z16005A	1	294.37	2.7	2.0
36		Overlap Major Adj. Panel					-0.4
37		Add for Clear Coat					0.3
38		Add for Edging					0.5

	er: Village of			I behaid Doub/Discot Indo	tion Dlool		Job	Number: 65	57860
.021 FC	JRD Police Interce	ptor U	tility Vehicle AWD (Fleet) 4D UTV 6-3.3I	_ Hybrid Port/Direct Injec	ction Black	(			
39			Add for Clear Coat						0.1
40		Repl	RT Fender liner	LB5Z16102C	1	130.00		Incl.	
41		Repl	RT Fender ledge cvr	LB5Z7802038B	1	86.73		0.3	
42		Repl	RT Rear insulator	LB5Z16060A	1	102.30		Incl.	0.3
43			Add for Clear Coat						0.3
44		Repl	RT Wheel flare w/o auto park	LB5Z16038AC	1	295.45		0.3	
45	*	Rpr	RT Inner fender w/3.3 liter HEV (UHS)				S	3.0	1.0
46			Overlap Major Non-Adj. Panel						-0.2
47	WHEELS								
48		R&I	RT/Front R&I wheel				m	0.1	
49	FRONT SUSPE	NSION	N .						
50			O/H frt susp rt				m	3.5 M	
51		Repl	RT Hub assy	LB5Z1104E	1	296.36	m	Incl.	
52		Repl	RT Knuckle w/INTERCEPTOR	LB5Z3K185A	1	289.09	m	Incl.	
53		Repl	RT Rr lwr cntl arm w/INTERCEPTOR	LB5Z3078B	1	216.36	m	Incl.	
54		Repl	RT Ft lwr cntl arm w/INTERCEPTOR	LB5Z3082B	1	351.67	m	Incl.	
55		Repl	RT Stabilizer link	LB5Z5K484A	1	71.27	m	Incl.	
56		Repl	RT Strut w/INTERCEPTOR 3.3 liter HEV	LB5Z18124G	1	150.55	m	Incl.	
57	STEERING GEA	AR & L	INKAGE						
58		Repl	RT Outer tie rod	R1MZ3A130C	1	93.82	m	Incl.	
59		Repl	RT Inner tie rod	L1MZ3280E	1	91.82	m	1.3 M	
60	#	Rpr	Frt sreering rack - check						
61	TIRES								
62	*	Repl	GDYR 255/60R18 Eagle Enforcer AW VSB 108V	GY07093	1	257.99		0.3	
63	FRONT DOOR								
64	*	Rpr	RT Outer panel					<u>2.0</u>	2.4
65			Overlap Major Adj. Panel						-0.4
66			Add for Clear Coat						0.4
67	*	R&I	RT Lower molding black BASE, INTERCEPTOR					<u>0.4</u>	
68		R&I	RT Belt molding					0.3	
69		R&I	RT Mirror outside Interceptor, w/o strobe lamps					0.3	
70		R&I	RT Handle, outside INTERCEPTOR					0.4	
71		R&I	RT R&I trim panel					0.5	
72	#	Repl	Hazardous waste removal		1	10.00			
73	#	Repl	Cover Car		1	10.00		0.2	
74	#	Refn	Color tint / color match						0.
75	#	Rpr	Color sand and buff					1.4	
76	#	Repl	Corrosion protection		1	5.00		0.3	
77	#	Repl	Flex additive		1	10.00			

#### **Owner: Village of Orland Park Job Number: 657860** 2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black 0.5 M 78 # Rpr Pre Scan 79 # Rpr Post Scan 0.5 M 150.00 X 80 # Subl Four wheel alignment 1 # 81 Subl Mount and Balance 50.00 X

**SUBTOTALS** 

#### **ESTIMATE TOTALS**

Category	Basis		Rate	Cost \$
Parts				7,671.71
Body Labor	30.5 hrs	@	\$ 64.00 /hr	1,952.00
Paint Labor	15.2 hrs	@	\$ 64.00 /hr	972.80
Mechanical Labor	13.0 hrs	@	\$ 165.00 /hr	2,145.00
Paint Supplies	15.2 hrs	@	\$ 44.00 /hr	668.80
Miscellaneous				200.00
Subtotal				13,610.31
Total Cost of Repairs				13,610.31
Deductible				50,000.00
Total Adjustments				13,610.31
Net Cost of Repairs				-36,389.69

7,871.71

43.5

15.2

ALL SUPPLEMENTS MUST BE PRE-APPROVED IN WRITING PRIOR TO BEING PERFORMED.

PURSUANT TO SECTION 5.301 OF THE ILLINOIS MOTOR VEHICLE CODE, VEHICLE REPAIRERS MUST BE LICENSED. AUTHORIZATION TO REPAIR MUST COME FROM VEHICLE OWNER! NO SUPPLEMENTS WITHOUT INSPECTION AND PRIOR APPROVAL!

ILLINOIS LAW REQUIRES THAT VEHICLE REPAIRERS MUST BE LICENSED IN ACCORDANCE WITH SECTION 5-301 OF THE ILLINOIS VEHICLE CODE.

**Job Number: 657860** 

#### **Owner: Village of Orland Park**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black

Estimate based on MOTOR CRASH ESTIMATING GUIDE and potentially other third party sources of data. Unless otherwise noted, (a) all items are derived from the Guide DR2MF20, CCC Data Date 02/17/2025, and potentially other third party sources of data; and (b) the parts presented are OEM-parts. OEM parts are manufactured by or for the vehicle's Original Equipment Manufacturer (OEM) according to OEM's specifications for U.S. distribution. OEM parts are available at OE/Vehicle dealerships or the specified supplier. OPT OEM (Optional OEM) or ALT OEM (Alternative OEM) parts are OEM parts that may be provided by or through alternate sources other than the OEM vehicle dealerships with discounted pricing. Asterisk (\*) or Double Asterisk (\*\*) indicates that the parts and/or labor data provided by third party sources of data may have been modified or may have come from an alternate data source. Tilde sign (~) items indicate MOTOR Not-Included Labor operations. The symbol (<>) indicates the refinish operation WILL NOT be performed as a separate procedure from the other panels in the estimate. Non-Original Equipment Manufacturer aftermarket parts are described as Non OEM, A/M or NAGS. Used parts are described as LKQ, RCY, or USED. Reconditioned parts are described as Recond. Recored parts are described as Recore. NAGS Part Numbers and Benchmark Prices are provided by National Auto Glass Specifications. Labor operation times listed on the line with the NAGS information are MOTOR suggested labor operation times. NAGS labor operation times are not included. Pound sign (#) items indicate manual entries.

Some 2024 vehicles contain minor changes from the previous year. For those vehicles, prior to receiving updated data from the vehicle manufacturer, labor and parts data from the previous year may be used. The CCC ONE estimator has a list of applicable vehicles. Parts numbers and prices should be confirmed with the local dealership.

The following is a list of additional abbreviations or symbols that may be used to describe work to be done or parts to be repaired or replaced:

#### SYMBOLS FOLLOWING PART PRICE:

m=MOTOR Mechanical component. s=MOTOR Structural component. T=Miscellaneous Taxed charge category. X=Miscellaneous Non-Taxed charge category.

#### SYMBOLS FOLLOWING LABOR:

D=Diagnostic labor category. E=Electrical labor category. F=Frame labor category. G=Glass labor category. M=Mechanical labor category. S=Structural labor category. (numbers) 1 through 4=User Defined Labor Categories.

#### OTHER SYMBOLS AND ABBREVIATIONS:

Adj.=Adjacent. Algn.=Align. ALU=Aluminum. A/M=Aftermarket part. Blnd=Blend. BOR=Boron steel. CAPA=Certified Automotive Parts Association. CFC=Carbon Fiber.

D&R=Disconnect and Reconnect. HSS=High Strength Steel. HYD=Hydroformed Steel. Incl.=Included. LKQ=Like Kind and Quality. LT=Left. MAG=Magnesium. Non-Adj.=Non Adjacent. NSF=NSF International Certified Part. O/H=Overhaul. Qty=Quantity. Refn=Refinish. Repl=Replace. R&I=Remove and Install. R&R=Remove and Replace. Rpr=Repair. RT=Right. SAS=Sandwiched Steel. Sect=Section. STS=Stainless Steel. Subl=Sublet. UHS=Ultra High Strength Steel. N=Note(s) associated with the estimate line.

CCC ONE Estimating - A product of CCC Intelligent Solutions Inc.

The following is a list of abbreviations that may be used in CCC ONE Estimating that are not part of the MOTOR CRASH ESTIMATING GUIDE:

BAR=Bureau of Automotive Repair. EPA=Environmental Protection Agency. NHTSA= National Highway Transportation and Safety Administration. PDR=Paintless Dent Repair. VIN=Vehicle Identification Number.

# **Owner: Village of Orland Park**

**Job Number: 657860** 

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection Black

### **TIRE PARTS SUPPLIERS**

Line	Description	Supplier		Price
62	GDYR 255/60R18 Eagle Enforcer AW VSB 108V	Tire Rack		\$ 257.99
	7101 VORDEN PKWY, SOUTH BEND IN	46628-0	(800) 445-0179	

8100 W 159TH ST, ORLAND PARK, IL 60462

Phone: (708) 364-2285

	Image Report												
Owner:	Village Of Orland	Insurance:		Estimator:	BOB JOHNSON	Vehicle Out:							
Job Number:		Claim Number:											
Year:	2021	Color:		License Plate:		Production Date:							
Make:	FORD	Body Style:	4D UTV	State:	IL	Mileage In:							
Model:	Police Interceptor	Engine:	6-3.3L Hybrid Po	VIN:	1FM5K8AW8MNA21524	Condition:							



1/3/2025 Comments:




1/3/2025 Comments:



1/3/2025 Comments:



1/3/2025 Comments:



1/3/2025 Comments:



1/3/2025 Comments:

1/3/2025 2:09:17 PM Page 1

8100 W 159TH ST, ORLAND PARK, IL 60462

Phone: (708) 364-2285

	Image Report												
Owner:	Village Of Orland	Insurance:		Estimator:	BOB JOHNSON	Vehicle Out:							
Job Number:		Claim Number:											
Year:	2021	Color:		License Plate:		Production Date:							
Make:	FORD	Body Style:	4D UTV	State:	IL	Mileage In:							
Model:	Police Interceptor	Engine:	6-3.3L Hybrid Po	VIN:	1FM5K8AW8MNA21524	Condition:							



1/3/2025 Comments:



1/3/2025 Comments:



1/3/2025 Comments:



1/3/2025 Comments:



1/3/2025 Comments:



1/3/2025 Comments:

1/3/2025 2:09:17 PM Page 2

8100 W 159TH ST, ORLAND PARK, IL 60462

Phone: (708) 364-2285

	Image Report												
Owner:	Village Of Orland	Insurance:		Estimator:	BOB JOHNSON	Vehicle Out:							
Job Number:		Claim Number:											
Year:	2021	Color:		License Plate:		Production Date:							
Make:	FORD	Body Style:	4D UTV	State:	IL	Mileage In:							
Model:	Police Interceptor	Engine:	6-3.3L Hybrid Po	VIN:	1FM5K8AW8MNA21524	Condition:							



1/3/2025 Comments:



1/3/2025 Comments:




1/3/2025 Comments:



1/3/2025 Comments:



1/3/2025 Comments:



1/3/2025 Comments:

1/3/2025 2:09:17 PM Page 3

Workfile ID: PartsShare:

Claim #:

Days to Repair: 0

e2f07790 8kjrmq

bjohnson@rizzacars.com 8100 W 159TH ST, ORLAND PARK, IL 60462

Phone: (708) 364-2285

### **Preliminary Estimate**

**Customer: Village Of Orland Park** Job Number:

Written By: BOB JOHNSON

Insured: Village Of Orland Park Policy #: Date of Loss:

Type of Loss: Point of Impact:

Owner: **Inspection Location: Insurance Company:** 

Village Of Orland Park JOE RIZZA FORD OF ORLAND PARK

> 8100 W 159TH ST ORLAND PARK, IL 60462

Repair Facility

(708) 364-2285 Business

#### **VEHICLE**

Drivers Side Air Bag

Anti-Lock Brakes (4)

4 Wheel Disc Brakes

Front Side Impact Air Bags

Head/Curtain Air Bags

Hands Free Device

Traction Control

Stability Control

Passenger Air Bag

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection

VIN: 1FM5K8AW8MNA21524 Interior Color: Vehicle Out: Mileage In:

**Exterior Color:** Mileage Out: License:

State: ΙL Production Date: Condition: Job #:

**TRANSMISSION** 

Air Conditioning Search/Seek

**Automatic Transmission Intermittent Wipers Auxiliary Audio Connection** 

4 Wheel Drive Tilt Wheel **SAFETY** 

**POWER** Cruise Control Rear Defogger **Power Steering Power Brakes** Message Center

**Power Windows** Steering Wheel Touch Controls Power Locks

Rear Window Wiper **Power Mirrors** Telescopic Wheel

Power Driver Seat Climate Control

**DECOR** Backup Camera **Dual Mirrors RADIO** 

Privacy Glass AM Radio Xenon or L.E.D. Headlamps

Overhead Console FM Radio **SEATS CONVENIENCE** Cloth Seats Stereo

**Bucket Seats** 

Reclining/Lounge Seats

WHEELS

Styled Steel Wheels

**PAINT** 

Clear Coat Paint

**OTHER** 

Rear Spoiler

California Emissions

**TRUCK** 

Trailer Hitch

Trailering Package

# **Customer: Village Of Orland Park**

Job Number:

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection

Line	Oper	Description	Part Number	Qty	Extended Price \$	Labor	Paint
1	FRONT BUMPER						
2		O/H front bumper				4.5	
3	Repl	Bumper cover w/o auto park	LB5Z17D957SCPTM	1	561.51	Incl.	2.4
4		Add for Clear Coat					1.0
5		Add for auto park			m	0.3	
6		Add for fog lamps				0.4	
7		Add for park sensor			m	0.4	
8		Add for front camera			m	0.2	
9	Repl	RT Side trim w/o fog lamps	LB5Z15A246AA	1	90.35	Incl.	
10	Repl	Lower cover INTERCEPTOR	LB5Z17D957AB	1	290.48	Incl.	
11	Repl	RT Bracket	LB5Z17C947A	1	40.47	Incl.	
12	Repl	License bracket rivet	W704342S300	2	17.00		
13	Repl	RT Bracket rivet	W702852S300	8	8.48		
14	Repl	Impact bar (ALU)	L1MZ17757A	1	253.52	0.6	
15	Repl	Lower deflector	L1MZ8310F	1	210.80	Incl.	
16	Repl	Lower deflector retainer	W714040S300	4	13.00		
17	GRILLE						
18	Repl	Grille INTERCEPTOR	LB5Z8200FC	1	613.15	Incl.	
19	FRONT LAMPS						
20	Repl	RT Headlamp assy w/o adaptive headlamps level 2 headlamps	MB5Z13008AY	1	2,074.87	Incl.	
21		Aim headlamps				0.5	
22	RADIATOR SUPPOR	Т					
23	* Rpr	Upper tie bar to 05/13/2024 (MAG)				<u>4.0</u>	1.1
24	HOOD						
25	* Rpr	Hood (ALU)				<u>3.0</u>	3.0
26		Add for Clear Coat					1.2
27	FENDER						
28	Repl	RT Fender w/HEV	RB5Z16005A	1	294.37	2.7	2.0
29		Overlap Major Adj. Panel					-0.4
30		Add for Clear Coat					0.3
31		Add for Edging					0.5
32		Add for Clear Coat					0.1
33	Repl	RT Rear insulator	LB5Z16060A	1	102.30	Incl.	0.3
34		Add for Clear Coat					0.1
35	Repl	RT Fender liner	LB5Z16102C	1	130.00	Incl.	
36	Repl	RT Fender ledge cvr	LB5Z7802038B	1	86.73	0.3	
37	Repl	RT Wheel flare w/o auto park	LB5Z16038AC	1	295.88	0.3	
38	WHEELS						
39	Repl	RT/Rear Wheel, alloy 5 double spokes	LB5Z1007G	1	1,225.42 m	0.3	
40	* Repl		SEE FOOTNOTE	1	<u>89.25</u>	Incl.	

Cust	omer: Village (	Of O	rland Park				Job N	umber:
021 F	ORD Police Intercep	tor Ut	tility Vehicle AWD (Fleet) 4D UTV 6	-3.3L Hybrid Port/Direct Injec	ction			
41	#	Repl	rt frt tire		1	225.00		
42	#	Rpr	Tire mount & wheel balance				0.5 M	
43	#	Subl	Four wheel alignment		1	150.00 T		
44	FRONT SUSPEN	ISION	· · · · · · · · · · · · · · · · · · ·					
45			O/H frt susp rt			m	3.5 M	
46		Repl	RT Knuckle w/INTERCEPTOR	LB5Z3K185A	1	327.27 m	Incl. M	
47		Repl	RT Ft lwr cntl arm w/INTERCEPTOR	LB5Z3082B	1	351.67 m	Incl. M	
48			Deduct for Overlap				Incl. M	
49		Repl	RT Rr lwr cntl arm w/INTERCEPTOR	LB5Z3078B	1	216.36 m	Incl. M	
50			Deduct for Overlap				Incl. M	
51		Repl	RT Strut w/INTERCEPTOR 3.3 liter HEV	LB5Z18124G	1	160.55 m	Incl.	
52			Deduct for Overlap				Incl.	
53	FRONT DOOR							
54	*	Rpr	RT Door shell				<u>4.0</u>	2.4
55			Overlap Major Adj. Panel					-0.4
56			Add for Clear Coat					0.4
57		R&I	RT Belt molding				0.3	
58	*	R&I	RT Lower molding black BASE, INTERCEPTOR				<u>0.4</u>	
59		R&I	RT Mirror outside Interceptor, w/o strobe lamps				0.3	
60		R&I	RT Run channel				0.3	
61		R&I	RT Handle, outside INTERCEPTOR				0.4	
62		R&I	RT R&I trim panel				0.5	
63	#	Subl	Hazardous waste removal		1	5.00 T		
64	#	Repl	Cover Car		1	10.00 T	0.3	
65	#		Color tint / color match		1			0.5
66	#	Rpr	Color sand and buff					1.0
67	#	Repl	Flex additive		1	10.00 T		0.2
				SUBTOTALS		7,853.43	28.0	15.7

# **NOTES**

#### Estimate Notes:

under frt bumper cover-ac-cooling-stering-suspension open items

# **Customer: Village Of Orland Park**

Job Number:

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection

### **ESTIMATE TOTALS**

Category	Basis		Rate	Cost \$
Parts				7,678.43
Body Labor	24.0 hrs	@	\$ 68.00 /hr	1,632.00
Paint Labor	15.7 hrs	@	\$ 68.00 /hr	1,067.60
Mechanical Labor	4.0 hrs	@	\$ 165.00 /hr	660.00
Paint Supplies	15.7 hrs	@	\$ 50.00 /hr	785.00
Miscellaneous				175.00
Subtotal				11,998.03
Grand Total				11,998.03
Deductible				0.00
CUSTOMER PAY				0.00
INSURANCE PAY				11,998.03

ILLINOIS LAW REQUIRES THAT VEHICLE REPAIRERS MUST BE LICENSED IN ACCORDANCE WITH SECTION 5-301 OF THE ILLINOIS VEHICLE CODE.

#### **Customer: Village Of Orland Park**

Job Number:

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection

Estimate based on MOTOR CRASH ESTIMATING GUIDE and potentially other third party sources of data. Unless otherwise noted, (a) all items are derived from the Guide DR2MF20, CCC Data Date 01/02/2025, and potentially other third party sources of data; and (b) the parts presented are OEM-parts. OEM parts are manufactured by or for the vehicle's Original Equipment Manufacturer (OEM) according to OEM's specifications for U.S. distribution. OEM parts are available at OE/Vehicle dealerships or the specified supplier. OPT OEM (Optional OEM) or ALT OEM (Alternative OEM) parts are OEM parts that may be provided by or through alternate sources other than the OEM vehicle dealerships with discounted pricing. Asterisk (\*) or Double Asterisk (\*\*) indicates that the parts and/or labor data provided by third party sources of data may have been modified or may have come from an alternate data source. Tilde sign (~) items indicate MOTOR Not-Included Labor operations. The symbol (<>) indicates the refinish operation WILL NOT be performed as a separate procedure from the other panels in the estimate. Non-Original Equipment Manufacturer aftermarket parts are described as Non OEM, A/M or NAGS. Used parts are described as LKQ, RCY, or USED. Reconditioned parts are described as Recond. Recored parts are described as Recore. NAGS Part Numbers and Benchmark Prices are provided by National Auto Glass Specifications. Labor operation times listed on the line with the NAGS information are MOTOR suggested labor operation times. NAGS labor operation times are not included. Pound sign (#) items indicate manual entries.

Some 2024 vehicles contain minor changes from the previous year. For those vehicles, prior to receiving updated data from the vehicle manufacturer, labor and parts data from the previous year may be used. The CCC ONE estimator has a list of applicable vehicles. Parts numbers and prices should be confirmed with the local dealership.

The following is a list of additional abbreviations or symbols that may be used to describe work to be done or parts to be repaired or replaced:

#### SYMBOLS FOLLOWING PART PRICE:

m=MOTOR Mechanical component. s=MOTOR Structural component. T=Miscellaneous Taxed charge category. X=Miscellaneous Non-Taxed charge category.

#### SYMBOLS FOLLOWING LABOR:

D=Diagnostic labor category. E=Electrical labor category. F=Frame labor category. G=Glass labor category. M=Mechanical labor category. S=Structural labor category. (numbers) 1 through 4=User Defined Labor Categories.

#### OTHER SYMBOLS AND ABBREVIATIONS:

Adj.=Adjacent. Algn.=Align. ALU=Aluminum. A/M=Aftermarket part. Blnd=Blend. BOR=Boron steel. CAPA=Certified Automotive Parts Association. CFC=Carbon Fiber.

D&R=Disconnect and Reconnect. HSS=High Strength Steel. HYD=Hydroformed Steel. Incl.=Included. LKQ=Like Kind and Quality. LT=Left. MAG=Magnesium. Non-Adj.=Non Adjacent. NSF=NSF International Certified Part. O/H=Overhaul. Qty=Quantity. Refn=Refinish. Repl=Replace. R&I=Remove and Install. R&R=Remove and Replace. Rpr=Repair. RT=Right. SAS=Sandwiched Steel. Sect=Section. STS=Stainless Steel. Subl=Sublet. UHS=Ultra High Strength Steel. N=Note(s) associated with the estimate line.

CCC ONE Estimating - A product of CCC Intelligent Solutions Inc.

The following is a list of abbreviations that may be used in CCC ONE Estimating that are not part of the MOTOR CRASH ESTIMATING GUIDE:

BAR=Bureau of Automotive Repair. EPA=Environmental Protection Agency. NHTSA= National Highway Transportation and Safety Administration. PDR=Paintless Dent Repair. VIN=Vehicle Identification Number.

Workfile ID: PartsShare: e2f07790 8kjrmq

biohnson@rizzacars.com 8100 W 159TH ST, ORLAND PARK, IL 60462

Phone: (708) 364-2285

Related Prior Damas

### **Customer: Village Of Orland Park**

Written By:

Insured:

Village Of Orland Park

Policy #:

Claim #:

Type of Loss:

Date of Loss:

Days to Repair: 0

Point of Impact:

Owner:

Village Of Orland Park

**Inspection Location:** 

JOE RIZZA FORD OF ORLAND PARK

8100 W 159TH ST

ORLAND PARK, IL 60462

Repair Facility

(708) 364-2285 Business

**Insurance Company:** 

#### **VEHICLE**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection

VIN:

1FM5K8AW8MNA21524

Interior Color:

Mileage In:

Vehicle Out:

License:

Exterior Color:

Mileage Out:

State:

IL

Production Date:

Condition:

Job #:

**TRANSMISSION** 

**Automatic Transmission** 

4 Wheel Drive

**POWER** 

Power Steering

Power Brakes

Power Windows

Power Locks

Power Mirrors

Power Driver Seat

**DECOR** 

**Dual Mirrors** 

Privacy Glass

Overhead Console CONVENIENCE

Air Conditioning

Intermittent Wipers

Tilt Wheel

Cruise Control Rear Defogger

Message Center

Steering Wheel Touch Controls

Rear Window Wiper

Telescopic Wheel

Climate Control

Backup Camera

**RADIO** 

AM Radio FM Radio

Stereo

Search/Seek

**Auxiliary Audio Connection** 

SAFETY

Drivers Side Air Bag

Passenger Air Bag

Anti-Lock Brakes (4)

4 Wheel Disc Brakes

Traction Control

Stability Control

Front Side Impact Air Bags

Head/Curtain Air Bags

Hands Free Device

Xenon or L.E.D. Headlamps

**SEATS** 

Cloth Seats

**Bucket Seats** 

Reclining/Lounge Seats

WHEELS

Styled Steel Wheels

**PAINT** 

Clear Coat Paint

**OTHER** 

Rear Spoiler

California Emissions

**TRUCK** 

Trailer Hitch

Trailering Package

# **Related Prior Damage**

# **Customer: Village Of Orland Park**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection

Line			Oper	Description	Part Number	Qty	Extended Price \$	Labor	Paint
1	#			S1		1			
2	#					AME - 2011 - 1011 - 1011	The state of the s	We don't in America	4 - 107 / 100 / 100 / 100 / 100 / 100 / 100 / 100 / 100 / 100 / 100 / 100 / 100 / 100 / 100 / 100 / 100 / 100 /
3	KAD.	IATOR SU			L DE 70 4 20 4 4		440.45	0.3	
4			Repl	Reinforcement	LB5Z8A284A	1	110.45	0.2	
5			Repl	Air deflector w/INTERCEPTOR	LB5Z8312B	1	189.03	0.2	
6			Repl	Lower deflector INTERCEPTOR	LB5Z8327A	1	97.87	0.1	
7	1100	<b></b>	Repl	Skid plate w/INTERCEPTOR	L1MZ78001A08B	1	552.42	0.1	
8	H00 *	D	Donl	Hood (ALLI)	LDE716612A		1 000 65	2.0	2.0
9	т		Repl	Hood (ALU)	LB5Z16612A	1	1,092.65	<u>2.0</u>	3.0
10				Add for Clear Coat					1.2
11	ш		Dan	Add for Underside(Complete)					1.5
12	#		Rpr	minus hood repair on orig est	L DE71 CD000A		40.00	-6.0 *	-4.2
13	FFAIR	<b>&gt;</b>	Repl	Front w'strip	LB5Z16B990A	1	48.08	Incl.	***************************************
14	FEND	JEK		77.					
15	*		Repl	RT Apron/rail assy w/3.3 liter HEV (UHS)	N1MZ16054F	1	3,300.27	s <u>20.0</u>	1.6
16			Repl	RT Support bracket (ALU)	N1MZ16A200A	1	55.68	0.2	0.3
17			and the second second second second	Add for Clear Coat	The second of th				0.1
18	ENG:	INE							
19	MANAGEMENT AND A STREET		Repl	R&I engine assy	NONE	1		m 8.5 M	
20	FROI	NT SUSPE	NSION						
21			Repl	RT Spring stamped LB5C5310F*	LB5Z5310F	1	171.67	m 1.4	
22			Repl	RT Lower pad	LB5Z5536A	1	14.98		
23			Repl	RT Upper pad	LB5Z5415A	1	7.20		
24			Repl	RT Bumper w/INTERCEPTOR	LB5Z3020B	1	28.83		
25			Repl	RT Bearing	LB5Z18198A	1	60.91		
26	#		Repl	upper mount		1	97.45	1.0	
27			Repl	RT Strut lower bolt	W715932S439	4	13.60		
28			Repl	RT Upper mount bolt	W719954S439	4	17.00		
29			Repl	RT Strut nut	W520517S440	4	6.08		
30			Repl	Susp crossmember INTERCEPTOR	NB5Z5C145D	1	965.23	m 6.2 M	
31				Wheel alignment align four wheels				m 1.8 M	
32				Deduct for Overlap				-4.3 M	
33			Repl	Protector	LB5Z5F078B	1	485.08		
34			Repl	RT Susp crossmember front bolt	W719413S439	4	20.40		
35			Repl	LT Susp crossmember front bolt	W719413S439	4	20.40		
36			Repl	RT Susp crossmember rear bolt	W719413S439	4	20.40		
37			Repl	LT Susp crossmember rear bolt	W719413S439	4	20.40		
38				RT Susp crossmember mount bolt	W716979S439	4	12.08		
39				LT Susp crossmember mount bolt	W716979S439	4	12.08		
			• 12 12			•			

# **Related Prior Damage**

### **Customer: Village Of Orland Park**

2021 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.3L Hybrid Port/Direct Injection

					SUBTOTA	LS		8,896.69	49.0	3.5
55	#		Repl	coolant-fluids-etc			1	100.00		
54	*		Rpr	RT Door shell					<u>3.0</u>	0.0
53			R&I	RT R&I door assy					1.2	
52	FRO	ONT DOOR								
51	*		R&I	Reinf beam					<u>1.2</u>	М
50			R&I	R&I instrument panel					4.5	М
49	INS	STRUMENT I	PANEI				A III	North No. and Association of Association	17 W. V. TANI I. T. M. T. T. V. T. V	
48	#		Repl	urethan kit			1	25.00		
47			R&I	Windshield FORD, w/INTERCEPTOR w/o collision mitigation					3.3	
46	WI	NDSHIELD								
45	#		Rpr	program reack assy	· · · · · · · · · · · · · · · · · · ·			The state of the Manager State of the State	2.0	M
44	-			Deduct for Overlap					-2.4	
43			Repl	Gear assy 3.3 liter HEV		P1MZ3504Y	1	1,038.18		
42	STE	EERING GEA	R&L	INKAGE						
41		CALCADO MARIA TANON TO CONTRA MANAGAMENT AND ANGENTS AND ANGEN	Repl	Stabilizer bar w/INTERCEPTOR		LB5Z5482C	1	286.67	m 1.6	

#### **ESTIMATE TOTALS**

Category	Basis		Rate	Cost \$
Parts				8,896.69
Body Labor	28.3 hrs	@	\$ 64.00 /hr	1,811.20
Paint Labor	3.5 hrs	@	\$ 64.00 /hr	224.00
Mechanical Labor	20.7 hrs	@	\$ 165.00 /hr	3,415.50
Paint Supplies	3.5 hrs	@	\$ 50.00 /hr	175.00
Subtotal				14,522.39
Grand Total		,		14,522.39

ILLINOIS LAW REQUIRES THAT VEHICLE REPAIRERS MUST BE LICENSED IN ACCORDANCE WITH SECTION 5-301 OF THE ILLINOIS VEHICLE CODE.

449366