



A proposal for
VILLAGE OF ORLAND PARK, IL
NAPA IBS
ORLAND PARK, IL 60462

Quote # SF-2026-02210 Revision # 2

Apr 22, 2026

Quotation valid until: Jul 21, 2026

This document outlines a comprehensive truck package, comprising the following equipment. The listed equipment is designed to be installed and operated as an integrated system, ensuring full compatibility and optimal performance.

Front Plow

Plow Hitch

Mark E Dump Body

V-Box Sand and Salt Spreader

Prewet System

Chassis

Installation

NPPGov Contract Number: PS22170

Quote prepared by: Daniel Montiel

Package Model - PACKAGE

PLOW

Plow Style	Reversible RSP/OWP
Plow Profile	Integral Shield
Plow Moldboard Modifications	RH Mailbox Cut
Plow Trip Type	Torsion Trip Edge
Plow Height	42 inch
Plow Length	11 foot
Plow Moldboard Material Type	Orange Polyurethane
Plow Moldboard Material Thickness	3/8 inch Poly
Plow Moldboard Paint	Plow Frame Black, Poly Moldboard
Plow Cutting Edge type	Standard
Plow Cutting Edge Description	Standard 5/8 X 8 Cutting Edge
Plow Pushframe type	Standard Pushframe
Plow Pushframe Width	Standard Width
Plow Reversing Cylinders	4" x 2" Nitrided Reversing Cylinders
Cushion Valve	Cushion Valve (Standard)
Cylinder Hose Kit	Cylinder Hose Kit (Standard)
Plow Running Gear Shape	No Running Gear
Plow Running Gear	No Running Gear
Plow Hitch Type	Quick Link Hitch
Plow Deflector	Rubber Deflector No Logo Installed
Plow Sight Marker	36" Poly Plow Marker (Ship Loose)
Parking Jack	Parking Jack Shipped Loose
Moldboard Shoes	No Moldboard Shoe
Curb Guards	Wrap Around Curb Guard, Pair
Moldboard Bottom Angle Gussets	Standard Gussets
Blade Saver	No Blade Saver
Special Request	
Standard 5/8 X 8 Cutting Edge	<ul style="list-style-type: none">• LINE ITEM ADDITIONAL SHIPPED LOOSE CUTTING EDGE (1) 81936

HITCH

Truck Side Hitch Type	Low Profile
Hitch Family	Basic Hitch
Lift Cylinder	4"x2" Nitrided Cylinder
Hitch Connection Type	Quick Link Hitch
Hitch Mounting Hardware	No Mounting Hardware

HPI

Family	Mark E, Classic
Floor Length	10' Floor Length
Side Height	24 inches
Body Material (Sides/HeadSheet)	7GA 201SS Sides/Headsheet
Floor Material	1/4" AR400 Floor

Front Bolster	No Front Bolsters
Rear Bolster Material	7GA 201SS Rear Bolsters
Rear Bolster Height	8" Taller Than Sides Rear Bolster, 2 1/8" Pockets
Top Rail/Rub Rail Material	7GA 201SS Top & Rub Rails
Side Braces	(1) 7GA 201SS Weld On Side Brace
Hydraulic Lines	1/2" SS Hydraulic Line DS Longsill
Hoist Type	Trunnion Mount Hoist, Internal, DA, W/SubFrame
Cylinder Model	CS/G4, Dbl Act, 2yr Salt Warranty
Install Hoist & Cradle	Upfitter Installed H&C
Hoist Mount Type	Standard Subframe
Longsills	5" I-Beam, Full Weld Longsill & Apron
Body Hinge Maintenance	Greaseable Pins, W/Bushings
Tailgate Style	Configured Tailgate
Tailgate Air Valve	Upfitter Supplied Air Valve
Tailgate Pin Lanyards	No TG Pin Lanyards
Horizontal J-Hooks	No Horizontal J-Hooks
Bolsters Chain Hooks	Banjo Chain Hooks (Inst)
Tailgate Chains	SS Tailgate Chains
Tailgate Hinge	Standard 1-1/4" Pins, 1" Plate
Tailgate Release & Control	Double Acting Air Cylinder with SS Bushings
Tailgate Lift Style/Location	Formed Lift Loop, Top Brace
Tailgate Brace	(2) Horizontal Tailgate Braces
Coal Chute	No Coal Chute
Tailgate Liner	No Tailgate Liner
Tailgate Sheet Material	7GA 201SS Tailgate Sheet
Tailgate Maintenance	Greaseable Pins, Jaws, & Shaft
Cabshield Install/Ship Loose	Cabshield Shipped Loose for Install
Rear Facing Cabshield Light Holes	4 Rear Facing ILDOT Spec
Side Facing Cabshield Light Holes	No Side Light Holes
Forward Facing Cabshield Light Holes	No Forward Light Holes
Cabshield Installation Height	Upfitter Installed Standard Leg Height
Cabshield Material	10 Gauge Sheet 7 Gauge Ends
Cabshield Width	86" Width
Cabshield Overhang	22" Overhang
Cabshield Style	Weld-On Cabshield No Tarp Shroud
Cabshield Finish Prep	Cabshield No Finish Prep (Raw)
Cabshield Paint/Finish	Cabshield No Finish (Raw)
Backup Light	Backup Light: None
Lighting Package	Upfitter Supplied Light Pack
Lighting Add-Ons	No Weld-On Light Box
Rear Facing Rear Bolster Light	2 Obround Light
Rear Bolster Marker Lighting	2.5" Red Marker Light Hole
Rub Rail Lighting	No Rub Rail Lighting
Liquid Tanks	No Prewet Tanks On Body

Finish Prep
Paint/ Finish
Asphalt Lip
Side Boards, Installed at Factory
Side Ladder Location

Side Ladder Type
Body Steps
Walk Rails
Tarp Rails
Vibrator Location
TGS Installation
TGS Integration
TGS/Asph Lip Mount Holes

Wash & Prime Mild Parts Only
No Finish
No Asphalt Lip
Upfitter Supplied Sideboards
Ladder/Grabhandle, Passenger Side Front, Ship Loose
Ladder, Fold Down 201SS
No Interior Steps
2" Sure Step Walk Rail
No Tarp Rails
Vibrator Bracket Between Longsills
No Factory Installed TGS
No HPI Prop Style Spill Shields
No Mount Holes In Bolsters

FSH

Model
Steel Type
Hopper Height
Hopper Length
Body Design
Auger Feedgate
Lift Loops
Conveyor Type
Idler Grease Lines
Conveyor Motor
Hydraulic Flow Divider
Motor Guard
Spinner Disc
Spinner Chute
Spinner Extension
Tip Up Chute
Hardware Type
Paint
Primer
Inverted Vee
Top Grate Screens

FSH - Dual Auger
201 Stainless Steel
50" Hopper Height
10' Hopper Length
84" Wide Standard Body
No Rear Feedgate (Standard)
Standard Lift Loops
Standard Auger Flighting
Idler Grease Lines Extended to Rear
Dual Auger Motors w/ Sensor
Basic Hydraulic Flow Divider
Auger Motor Guard (installed)
20" Poly Urethane Spinner Disc
Telescopic Chute w/ Dump Over (w)
No Spinner Extension
No Tip Up Chute
Stainless Steel Hardware
Paint NA
No Primer (Natural Finish)
Inverted Vee Optional (Factory Installed)
STD Duty Screens, Stainless Steel (Factory Installed)
No Hold Down Kit
No A-Frame
No Chassis Frame Mount Kit
Trunnion Tailgate Latch (SS) (Upfitter Installed)
No Mudflap Kit
Body Guide Kit (Upfitter Installed)
No Leg Stand
Front Spill Shield (Factory Installed)

Hold Down Kit
A-Frame
Chassis Frame Mount Kit
Trunnion/Bumper
Mudflap Kit
Body Guides
Leg Stand
Spill Shield

Rubber Side Shields
 Cabshield
 Lighting
 Ladder
 Side Tubes & Rear Hose Kit

 Hose Kit
 Prewet Install
Special Request
 84" Wide Standard Body

Rubber Side Spill Shields, SS Backer (Upfitter Installed)
No Cabshield
No Lighting
No Ladder
SS Hyd Side Tubes, Rear Hoses (No PWS Hoses)
No Hose Kit
Prewet Installed

- LINE ITEM CABSHIELD PART# 179705.201 CABSHIELD, 22" X 78", 10GA (4) REAR (ILDOT) LIGHT HOLES. - SHIPPED LOOSE FOR USC INSTALL.

PWS

Control Console Type
 Prewet Type
 Material Type/Support Frame
 Tank 2 Size/Selection
 Application
 Tank 1 Size/Selection
 Slurry Tube
 Install Prewet System
 Flush Kit
 Tank Float Switch
 Air Bleed Kit
 Install Prewet with Catwalks
 Spray Nozzle Type
 Hardware Type
 Spreader Spinner Chute
 Prewet Function
 Fittings
Special Request
 Vbox Spreader

No Control Console
Hydraulic Prewet
304SS Support Frame
Extra 200 Gallon Wrap-Around Tank
V-box Spreader
200 Gallon Wrap-Around 10' Fsh Minimum
No Slurry
Prewet Installed
Flush kit
No Float Switch
No Air Bleed Kit
Install With Catwalks
Variable Displacement Hose Nozzle
Stainless Steel Hardware
Spreader Spinner Chute, Tele with Dumpover
Hydraulic with Flow Meter No Valve (8gpm)
2" Fill with 1.5" Poly Fittings

- ADD LIQUID SELECTOR VALVE, ELECTRIC.
- LINE ITEM (1) 140734.304 SINGLE LANE BOOM PACK

CHASSIS

Chassis Supplier
 Order Type
 Chassis Make
 Chassis Model
 Chassis Model Year
 Chassis Axle Quantity
 Chassis CA/CT (Usable)

Chassis Info To Be Determined
Turnkey Install
Peterbilt
548
Model Year 2026
Single Axle
85

INSTALLATION

Chassis Delivery To Henderson

Truck Dealer/Customer Delivers

USC Build Facility
Installation Order Type
Completed Truck Delivery
Non-Henderson Equipment
USC Paint Location
Hooklift
Liquid Type
Spreader Type
Dump Body Type
Scraper Type
Wing Type
Front Plow Type
Hitch Type
Plow Portion Hitch
Hitch Mount Style
Front Bumper
Front Tow Hooks
Plow Markers
Plow Rubber Deflector
Plow Jack Install
Wood Sideboard Size
Dump Body Floor Length
Dump Body Rear Profile
Sideboards

Dump Body Vibrator
Shovel Holder Location 1
Shovel Holder Style

Shovel Holder Quantity
Ladder 1 Style
Ladder 1 Location
Ladder Quantity
Ladder(s)

Grab Handle 1 Type
Grab Handle Quantity
Grab Handles
Steps
Asphalt Lip
Cabshield Install

Pressure Protection Valve
Tailgate Release Type

Tailgate Style

USC-IL
Turnkey Install
Henderson Delivers (100 Miles or Less)
No Non-Henderson Equipment
Not Required For Job
No Job Specific Hooklift
V-Box Prewet System
FSH Spreader
Mark E Classic
No Underbody Scraper
No Wing Plow
Reversible Plow
Low Profile
Plow Attachment Quick Link
Cheek Plate Hitch Mount Kit
OEM Bumper Cut And Split
Tow Hooks, Pair, OEM Supplied
Factory Supplied and Installed at USC
Rubber Deflector Installed at Manufacturing
Plow Jack Installed at Upfit
2" X 10" Sideboards Rough Cut
10' Floor Length
Straight Tailgate And Apron
Wood Side Boards, Supplied at Henderson
Upfit, Paint Black
Cougar DC2700, Single Axle
Driver Side Headsheet
Stainless Steel Spring Loaded Shovel Holder
With Bracket
1 Henderson Upfit Supplied Shovel Holder
Fold Down Side Ladder
Passenger Side Front
1 Ladder
Supplied By Factory And Installed At Henderson
Upfit
Stainless Steel 17" Grab Handle
1 Grab Handle
Factory Supplied
No Steps Required
No Asphalt Lip Required
Cabshield Supplied By Factory, Weld To Body
At Henderson Upfit
In Line Air Valve (All Chassis)
Henderson Upfit Supplied Manual Air Over Air
Release
Standard Tailgate

Dump Body Material
Dump Body Cylinder Type
Dump Body Hoist Type

Spreader Tie Down Winch System

TGS Spill Shield
Body Liner
Rubber Mounting Pads
Tarp Brand
QD Mount Location Field

Spreader Drive Type
Spreader Mount Type
Spreader Cabshield
Spreader Underbody Pan
Spreader Ladder
Spreader Bumper
Spreader Spinner Install Type
Spreader Rear Spill Shields
Spreader Front Spill Shields
Spreader Rubber Side Spill Shields

Trunnion Latch

Slip In Tie Downs
Liquid Drive Configuration
Liquid Controls

Feedback Sensor
Flush Kit
Liquid Selector Valve Required

Slurry Tube
Prewet Discharge Location
Pintle Plate information

Pintle Hook Selection
Rear Mudflap Mounting
Rear Mudflap Material
Rear Center Mudflap Mounting
Front Center Mudflap Mounting
Front Mudflap Mounting
Poly Fenders

Pintle Plate

Stainless Steel Dump Body
Double Acting Hoist Cylinder
Telescopic Hoist With Subframe, Internal Doghouse
(4) Weld On Spreader Tie Down Winch, Stainless Steel (4"x60" Strap)
TGS Spill Shield Not Required
Body Liner Not Required
No Rubber Mounting Pads Required
Tarp Not Required
Stainless Steel Quick Disconnect Mount, Front Of Bolster
Hydraulic Drive Spreader
Slip In Mount Spreader
Not Required
Not Required On Job
Not Required
Not Required
Standard Spinner Install
No Rear Spill Shield
Supplied/Installed By Factory Front Spill Shield
Factory Supplied And Henderson Upfit Installed
Rubber Side Shields
Supplied By Factory, Henderson Upfit Installed, Sales to Order With Unit
No Slip In Tie Downs
Hydraulic Drive, Henderson Upfit Installed
Supplied By Henderson Upfit, Included With Hydraulic Package
Supplied By Factory
Supplied By Factory Henderson Upfit Installed
Supplied By Factory, Installed At Henderson Upfit
Not Required
Front Or Rear
No OEM Light Holes, ICC/ 3/4" Combo, 10/20 ton combo holes, Subframe
20 Ton
Swinging Stainless Steel Mount
Rubber Rear Mudflap No Logo
Not Required On Job
Front Center Mudflap Not Required
Front Mudflap Not Required
Poly Fenders, Full Pair, Single Axle, Stainless Steel Mount
Pre-Fab Pintle Plate Installed

Pintle Plate Thickness
Pintle Plate OEM Lights
Pintle Plate ICC Lights
Pintle Hook Hole Pattern
Reflective Tape
Lube System
Miscellaneous D-Ring Quantity
Exhaust Elbows
Automatic Tire Chains
Pusher Axle
Toolbox
Trailer Plug 2
Trailer Plug 1
Gladhands
Pintle Plate D-Rings
Chipper Bar
Rear Tow Hook
PDP Mount Location
Misc Electrical Supplies
GPS System
Pavement Temp Sensor
USC Light Package
Grille Light(s)
Camera Wash Kit
Camera 2 Location
Camera 1 Location
Camera Type/Monitor
Camera Quantity
Camera System
Wiper(s)
Switchbox
License Plate Lights

Brake Controller
Body Up Switch/Light
Back Up Alarm Bracket
Back Up Alarm
Roof Beacon Light
Worklight 2 Location
Worklight 2 Type
Worklight 1 Location
Worklight 1 Type
Worklight Quantity
Roof Spotlight
Mirrors
Driving Lights

3/4" Pintle Plate Thickness
No Pintle Plate OEM Lights
Qty 3, 3/4" ICC Lights
20 Ton
No Logo Reflective Tape 60' Linear
No Lube System Required
Not Required
Exhaust Elbow Not Required
Tire Chains Not Required
Pusher Axle Not Required
Not Required
Not Required For Job
7 Pin Trailer Plug, Truck, 7-Way RV
Glad Hands Fixed Straight S&E Dust Drop Pair
Qty 2, 1" D-Rings, 50 Degree Bend
Chipper Bar Not Required
44K Lb Pair Installed Rear
PDP Mounted On Back Wall
Misc Electrical Supplies Required
GPS System Not Required
Roadwatch, Stand Alone Display
72" Whelen Kit 2 Light ILDOT Standard
Grille Lights Not Required
Camera Wash Kit Not Required
Rear Spinner
Cabshield Mounted
Camera Type Not Required
2 Hydraulic Supplied Cameras
Camera System Included In Hydraulic Package
Wiper Not Required
No Switch Box Necessary
Henderson Upfit Supplied License Plate Light
Grey Housing
Voyager Brake Controller
Proximity Switch/Bracket/Harness
Back Up Alarm Bracket Not Required
97 Decibel
Not Required
Rear Spinner
LED Worklight, 5" Round, Optilux
Rear Spinner
LED Worklight, 5" Round, Optilux
Quantity 2 Worklights
Not Required
Not Required
Driving Lights Not Required

Plow Lights Brackets
 Plow Lights
 Dump Body Rear Lighting
 Dump Body Light Box
 Position 1 from Bottom Strobe Color
 Rear Bolster Light Position 2 from Bottom
 Rear Bolster Light Position 1 from Bottom
 Dump Body Side Bolster Lighting
 Dump Body Rub Rail Lighting
 Cabshield Front Light Quantity
 Cabshield Rear Facing Light Type
 Cabshield Rear Facing Light Quantity
 Cabshield Side Facing Light QTY
 Cabshield Beacon Light
 Hydraulic System Source
 Hydraulic System Manufacturer
 Control Mount Location
 Hydraulic Control Type
 PTO Type
 Reservoir Type
 Hydraulic Package
 Total Number of Quick Coupler Pairs Required
 Quick Coupler Upgrade
 Return Filter
 Low Oil Indicator
 High Temperature Oil Shutdown
 Low Oil Shutdown
 Valve Enclosure Mount Location
 Valve Enclosure Size
 Valve Enclosure Supplier
 Plow Pressure Relief Valve
 Stainless Steel Tubing
 Body Paint Type
 Clear Coat Finish
 Undercoat
 Touch Up Paint
Special Request
 Fsh Spreader

Stainless Steel, Freightliner, Western Star/Other, Pair
ABL, Heated
2 Each Side
Not Required
2 Amber Strobes
Stop/Tail/Turn/Backup

Strobe
2.5" Round (Red)
No Rub Rail Lighting
No Forward Facing Lights
(4) Stop/Tail/Turn Lights
4 Rear Facing Light Holes
No Side Facing Lights
Cabshield Beacon Light Not Required
Henderson Supplied Hydraulic System Certified
Floor Plate/Pedestal Mount Control
Electric Controls
Included In Hydraulics
Supplied With Equipment
Full Hydraulic Package
4 Pair QD Couplers

Stainless Steel QD Couplers
Supplied With Hydraulic Package
Supplied With Hydraulic Package
High Temp Oil Shutdown Not Required
Not Required
Driver Side Valve enclosure, Frame Mount
Supplied With Hydraulic Package
Valve Enclosure Supplied w/ Hydraulics
No Plow Pressure Relief Valve
SS Lines to Front and Rear of Truck
No Henderson Upfit Paint Required
No Clear Coat Finish Required
No Undercoat Required
No Additional Touch Up Paint

- INSTALL FACTORY SUPPLIED SINGLE LANE SPRAY BOOM TO PREWET KIT.
- INSTALL FACTORY SUPPLIED ELECTRONIC SPRAY SELECTOR VALVE

Special Request

72" Whelen Kit 2 Lite Ildot Standard (1)188611 LIGHT,ALLEY,PAIR,WHELEN

Special Request

Rear Facing Cs Qty 4 S/T/T REAR FACING CABSHIELD LIGHTS ARE INCLUDED IN THE ILDOT LIGHT KIT.

Special Request

Full Hydraulic Package (1)177210 FILTER,T-PORTED,HIGH PRESSURE

Special Request

Hydraulic System Manufacturer: Certified
Certified 11027222

Special Request

Included In Hyd (1)173632.201 BRKT,PUMP,PTO,SA,DS,3000RDS, 280G-B8RF, S45

Special Request

Stainless Steel Qd Couplers (1)162426 PREWET COUPLER SET
(2)160223 DUST CAP/PLUG COMBO - 1/2in.

Original Package Price: \$205,224.00

Total Package with applicable NPPGov Discount: \$173,766.00

Freight: \$896.00

Package (s): 1

Total: \$171,186.68

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Henderson offers a deposit programe with additional discounts. Please contact your Henderson sales representative for more details.

All terms and conditions apply. Terms of Sale Document available at http://www.hendersonproducts.com/assets/Terms_of_sale.pdf

Signed: _____ **Date:** _____

Quote notes:

