

Henderson Products - Illinois 11921 Smith Drive Huntley, IL. 61042

Toll Free: 888-360-7483 Office: 847-836-4996 Norm: 815-503-2004

Quote

Date: 2/2/18 Revised 2--2-18

To: V/O Orland Park Attn: Tom Morgan Deleted driver ID module

By: Norm LaValla Corrected text made it more clear

Re: Single Axle Complete Plow Truck W/O Scraper

Henderson Products-Illinois is pleased to quote the following equipment:

Henderson Products RSP 11' POLY 42" TT MB1

11' 3/8" Poly Moldboard

42" High

Integral shield

Torsion Trip

Mailbox trim Curb Side

3" x 2" x 10" nitrided top mounted reversing cylinders

12" non logo rubber deflector w/ss backer

Install Dual 5/8" x 8" AASHTO cutting edge

Single wrap around curb guard installed ea. side of moldboard Installed parking jack Quick Link Hitch

Henderson Products HCH Truck Hitch

Quick link

Flat fold lift arm

4" x 2" x 10" nitrided lift cylinder

Henderson Products MKESA2 10' 201 SS body w/24" sides

2" wide board pockets

Trunnion mount tele hoist, internal dog house w/ subframe

Mailhot CS90-4.5-3 Double acting

Vibrator mounting pad between longsills near front

Cougar DC2700 vibrator, use body up fitter switch for timer

304 SS fold down ladder curb side front

1.5" Grip strut walkrail above rubrail both sides on 201 ss brackets

1/2 cabshield 22" x 86" 201 ss 10ga w/7ga ends

(2) 6" obround cut outs ea., side facing rearward

Back up Alarm

Body up indicator on 5100 EX controller, spring finger actuation Electric operated Air operated tailgate release, pancake style

Use factory up fitter switch for tailgate release

Dump Body Materials/Construction

1/4" AR400 Floor

5" Radius floor to side

5" I-beam Longsills

Single Weld on side brace

7gs 201 SS sides and headsheet

Top rail, 2" flat then sloped

7 ga 201 SS rear corner post

(2) 6" obround cutouts ea. side

Standard tailgate

7ga 201 ss tailgate sheet

Double horizontal 10ga 201 ss bracing Continued from Previous page

Tailgate lift loop

Air tailgate release

SS Tailgate chain

Mild steel spreader shields

Installed with through bolt through SS tube welded in tailgate

Dump Body Lighting

Mini light bar (R1LPPA) on SS swing bracket

install on driver side on top of cabshield

2 LED S/T/T rear facing on cab shield (Grote)

2 LED Warns rear facing on cab shield (5GA00FAR)

2 Whelen LED Warns, one in ea. rear corner post (5GA00FAR)

2 Grote LED B/U - S/T/T, one in ea. rear corner post (54672)

2.5" LED side marker lights

Hella 220 series Halogen plow lights

SS mounting plow light brackets for use on Factory hood convex mirror

Air tailgate release

Use factory up fitter switch

Undertailgate spreader Henderson Products TGS

96" grade 50 steel, Highway Orange

5:1 gear box w/6" reverse flight auger

Auger motor w/integral speed sensor

Clock motor to protect sensor through under side of side flange

SS seal plate for spinner motor

SS Slurry tube installed in auger trough, 3-4' long not seven feet.

customer to supply nozzle information

Amber Spreader light installed under driverside rear corner ABL

Pre-wetting

Behind cab (2) 120 gallon poly tanks combined 240 gallon

4.1 GPM Bronze pump driven by integral Hyd motor

Closed loop

System flush kit

Pintle Plate Assembly

3/4" plate

Glad hands

Installed upper corners by frame

3 LED ICC lights

2" Pintle ball combination

Plate drilled for multiple pintle hook heights

Install factory lights

Install LED LP light

Digital brake controller

Brake controller wired to pin 6

6 pin round trailer plug

9 pin factory trailer plug should be packed with grease and tied up under frame rail

Central Hydraulic System

Force America SSC 5100 ex

Parker 278 Series Hot Shift PTO

TXV Series Load Sensing Pump

Add-a-Stack Load sensing valve assembly

Cross over relief with PSI relief

install in plow reversing circuit

VT35 w/ss cover, intank filter, temp/level sender

Pressure filter

Extra Filter element

Dual axis plow control & single axis hoist control w/push pull cables

ARC Wireless temp sensor, its what force provided. Robe Lowe also requested.

SS hydraulic tubing ran to front for plow

SS hydraulic tubing ran to rear for spreadered from Previous page Short whip hoses used from hydraulic valve to SS tubing and SS tubing to couplers

GPS/AVL System

Precise IX403-H
Precise Antenna, Magnetic/Adhesive, Cell, GPS
Cable -ext-io-serial-ix403

Deleted 6950022 Driver module

Calibration of spreader and pre-wetting system at time of delivery or prior to winter of 2017/2018

Plain no logo reflective tape Vacuum inside of truck Wash outside of truck prior to delivery

Price per Unit: \$71,886.00

Number of Units

Extended Price \$143,772.00

Tax

Total Quote Price \$143,772.00

FOB Huntley, IL

Please note the following regarding installation quotes:

A clean truck frame without obstruction is assumed in the pricing of our quote. Re-positioning of air tanks, fuel tanks or other obstacles to the ease of installation may require additional charges. Henderson will notify you before modification if this occurs.