



Page 1 of 1 2/18/2012

*** Take this sheet to the Building Materials counter to purchase your materials.

You selected a fence with these options:

4'X8' Treated Spacepicket Panels
4"X4"-8' Pressure Treated Posts
No Post Tops Selected
Premixed Concrete Footing For Posts
Premium Screw Fasteners
1 - 4'H X 4'W Gate





Today's cost for materials estimated in this design:

\$434.46

You may buy all the materials or any part at low cash and carry prices. Because of the wide variable in codes, Menards cannot guarantee that materials listed will meet your building code requirements. These plans are suggested designs and material lists only. We do not guarantee the completeness or prices of these structures. Tax, labor and

delivery not included.





Wall Attached Railing

Today's cost for materials estimated in this design with options: \$2,769.25

You may buy all the materials or any part at low cash and carry prices. Because of the wide variable in codes, Menards cannot guarantee that materials listed will meet your code requirements. Check with your local municipality for plan compliance and building permit. These plans are suggested designs and material lists only. Some items may vary from those pictured. We do not guarantee the completeness or prices of these structures. Tax, labor and delivery not included.

Tax, labor and delivery not included.

*(Base Price): \$2,334.42

The base price includes: 40 PSF deck live load, AC2 2x6 deck boards in horizontal direction, AC2 4x4 framing posts, precast concrete (1 bag) footing, AC2 2x8 joists and beams with two feet cantilever, galvanized framing fisteners and joists hangers, and premium deck board screws.






Illustration intended to show general deck size and shape. Some Options selected may not be shown for picture clarity.

Today's cost for materials estimated in this design with options: \$2,769.25

You may buy all the materials or any part at low cash and carry prices. Because of the wide variable in codes, Menards cannot guarantee that materials listed will meet your code requirements. Check with your local municipality for plan compliance and building permit. These plans are suggested designs and material lists only. Some items may vary from those pictured. We do not guarantee the completeness or prices of these structures. Tax, labor and delivery not included.

 $Tax, labor \ and \ delivery \ not \ included.$

*(Base Price): \$2,334.42

The base price includes: 40 PSF deck live load, AC2 2x6 deck boards in horizontal direction, AC2 4x4 framing posts, precast concrete (1 bag) footing, AC2 2x8 joists and beams with two feet cantilever, galvanized framing fasteners and joists hangers, and premium deck board screws.



Level Information


54' 0" Length X 20' 8" Width X 3' 0" Height, Standard Deck, 40 PSF Load Rating, Horizontal Decking Direction

Framing Information

4X4 AC2 Framing Posts
Poured Footings 8" Tube (includes concrete) with 4' 0" Depth
2X8 AC2 Joists
2X8 AC2 Beams
Solid Placement for Beam Positioning on Framing Posts
Beam and Joist Cantilever - 2 Feet


Deck Board Information

5/4"x6" AC2 Decking Combo Drive Premium Gold Screws No Endcaps No Cladding



Railing Information

AC2 Railing Type 42" Vertical Handrail to Joist without Posts Railing Style 2X2X48 Beveled One End Spindles AC2 2X6 Plain Vertical Hand Rail



Other Material Information

Galvanized Joist Hangers Galvanized Framing Fastener





Today's cost for materials estimated in this design with options:

\$2,769.25
Tax, labor and delivery not included.

ax, labor and delivery not included


*(Base Price): \$2,334.42

You may buy all the materials or any part at low cash and carry prices. Because of the wide variable in codes, Menards cannot guarantee that materials listed will meet your code requirements. Check with your local municipality for plan compliance and building permit. These plans are suggested designs and material lists only. Some items may vary from those pictured. We do not guarantee the completeness or prices of these structures. Tax, labor and delivery not included.

The base price includes: 40 PSF deck live load, AC2 2x6 deck boards in horizontal direction, AC2 4x4 firming posts, precast concrete (1 bag) footing, AC2 2x8 joists and beams with two feet cantilever, galvanized framing fasteners and joists hangers, and premium deck board screws.




Post and Beam Dimension Sheet for Level 1



Layout dimension sheets are intended as a construction aid. Not all options selected are shown.



Beam Layout for Level 1




| Mark Length | Description |
|-------------|-------------|
| A 7' 9" | 4-2X8 AC2 |
| B 18'4" | 4-2X8 AC2 |
| C 17'2" | 2-2X8 AC2 |

Layout dimension sheets are intended as a construction aid. Not all options selected are shown.



Joist Layout for Level 1



| Mark | Length | Description | Usage |
|------|---------|--------------------|----------------|
| Α | 8' 0" | 1-2X8 AQ2 | Rim Joist |
| В | 7' 9" | 1-2X8 AQ2 | Rim Joist |
| C | 12' 10" | 1-2X8 AQ2 | Ledger Joist |
| D | 7' 11" | 34-2X8 AC2 | Internal Joist |
| E | 10' 7" | 6-2X8 AQ2 | Internal Joist |
| F | 10' 0" | 6-2X8 A Q 2 | Internal Joist |
| G | 20' 0" | 2-2X8 AQ2 | Rim Joist |
| H | 13'9" | 1-2X8 AQ2 | Rim Joist |
| I | 12'0" | 1-2X8 AQ2 | Rim Joist |
| J | 8' 8" | 1-2X8 AC2 | Rim Joist |

Joist to be on 16"

Joist to be toe-nailed to beams with 3-1/2"fasteners

Rim joists to be faced-nailed to joist and ledgers with 3-1/2" fasteners


Y bracing is estimated, but not shown. Blocking and bridging may be required by your local code

Layout dimension sheets are intended as a construct on aid. Not all options selected are shown.

You may buy all the materials or any part at low cash and carry prices. Because of the wide variable in codes, Menards cannot guarantee that materials listed will meet your code requirements. Check with your local municipality for plan compliance and building permit. These plans are suggested designs and material lists only. Some items may vary from those pictured. We do not guarantee the completeness or prices of these structures. Tax, labor and delivery not included.



Joist Layout for Level 1



| Mark | Length | Description | Usage |
|------|----------------|-------------|--------------|
| K | 20' 0" | 1-2X8 AC2 | Ledger Joist |
| L | 16 ' 0" | 1-2X8 AC2 | Ledger Joist |
| M | 10' 0" | 1-2X8 AC2 | Ledger Joist |

Joist to be on 16"

Joist to be toe-nailed to beams with 3-1/2" fasteners

Rim joists to be faced-nailed to joist and ledgers with 3-1 2 fasteners

Y bracing is estimated, but not shown. Blocking and bridging may be required by your local code

Layout dimension sheets are intended as a construction aid. Not all options selected are shown.