PROPOSAL UNIT RATE PRICE SHEET

Soils and Materials Testing and Engineering

IN WITNESS WHEREOF, the parties hereto have executed this proposal as of date shown below.

| Organization Name:_CGMT, Inc. | |
|--|---|
| Street Address: 60 Martin Lane | • |
| City, State, Zip: Elk Grove Village, Illinois 60007 | |
| Contact Name: Pratik K. Patel, P.E. | |
| Phone: 630/595-1111 Fax: 630/595-1110 | |
| E-Mail address: pkpatel@cgmtinc.com | |
| FEIN#:_ ³⁶⁻⁴⁴⁶⁰¹⁶⁸ | |
| Description: Personnel 1. Material Tester I (4 hour minimum/ day applies) Level 1 ACI, HMA Technician 2. Material Tester 2 (4 hour minimum/ day applies) Level 2 PCC, HMA, Soil Technician 3. Prevailing Wage Administrator 4. Field Engineer 5. Staff (graduate) Engineer 6. Project Engineer or Materials Consultant, P.E. 7. Geotechnical Engineer 8. Principal Engineer | \$\frac{75.00}{\$\ 80.50}\$\$\ \frac{35.00}{\$\ 70.00}\$\$\ 80.00\$\$\ \frac{90.00}{\$\ 85.00}\$\$\ \frac{125.00}{\$\ 125.00}\$\$ |
| Description: Laboratory Services Unit Price (| cost per test) |
| Soils and Backfill 1. Aggregate Gradation – Washed Sieve Analysis ASTM C 117 2. Aggregate Gradation – Mechanical Analysis ASTM C 136 3. Aggregate Gradation – Bulk Density & Voids ASTM C 29 4. Soils Gradation, Combined Sieve & Hydrometer 5. Atterberg Limits 6. Moisture-Density Relationship ASTM D 698 (Standard Proctor Test) | \$ 75.00 \$ 65.00 \$ 40.00 \$ 145.00 \$ 85.00 \$ 135.00 |

| 7. Moisture-Density Relationship ASTM D 1557 (Modified Proctor Test) | \$_145.00 | | |
|---|---|--|--|
| Illinois Bearing Ratio, w/Moisture-Density, AASHTO T 193 IL Modified | \$_400.00 | | |
| Unconfined Compressive Strength of undisturbed soil samples Rimac (IDOT) Method Stress-Strain curve, ASTM D 2166 Moisture Content of Soil/Aggregate, ASTM D 2216/566 Total Organic Matter by Wet Combustion Method, AASHTO T 194 pH of Soil, ASTM D 4972 | \$ 10.00 \$ 42.50 \$ 4.00 \$ 85.00 \$ 30.00 | | |
| Concrete and Masonry | | | |
| Compressive Strength tests of concrete cylinders, including expendable supplies (molds), curing (pick-up additional) Compressive Strength tests of concrete cylinders, including expendable supplies (molds), curing made by others, | \$ 14.00 | | |
| (pick-up additional) | \$ 14.00 | | |
| 3. Compressive Strength of grout cylinders (3"x6") or mortar cubes | • | | |
| (2"x2") including molds, supplies, curing (pick-up additional)4. Strength of masonry units, prisms (pick-up additional) | \$ 18.00 \$ 45.00 | | |
| Hot Mix Asphalt | | | |
| Theoretical Maximum Density | \$ 85.00 | | |
| 2. Asphalt Content by Reflux Extraction with Gradation | \$ 140.00 | | |
| 3. Asphalt Content by Ignition Oven with Gradation | \$ 130.00 | | |
| 4. Bulk Specific Gravity of Gyratory Specimen (set of two) | · | | |
| and air voids | \$ 80.00 | | |
| 5. Tensile Strength Ratio, per mix | \$ 125.00 | | |
| Core Density and Thickness, lab test | \$ 30.00 | | |
| Field Sampling | | | |
| Mobilization of Core Rig and Personnel | \$ 125.00 | | |
| 2. Bituminous Pavement Core, 4" diameter, including 1 subgrade | Ψ | | |
| sample with water content, dry unit weight, patch hole | \$ 150.00 | | |
| 3. Concrete pavement Core, 4" diameter, including 1 subgrade | * <u></u> - | | |
| sample with water content, dry unit weight, patch hole | \$_150.00 | | |
| 4. Mobilization of Drill Rig and Personnel | \$ 450.00 | | |
| 5. Subgrade Soil Probe, 5 ft. deep, including sampling at 2.5' | . 105 00 | | |
| intervals with water content, dry unit weight | \$ 105.00 | | |
| Subgrade Soil Probe, 10 ft. deep, including sampling at 2.5' intervals with water content, dry unit weight | \$195.00 | | |
| Miscellaneous Services | | | |
| Provide Correlated Nuclear gauge on job site (daily flat fee) | \$ 35.00 | | |
| Concrete cylinder pick (dedicated trip) | \$ 95.00 | | |
| Phase One Environmental Site Assessment (Village | • | | |
| utility repair/ excavation stockpile) | \$ <u>1,500.00</u> | | |

| Signature of Authorized Signee:_ | Fract |
|----------------------------------|-------|
| Title: Vice President | |
| Date: May 13, 2013 | |

ACCEPTANCE: This proposal is valid for 60 calendar days from the date of submittal. (Note: At least 60 days should be allowed for evaluation and approval)