

PRODUCTS, INC.

Page 1 Estimate #173590 Rev #34

CUSTOMER QUOTE

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

To: VILLAGE OF ORLAND PARK, IL Attn: ANDREW FOLKERTS (708)277-4757

Quote Date: 6/16/2023 Valid Until: 7/16/2023

Sourcewell Contract# 080818-HPI

Sourcewell #: 58277

Quoted:

2022 SNOW AND ICE CONTROL TRUCK EQUIPMENT PACKAGE

Quoted By: Dan Montiel Phone: 847-836-4996

Cell:

Fax: 563-927-7108

Email: dmontiel@hendersonproducts.com

This price is based on the information provided or known at time of estimate. This estimate is valid for 30 days due to the continuing operation of the truck. Once work has begun on the retro-fit, we will advise you if additional labor or materials are required above the estimated price. If so, a separate estimate and invoice can be provided if required. You will not be billed without prior consent.

Reversible snow plow

Plow Length: 11' length

Moldboard Trip: Adjustable cutting edge trip - torsion spring Pushframe Type: Standard Circle Frame with Top Mount Cylinders

Moldboard Height: 42" height
Moldboard Shield: Integral shield

Moldboard Sheet Material: 3/8" polymer ILO steel

Mailbox Cut/Mouse Ear: Mailbox cutout on right side of moldboard Adjustable Trip Spring: Adjustable cutting edge trip springs Hydraulic Cylinders: 4" x 2" x 10" reversing nitrided cylinders

Paint: Orange Poly Moldboard, all other gloss black

12" Rubber Deflector: Yes, w/ SS Backer

Install Rubber Deflector: Yes

36" Plastic Side Markers, Pair: Yes Parking Jack, Screw Adjustable: Yes

Install Parking Jack: Yes

Cutting Edge: Std 5/8" x 8" One Piece AASHTO punch Curb Guard, Installed: Double Wrap around curb guards

Hitch, Plow Portion: Quick Link hitch Plow Portion Installed on Plow: Yes

Hitch, Truck Portion: See HPH or HCH for Truck portion hitch

Custom Option Fields: Note Custom Details Below

Option 1 Description: (2) 5/8in. X 8in. CUTTING EDGES ILO 1

Option 2 Description: USE 81654 PLAIN RUBBER DEFECTOR NO BRANDING

Option 3 Description: ONE CUTTING EDGE INSTALLED, SECOND SHIPPED LOOSE

Option 4 Description: Option 5 Description: Option 6 Description:

FSH salt / sand spreader

Spreader Model: FSH-II Salt/Sand Spreader









PRODUCTS, INC.

Page 2 Quote #173590 Rev #34

CUSTOMER QUOTE

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Hopper length: 10'

Hopper material: 201SS - 10 GA sides/ends, 7 GA sills/floor Capacity: FSH-II 50" (5.6 CY) w/ formed chain shields standard

Conveyor: Dual 7" dia. augers
Gearcase: 3.6:1 planetary gearcase

Flow Divider: Yes, Factory Installed (recommended)

Chute type: Standard Dump Over Chute Same Material as Hopper

Spinner disk: 20" urethane spinner disk

Inverted vee: Inverted vee, 201ss

Install inverted vee: Install at factory

Screen type: Std. top grate screens

Install top grate screens: Install at factory

Extended front idler grease tubes: Extended front idler grease tubes
Trunnion latch for tailgate: Trunnion latch, Mild Channel (loose "SL")

Conveyor speed sensor: Conveyor speed sensor

Option 1 Description: SS MOTOR GUARD

Option 2 Description: SS TRUNNION LATCH ILO MILD STEEL

PWS liquid pre-wetting system

Power Source: Hydrualic Powered Pump

Application: V-box spreader

Product Size: Full Size V-Box 10-13FT Long

Control Box: No Valve, Hydraulic Powered Pump and Flow Meter

Pump: Standard 4.1 GPM Bronze Gear Pump
Console: None-Deduct PWSH-I Console

Tank Size: (2) 200 Gal Poly Tanks w/plumb & HW Requires 24" Bracing

Spray Assembly: Std Variable Displacement Nozzle Assembly

Prewet Installed: Installation on FSH

Mounting Hardware: 304SS frame mount hardware for FSH

Flush Kit: System flush kit

Retrofit Workup

Facility: IDC-IL

Chassis Delivery To Henderson: Truck Dealer/Customer Delivers

Completed Truck Delivery Method: Henderson Delivers (100 miles or less)

Equipment Disposal Spec:

Dump bodies (all types and brands): Not Required Multi-Purpose Muni (all brands): Not Required

Hooklift: Not Required

Patrol wing (all brands): Not Required
Bench wing (all brands): Not Required
Extendable wing (all brands): Not Required
Reversible scraper (all brands): Not Required
Fixed angle scraper (all brands): Not Required

Prewet (all brands): Not Required









PRODUCTS, INC.

CUSTOMER QUOTE

Page 3

Quote #173590

Rev #34

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Under tailgate spreader (all brands): Not Required

Front plow hitch (all brands): Not Required
Pintle plate (all brands): Not Required
Hydraulics-In-cab controls: Not Required

Hydraulics-In-cab spreader controls: Not Required

Hydraulics-Valve enclosure: Not Required

Hydraulics-Reservoir: Not Required Hydraulics-PTO/Pump: Not Required

Hoses/tubing and fittings: Not Required

Other Equipment: Not Required

Chassis Make: Kenworth Chassis Model Yr: 2023 Chassis Model: T480 Vin Number: NA

Useable CA/CT: 96.5
Front Axle Rating: 20K
Rear Axle Rating: 26K
Front Frame Ext?: Yes
Frnt Frame Ext Type: Full
Front Frame Wall: Single Wall

Front Frame Width: 34"

Pump Location: Transmission Mount Pump

Transmission Type: Automatic

Transmission Model: Allison Transmission

Front Plow Type: Standard Henderson Plow

Plow Markers (Front Plow): IDC Install of fact supplied markers, sales to order

w/ unit

Rubber Deflector Install: Supplied By Factory, Installed @ IDC, sales to order

w/ unit

Front Plow Curb Guards: Supplied/Installed @ Factory (Sales to order with unit)
Plow Jack Install: Supl'd/Instl'd on plow @ Factory, Sales order with unit

Spreader Type: FSH

FSH Drive Type: Hydraulic FSH Mount Type: Slip in Mount

Slip in Tie Downs: IDC supp'd Weld-On Winch kit, SS (w/3" x 72" straps)

Trunnion Latch: Install Fact Sup'ld Trun Latch Bar, sales to order with unit

FSH Spinner Configuration: Standard Spinner install Spreader Options 1: DRIVER BOX FOR PREWET PUMP BOX

System Type: FSH

Tank Configuration: Factory Supplied/Installed (Sales to order w/unit)

Drive Configuration: Hydraulic Drive, Vendor Supplied (sales to quote w/ hyd)

Controls: Supplied by IDC (sales to order w/ hyd cntrls)

Prewet/Liquid System: V-box Prewet System

Feedback Sensor: Factory Supplied/Installed (Sales to order w/unit)
Flush Kit: Supplied by factory, Installed @ IDC (sales to order w/unit)

Liquid Options 1: (1)162426 COUPLER,QD,08-08FP,COMPLETE,SS









PRODUCTS, INC.

CUSTOMER QUOTE

Page 4

Quote #173590

Rev #34

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Liquid	Options	2:	(1)165009	CAP, DUST, 1/2:	RUBBER
Liquid	Options	3:	(1)165010	PLUG, DUST, 1/2:	in.,RUBBER

Liquid Details:

Misc Electrical Supplies: Req'd Misc Elect Supplies

Electrical: Yes (SELECT RELATED OPTIONS BELOW)
Backbone & Wire Standoffs: 10' Backbone (For SA)

Camera: MS Foster

Camera Kit: Camera Sys, 7" Monitor, 2 Cameras w/wash & Exten Cble IDC Light Package: 72" Justice (ILDOT) w/2 wk lites, Std Risers

Pavement Temp Sensor: Roadwatch kit w/ stand alone display

Electrical Install Opt 1: (1) HTE375.201 MOUNT, RESEVOIR, CAMERA, WASH

Electrical Spec Notes:

IDC Manager Review:

Total package price: \$70,980.00

Total package w/applicable 10% Sourcewell discount: \$63,882.00

Freight: \$470.00

Single package total: \$64,352.00

Package(s) : 2 Total: \$128,704.00

**10% Sourcewell discount applies to all equipment and installation only.

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Signed: Date:

Quote notes:





