



HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 1
Quote #174137
Rev #33

To: VILLAGE OF ORLAND PARK, IL
Attn: ANDREW FOLKERTS (708)277-4757
Quote Date: 7/20/2023
Valid Until: 8/19/2023
Sourcewell Contract# 080818-HPI
Sourcewell #: 58277
Quoted:

Quoted By: Dan Montiel
Phone: 847-836-4996
Cell:
Fax: 563-927-7108
Email: dmontiel@hendersonproducts.com

2023 KW STOCK TANDEM SNOW AND ICE CONTROL TRUCK EQUIPMENT PACKAGE

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Reversible snow plow

Plow Length: **11' length**
Moldboard Trip: **Adjustable cutting edge trip - torsion spring**
Pushframe Type: **Standard Circle Frame with Top Mount Cylinders**
Moldboard Height: **42" height**
Moldboard Shield: **Integral shield**
Moldboard Sheet Material: **3/8" polymer ILO steel**
Mailbox Cut/Mouse Ear: **Mailbox cutout on right side of moldboard**
Adjustable Trip Spring: **Adjustable cutting edge trip springs**
Hydraulic Cylinders: **4" x 2" x 10" reversing nitrided cylinders**
Paint: **Orange Poly Moldboard, all other gloss black**
12" Rubber Deflector: **Yes, w/ SS Backer**
Install Rubber Deflector: **Yes**
36" Plastic Side Markers, Pair: **Yes**
Parking Jack, Screw Adjustable: **Yes**
Install Parking Jack: **Yes**
Cutting Edge: **Std 5/8" x 8" One Piece AASHTO punch**
Curb Guard, Installed: **Double Wrap around curb guards**
Hitch, Plow Portion: **Quick Link hitch**
Plow Portion Installed on Plow: **Yes**
Hitch, Truck Portion: **See HPH or HCH for Truck portion hitch**
Custom Option Fields: **Note Custom Details Below**
Option 1 Description: **TWO 5/8in. X 8in. CUTTING EDGES ILO 1**
Option 2 Description: **USE 81654 PLAIN RUBBER DEFECTOR (NO LOGO)**
Option 3 Description: **ADDITIONAL CUTTING EDGE TO SHIP LOOSE**
Option 4 Description:
Option 5 Description:
Option 6 Description:

Snow Plow Hitch

Reversing Cylinder Style: **None or Top mount reversing cylinders**
Plow Portion Hitch: **Plow portion picked under plow**
Hitch, Truck Portion: **Quick Link hitch, Low Profile**
Bumper to Frame Mounting Kit: **No, upfitter supplied mounting**



**National
Purchasing
Partners
Government**
Since 2005





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 2
Quote #174137
Rev #33

Hydraulic Lift Cylinder: 4" x 2" x 10" Double Acting Nitrided Lift Cylinder
High Pressure QD System: No High Pressure QD System
Holding Valve for Lift Cylinder: No Holding Valve For Lift Cylinder
Custom Options: No Custom Options Required

HPI Marke

COUNTRY/LANGUAGE: USA/ENGLISH
FAMILY: MARK E, CLASSIC
FLOOR LENGTH: 13' FLOOR LENGTH
SIDE HEIGHT: 36" SIDE HEIGHT
BODY MATERIAL(SIDES/HEADSHEET): 7GA 201SS SIDES/HEADSHEET
SIDE BRACES: (2) 10GA 201SS WELD ON SIDE BRACE
TOP RAIL/RUB RAIL MATERIAL: 7GA 201SS TOP & RUB RAILS
REAR BOLSTER HEIGHT: 8" BOLSTER, 2-1/8" POCKETS
REAR BOLSTER MATERIAL: 7GA 201SS REAR BOLSTERS
FRONT BOLSTER: NO FRONT BOLSTERS
FLOOR MATERIAL: 1/4" AR400 FLOOR
HOIST TYPE: TRN MT HOIST, INTERNAL DH, DA
CYLINDER MODEL: CS/G4, DBL ACT, 2YR SALT WTY*
HYDRAULIC LINES: 1/2" SS HYDRAULIC LINES DS LONGSILL
HOOKLIFT A-FRAME: NON-HOOKLIFT
HOIST MOUNT TYPE: STANDARD WIDTH CRADLE
INSTALL HOIST & CRADLE: UPFITTER INSTALLED H&C
LONGSILLS: 8" I-BEAM LONGSILLS, FULL WELD
BODY HINGE MAINTENANCE: GREASEABLE PINS, WITH BUSHINGS
TAILGATE STYLE: CONFIGURABLE STANDARD TAILGATE
TAILGATE SHEET MATERIAL: 7GA 201SS TAILGATE SHEET
TAILGATE LINER: NO TAILGATE LINER
COAL CHUTE: NO COAL CHUTE
TAILGATE BRACE: 2 HORIZONTAL TAILGATE BRACE
TAILGATE LIFT STYLE/LOCATION: FORMED LIFT LOOP, TOP BRACE
TAILGATE RELEASE & CONTROL: AIR TRIP, SS BUSHING, TG RELEASE
TAILGATE HINGE: STD, 1-1/4" PIN, 1" PLT
TAILGATE CHAINS: ZINC TAILGATE CHAINS
BOLSTER CHAIN HOOKS: SHIP LOOSE (4) CHANNEL STYLE 201SS
HORIZONTAL J-HOOKS: NO HORIZONTAL J-HOOKS
TAILGATE PIN LANYARDS: NO TAILGATE PIN LANYARDS
TAILGATE AIR VALVE: UPFITTER SUPPLIED TAILGATE AIR VALVE
LUBRICATION: GREASEABLE PINS, JAWS, & SHAFT
CABSHIELD STYLE/WIDTH/OVERHANG: WELD-ON, 22"x86", W/ TARP SHROUD
CABSHIELD MATERIAL: 201SS, 10GA PANEL, 7GA ENDS
CABSHIELD INSTALLATION: CABSHIELD SHIPS LOOSE
CABSHIELD OFFSET: OFFSET NOT APPLICABLE
CABSHIELD LIGHTING: CS LIGHTS, 4 REAR RECTANGLE, ILDOT SPEC
ASPHALT LIP: NO ASPHALT LIP
SIDE BOARDS: UPFITTER SUPPLIED SIDEBARDS
SIDE LADDER LOCATION: LADDER/GRBHND, CS FRNT, SL



National
Purchasing
Partners
Government
Since 2005





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 3
Quote #174137
Rev #33

SIDE LADDER TYPE: **LADDER, FOLD DOWN, 201SS**
BODY STEPS: **NO INTERIOR STEPS**
RUB RAIL LIGHTING: **NO RUB RAIL LIGHTING**
REAR BOLSTER MARKER LIGHTING: **2.5" RED REAR BLSTR LIGHT**
REAR FACING REAR BOLSTER LIGHT: **2 OBOUND LIGHT**
LIGHTING ADD ONS: **NO BOLT-ON LIGHT BOX**
LIGHTING PACKAGE: **UPFITTER SUPPLIED LIGHT PACK**
PWS TANKS: **NO PREWET TANKS**
PREWET PREP: **NO PREWET BOX BRACKET**
WALK RAILS: **2" DRVR & CURB WALK RAIL**
TARP RAILS: **NO TARP RAILS**
VIBRATOR LOCATION: **VIBRATOR PAD BETWEEN LONGSILLS**
TGS INSTALLATION: **NO FACTORY INSTALLED TGS**
TGS INTEGRATION: **NO TGS SPILL SHIELDS**
TGS/ASPHALT LIP MOUNT HOLES: **NO MOUNT HOLES IN BOLSTER**
FINISH PREP: **WASH & PRIME MILD PARTS ONLY**
PAINT/FINISH: **NO FINISH**
NOTE 1:: **ADDITIONAL CUSTOM OPTION**
CUSTOM OFFERING: **ADD 1/2in. SS TUBE FOR DA CYLINDER ON INSIDE D/S LONGSILL**
NOTE 2:: **NO ADDITIONAL CUSTOM OPTIONS**
NOTE 3:: **NO ADDITIONAL CUSTOM OPTIONS**
NOTE 4: **NO ADDITIONAL CUSTOM OPTIONS**
NOTE 5: **NO ADDITIONAL CUSTOM OPTIONS**
NOTE 6: **NO ADDITIONAL CUSTOM OPTIONS**
NOTE 7: **NO ADDITIONAL CUSTOM OPTIONS**
NOTE 8: **NO ADDITIONAL CUSTOM OPTIONS**

Henderson Wing System

WING CONFIGURATION TYPE: **HEAVY DUTY**
WING SYSTEM: **FRONT OF CAB SYSTEM**
REAR BRACE LOCATION: **REAR BRACE AHEAD OF REAR AXLES**
WING SIDE LOCATION: **RIGHT HAND SIDE**
TRIP TYPE: **NON-TRIP MOLDBOARD**
WING BRACES: **1 SHOCK BRACE**
CUTTING EDGE LENGTH: **12' CUTTING EDGE**
CUTTING EDGE MATERIAL: **5/8 X 8 TOP PUNCH CUTTING EDGE**
MOLDBOARD MATERIAL: **10GA GR50 CURVED MOLDBOARD**
MOLDBOARD HEIGHT AND SHAPE: **32" STRAIGHT MOLDBOARD**
MOLDBOARD DISCHARGE: **6" FLARE ON DISCHARGE W/BEAD**
MOLDBOARD BOTTOM ANGLE: **4 X 4 X .75 BOTTOM ANGLE**
MOLDBOARD TOP FLANGE: **MOLDBOARD BOXED-IN TOP FLANGE**
MOLDBOARD ADD ONS: **MOLDBOARD CENTER LIFT EYE**
FRONT MAST TYPE: **8" LIFT/11" CYL HYD FRONT MAST**
FRONT MAST MOUNT: **FRONT CROSSTUBE & CHEEKPLATES**
REAR SUPPORT AND MAST: **CHEEKPLATES W/REAR CROSS TUBE**
MOLDBOARD HEEL LIFT: **FRONT MLDBRD HEEL LIFT, 4" CYL**
PAINT: **MB STD ORANGE, ALL ELSE BLACK**



National
Purchasing
Partners
Government
Since 2005





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 4
Quote #174137
Rev #33

CURB GUARD, INSTALLED: **CURB GUARD, INSTALLED**
ORANGE SIGHT MARKER, SHIP LOOSE: **ORANGE SIGHT MARKER, SHIP LOOSE**
Option 1 Description: **ADDITIONAL (1)81937 EDGE, CUTTING, 5/8 X 8 X 12ft., TP**
Option 2 Description: **SMART LINK ILO NON TRIP**
Option 3 Description: **ADDITIONAL CUTTING EDGE SHIPPED LOOSE**

FSH salt / sand spreader

Spreader Model: **FSH-II Salt/Sand Spreader**
Hopper length: **13'**
Hopper material: **201SS - 10 GA sides/ends, 7 GA sills/floor**
Capacity: **FSH-II 62" (10.7 CY) w/ formed chain shields standard**
Conveyor: **Dual 7" dia. augers**
Gearcase: **3.6:1 planetary gearcase**
Flow Divider: **Yes, Factory Installed (recommended)**
Chute type: **Standard Dump Over Chute Same Material as Hopper**
Spinner disk: **20" urethane spinner disk**
Inverted vee: **Inverted vee, 201ss**
Install inverted vee: **Install at factory**
Screen type: **Std. top grate screens**
Install top grate screens: **Install at factory**
Extended front idler grease tubes: **Extended front idler grease tubes**
Trunnion latch for tailgate: **Trunnion latch, Mild Channel (loose "SL")**
Conveyor speed sensor: **Conveyor speed sensor**
Option 1 Description: **STAINLESS STEEL MOTOR GUARD**
Option 2 Description: **SS TRUNNION LATCH ILO MILD STEEL**

PWS liquid pre-wetting system

Power Source: **Hydraulic Powered Pump**
Application: **V-box spreader**
Product Size: **Full Size V-Box 10-13FT Long**
Control Box: **No Valve, Hydraulic Powered Pump and Flow Meter**
Pump: **Standard 4.1 GPM Bronze Gear Pump**
Console: **None-Deduct PWSH-I Console**
Tank Size: **(2) 200 Gal Poly Tanks w/plumb & HW Requires 24" Bracing**
Spray Assembly: **Std Variable Displacement Nozzle Assembly**
Prewet Installed: **Installation on FSH**
Mounting Hardware: **304SS frame mount hardware for FSH**
Flush Kit: **System flush kit**

Installation Workup

Facility: **IDC-IL**
Chassis Delivery To Henderson: **Truck Dealer/Customer Delivers**
Completed Truck Delivery Method: **Drive-Away Service**



**National
Purchasing
Partners
Government**
Since 2005





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 5
Quote #174137
Rev #33

Completed Truck Delivery Method Notes: **DELIVERY TO HUNTLEY FROM NEW YORK**

Non-Henderson Equipment: **Yes (SELECT OPTIONS BELOW)**

Chassis Make: **Kenworth**

Chassis Model Yr: **2023**

Chassis Model: **T480**

Vin Number: **TBD**

Useable CA/CT: **138.5**

Front Axle Rating: **20k**

Rear Axle Rating: **46k**

Front Frame Ext?: **Yes**

Frnt Frame Ext Type: **Full**

Front Frame Wall: **Single Wall**

Front Frame Width: **34"**

Pump Location: **Transmission Mount Pump**

Transmission Type: **Automatic**

Transmission Model: **Allison Transmission**

Chassis Options 1: **(2)159694 BUMPER, FORMED, IADOT (ILO OEM CUT AND SPLIT)**

Hitch Type: **Low Profile or Manual Tilt Type Hitch**

Mount Type: **Engineered Truck Hitch (sales to order hitch w/ unit)**

Mount Spec: **(1)122232 PLATE, CHEEK, 16 X 35, 7in. TUBE**

Front Bumper: **OEM Bumper Cut and Split**

Hitch Options 1: **(1)122233 PLATE, CHEEK, 16 X 35, 7in. TUBE**

Hitch Options 2: **(2)81770 ANGLE, TUBE SUPPORT, 3.00 X 4.00**

Hitch Options 3: **(1)145606 ANGLE, MOUNT, HITCH**

Front Plow Type: **Standard Henderson Plow**

Plow Markers (Front Plow): **IDC Install of fact supplied markers, sales to order w/ unit**

Rubber Deflector Install: **Supplied/Installed @ Factory, sales to order w/ unit**

Front Plow Curb Guards: **Supplied/Installed @ Factory (Sales to order with unit)**

Plow Jack Install: **Supl'd/Instl'd on plow @ Factory, Sales order with unit**

Wing Type: **Install HWS Patrol Wing (non-extendable)**

Wing Stop: **Yes (factory supplied)**

Plow Markers (Wing Plow): **IDC Install fact supl'd marker, single, sales order w unit**

Curb Guard (Wing Plow): **Supplied/Installed @ Factory (Sales to order with unit)**

Load Booster/Airbag: **Timbren Load Booster for RH Front Axle**

Laser Line Wing Guide: **Laser Line Wing Guidance System**

Wing Options 1: **(2)162103 LIGHT, WING/PLOW, LED, AMBER**

Wing Options 2: **(2)137120.201 BRACKET, STROBE, WING, ALASKA**

Dump Body Type: **Mark E Tandem Axle**

Floor Length: **13ft Floor Length**

Hoist Type: **Tele Trunnion Hoist, Internal Doghouse**

Cylinder Type: **Double Acting**

Body Material (Sides/ends): **Stainless Steel Type Body Material**



**National
Purchasing
Partners
Government**
Since 2005





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 6
Quote #174137
Rev #33

Tailgate Release Type: **IDC Supplied manual air over air valve**
Pressure Protection Valve: **Direct to air tank valve (All except Int, Mack & Volvo)**

Cabshield Install: **Supl'd by fact, welded to body @ IDC, sales to order w/ unit**
Grab Handle(s): **(1) Factory supl'd, install @ IDC (Sales to order with unit)**
Ladder(s): **Supplied by factory, Install @ IDC (sales to order w/ unit)**
Ladder Install QTY (Dump): **(1) LADDER INSTALLED @ IDC (LABOR ONLY)**
Ladder Install Style (Dump) 1: **Fold Down Side Ladder**
Ladder Install Loc 1 (Dump): **Passenger Side Front**
Shovel Holder: **(1) IDC Supl'd Spring Loaded SS Shovel Holder w/ SS brckt**
Shovel Holder Loc (1): **Driver side headsheet**
Vibrator: **Cougar Vib, DC3200 kit, 50' cable, TA (order vib pad w unit)**
Tarp Brand: **Rollrite (order 86" c/s if using integral shield)**
Tarp System: **Tarpmaster 400, 30° arms, w/o Wind Defelct, Tensioners**
Tarp Material: **Black Vinyl (Asphalt rated)**
Tarp Length: **18' Body or shorter Length (BV,RR)**

Body Spec Notes:

Spreader Type: **FSH**
FSH Drive Type: **Hydraulic**
FSH Mount Type: **Slip in Mount**
Slip in Tie Downs: **IDC supp'd Weld-On Winch kit, SS (w/3" x 72" straps)**
Trunnion Latch: **Install Fact Sup'd Trun Latch Bar, sales to order with unit**
FSH Spinner Configuration: **Standard Spinner install**
HYD QD Mount Brackets: **Stainless Steel QD Mount in front of dump body bolster**
Spreader Options 1: **(4)106096.304 HOOK, SCREEN INSTALL, MUNI**

Prewet/Liquid System: **V-box Prewet System**
System Type: **FSH**
Tank Configuration: **Factory Supplied/Installed (Sales to order w/unit)**
Drive Configuration: **Hydraulic Drive, Factory Installed (Sales to order w/unit)**
Controls: **Supplied by IDC (sales to order w/ hyd cntrls)**
Feedback Sensor: **Factory Supplied/Installed (Sales to order w/unit)**
Flush Kit: **Supplied by factory, Installed @ IDC (sales to order w/unit)**

Liquid Details:

Chassis Accessories: **Yes (SELECT RELATED OPTIONS BELOW)**
Mudflaps (Rear): **Swinging w/o Logo**
Mudflap Type (Rear): **36" Swinging, SS (No LOGO)**
Fenders: **Front Quarter Fenders, Poly (standard)**
Pintle Plate: **Yes (select from options below)**
Pintle Plate Configuration: **3/4" Plate, PH45 & PH20 Holes, Tandem (w/3LTC)**
Pintle Plate D-Rings: **Qty (2) 1" D-rings, 50 deg bend**
Pintle Hook: **20 Ton**
Glad Hands: **Glads, Fixed, Strt, Serv & Emerg, w/Dust Covr, Drop Hoses, Pr**



**National
Purchasing
Partners
Government**
Since 2005





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 7
Quote #174137
Rev #33

Trailer Plug (1): **7 Pin Trailer Plug, Truck end 7-Way RV, new style (municipal)**
Trailer Plug (2): **Remount OEM Trailer Plug (QTY 1)**
Truck Wash: **Complete Truck Wash/Clean/Vac 1**
Warranty: **Standard 1 Year Warranty**
Inspection: **Walk-around meeting only**
Reflective Tape: **Reflective Tape, No Logo (60' Linear)**
Install Touch-up: **Basic Installation Touch-Up**
Chassis Install Options 1: **LABOR AND MATERIALS TO POSSIBLY MOVE THE AIR TANKS**

Electrical: **Yes (SELECT RELATED OPTIONS BELOW)**
Power Distribution Panel: **Power Distribution Panel**
Misc Electrical Supplies: **Req'd Misc Elect Supplies**
Plow Lights: **Plow Lts, LED, Heated, Tlite, Round, Pair**
Plow Light Brackets: **Plow Lt Brckts, SS, PETERBILT 348, Pair**
Worklight(s) QTY: **(QTY 2) Work Lights (Select type below)**
Worklight (1) Type: **LED, Worklight, 4in Round (Optilux)**
Worklight (1) Gen Location: **Front of Wing**
Worklight (2) Type: **LED, Worklight, 4in Round (Optilux)**
Worklight (2) Gen Location: **Rear Spinner**
Rear Dump Bolster (S/T/T): **LED S/T/T/BU, MK3, Grote harness light kit**
Rear Dump Bolster Strobes: **6" LED Oval Strobes, Amber, 1 PR, (order holes w/unit)**
Back up alarm: **Backup Alarm, 97db**
Body up switch/light: **Body UP Switch/Body Up Light (Trucklite)**
Brake controller: **Brake Controller, Voyager Brake Controller**
License Plate Lights: **IDC Supplied License Plate Light Gray Housing**
Backbone & Wire Standoffs: **14' Backbone (For TA)**
Camera: **Included in Hydraulics Pkg (quote w/ Hyd)**
Camera Kit: **3 cameras supplied with hydraulics**
IDC Light Package: **72" Justice (ILDOT) w/2 wk lites, Std Risers**
Pavement Temp Sensor: **Included w/ Hyd (price w/hyd pkg)**
Electrical Install Opt 1: **(1)181543 KIT, LED, TAKEDOWN, PAIR**
Electrical Install Opt 2: **(2)120729.304 HANDLE, GRAB, 60in.**

Electrical Spec Notes:

Hydraulics: **Full Hydraulic Package**
Hyd Supplier: **Force America (Select Pkg Below)**
Hyd Supplier (Spec): **FORCE AMERICA QUOTE QT001-1316337-1**
Controls Type: **Electric Controls**
PTO Type: **Included in Hydraulics Package**
Reservoir Type: **Supplied With Hydraulics**
Valve Enclosure Type: **Supplied With Hydraulics**
Low Oil Shut Down: **Yes, included in Hyd Pkg**
High Temp Oil Shut Down: **Yes, included in Hyd Pkg**
Low Oil Indicator: **Yes, included in Hyd Pkg**
Return Filter: **Provided with Hydraulics**
SS Tubing Upgrade: **TA, F&R lines, 6' Frnt, 9' Rr**



**National
Purchasing
Partners
Government**
Since 2005





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 8
Quote #174137
Rev #33

Quick Coupler Upgrade: **Stainless Steel Quick Couplers**
Front Plow Lift Q-Coup Upg: **Not Required**
Front Plow Rev Q-Coup Upg: **(2PR) Frnt Plow Rev Q-Coupler**
Wing Toe Q-Coup Upg: **(2PR) Wing Toe Q-Coupler (SW)**
Wing Heel Q-Coup Upg: **(2PR) Wing Heel Q-Coupler (SW)**
Spinner Q-Coup Upg: **(2PR) Spinner Q-Coupler (1S)**
Auger Q-Coupler Upg: **(2PR) Auger Q-Coupler**
Prewet Q-Coupler Upg: **(1PR) Prewet Q-Coupler**
Anti-Ice Coupler Upg: **Not Required**

Hydraulics Notes:

Quantity of Non-Henderson Equip: **Quantity 1**
Equipment Type 1: **Other**
Equipment 1 quote number: **ROLL AXLES TO 108" CT**

Equipment 1 spec:

Specialty Equipment

Quotation Type: **Henderson Supplied Chassis**
Chassis Make: **KENWORTH T480 VOCATIONAL HOOD**
Chassis Quote #: **CHASSIS PO# 275893**

Chassis Details:

Total package price: \$383,354.00
Total package w/applicable 10% Sourcewell discount: \$361,444.00
Freight: \$1,018.00
Single package total: \$362,462.00
Package(s) : 1
Total: \$362,462.00 **REMOVING WING; -\$19,717.00;**
NEW INVOICE TOTAL = \$342,745.00

**10% Sourcewell discount applies to all equipment and installation only.

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Signed: _____ Date: _____

Quote notes:

