### Play Illinois, LLC

310 N. Grant Street, Westmont, IL 60559 Tel (844) 222-9990 Fax (844) 217-1113 www.playil.com



Date:12/2/24 Quote #:188498-1

Accepted Approved Quotation,

**Terms and Conditions** 

In coordination with BCI Burke Company, LLC	Signed:
Tel: (920) 921-9220	Date:

To: Village of Orland Park 14750 Park Lane Orland Park II 60462

Oriana	Park,	IL	0040

Project Name:	Schussler Park Inclusive Playground
<b>Project Location:</b>	14609 Poplar Road, Orland Park

#### ID# #58277

Prepared by	Estimated Ship Date	Payment Terms				
	5-6 weeks after receipt of order	Payment for Equipment is Due 30 Days After Ship Date. Payment for Installation and Surfacing will be invoiced upon completion of work and due in 30 Days.				
Item	Description	Unit Price	Quantity	Total		
Equipment	BCI Burke Proposal #129-188498-1	\$351,307.00	1	\$351,307.00		
Discount	Discount per Sourcewell Contract # 010521-BUR	(\$52,696.05)	1	(\$52,696.05)		
Freight	Delivery of Burke Equipment	\$3,600.00	1	\$3,600.00		
	Open Market					
Equipment	Customization Charge for Play Panels & Seek N' Find Panel	\$4,033.00	1	\$4,033.00		
Sales Tax	Please submit tax exempt form at time of order	0.00	1	\$0.00		
	TOTAL	:		\$ 306,243.95		

Margaret C	haidez
------------	--------

Title: Project Manager, Play Illinois, LLC



Pricing and Freight are valid for 30 days.

Thank you for the opportunity to provide this quote. We look forward to filling your park & playground needs in the months and years to come!

Special Notes: Prices do not include site security, safety surfacing (unless shown in quoted items above), installation (unless shown in quoted items above) or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. Freight charges are predicated on all items being ordered and shipped at the same time.

Rock Clause: If excessive underground obstructions such as rock, coral, asphalt, concrete, pipes, drainage systems, root systems, water or any other unknown obstructions are discovered, additional charges will be added to the proposal.

> In coordination with BCI Burke Company, LLC "An ISO 9001:2008 and ISO 14001:2004 Certified Company"


PO Box 549 - Fond du Lac, WI 54936-0549 - Phone (920) 921-9220 - Fax (920) 921-9566 - www.bciburke.com

Play that Moves You®



## **Schussler Park Inclusive Playground**

14609 Poplar Road | Orland Park, IL 60462











### **DESIGN SUMMARY**

Play Illinois, LLC is very pleased to present this Proposal for consideration for the Schussler Park Inclusive Playground located in Darien. BCI Burke Company, LLC has been providing recreational playground equipment for over 100 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of Wight & Co.. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.

The following is a summary of some of the key elements of our Proposal:

• Project Name: Schussler Park Inclusive Playground

Project Number: 129-188498-1

• User Capacity: 280


Age Groups: 5 to 12, 2 to 12
Dimensions: 77' 8"x89' 1"
Designer Name: Brandy Janke

Play Illinois, LLC has developed a custom playground configuration based on the requirements as they have been presented for the Schussler Park Inclusive Playground playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 129-188498-1 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the Schussler Park Inclusive Playground playground project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.





The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

EVENTS EVENTS ACCESSIBLE ACCESSIBLE EVENTS GROUND EVENTS (ACCESSIBLE (ACCESSIB
--

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

OVERALL BOUNDING OF USE ZONES "The space Area: 14721.1 sq.ft. Perimeter: 488.3 ft. here are to ASTM standards. Requirements STRUCTURE SIZES' 8"x108' 7" for other standards may be different.

POST SIZE(S)"

SITE PLAN VIEW

07/26/2024

Play Illinois, LLC 129-188498-1

Designer: Brandy Janke

#### **SERIES** Nucleus | Intensity | Burke Basics

Structure|Panel Walls|Serenity Spot|Ticket and Concession|Freestanding

#### **DESIGNED FOR AGES:**

5 to 12, 2 to 12

### Schussler Park Inclusive Playground

Orland Park, IL 60462





### **Schussler Park Inclusive Playground**

### Proposal 129-188498-1 | 7/26/2024 | 2024 Pricing

The play components identified in this proposal are IPEMA certified. The use and layout of these components conform to the requirements of ASTMF1487. To verify product certification, visit <a href="https://www.ipema.org">www.ipema.org</a>.







The space requirements shown in this proposal are to ASTM standards. Requirements for other standards may be different.

Component No. Description Qty User Cap Ext. User Cap Weight Ext. Weight

Structure						
Nucleus						
	5" OD X 120" CAPPED POST	1	0	0	63	63
	5" OD X 124" CAPPED POST	4	Ö	Ö	65	260
	5" OD X 144" CAPPED POST	4	Ō	Ö	76	304
	5" OD X 156" CAPPED POST	2	Ö	0	82	164
	5" OD X 164" CAPPED POST	5	Ö	Ö	86	430
	5" OD X 176" CAPPED POST	2	Ö	0	92	184
	5" OD X 68" CAPPED POST	1	0	0	36	36
072-0500-76C		1	0	0	40	40
072-0500-80C	5" OD X 80" CAPPED POST	3	0	0	42	126
072-0500-92C	5" OD X 92" CAPPED POST	4	0	0	48	192
072-0500-96C	5" OD X 96" CAPPED POST	3	0	0	51	153
072-0502-128\$	5" OD X 128" SWAGED POST	1	0	0	67	67
072-0502-140S	5" OD X 140" SWAGED POST	1	0	0	74	74
072-0502-152\$	5" OD X 152" SWAGED POST	1	0	0	80	80
072-0502-220S	5" OD X 220" SWAGED POST	7	0	0	115	805
072-0502-44\$	5" OD X 44" SWAGED POST	2	0	0	23	46
072-0504-10B	5" OD X 10" STUBBY POST	3	0	0	6	18
072-5503-104T	5" OD X 104" TOP ALUMINUM CAP	2	0	0	20	40
072-5503-88T	5" OD X 88" TOP ALUMINUM CAPP	4	0	0	18	72
270-0011	8' ADAAG RAMP W/GUARDRAIL	1	12	12	407	407
270-0015	8' ADAAG ENTRANCE RAMP W/GUAR	1	12	12	439	439
270-0120	EVOLUTION UNITARY ENCLOSURE	4	0	0	34	136
270-0122	EVOLUTION OFFSET ENCLOSURE	4	0	0	34	136
270-0124	SENSORY RAIL 8" RISE RAMP	1	21	21	406	406
270-0125	SENSORY RAIL 8" RISE ENTRANCE	1	0	0	440	440
270-0129	TRIANGLE PLATFORM	4	2	8	48	192
270-0131	HEXAGONAL PLATFORM S5P	2	12	24	287	574
270-0132	HALF HEXAGON PLATFORM	4	6	24	144	576
270-0290	HALF PLATFORM	3	3	9	57	171
370-0041	EVOLUTION 40" TRANSITION STAI	1	8	8	301	301
370-0087	LEAF CLIMBER 16" - 24"	1	2	2	25	25
370-0223	PURSUIT CLIMBER 16"-40"	1	4	4	127	127
370-0224	VICTORY CLIMBER	1	1	1	328	328
370-1649	EVOLUTION, DECK TO ROOF CLIMBER	1	7	7	472	472
370-1703	NUCLEUS CORE CROSS SUPPORT	2	0	0	32	64
370-1706	NUCLEUS CORE CLIMBER, 10'	1	14	14	194	194
470-0006	EVOLUTION BOTTOM ROOF SUPPORT	4	0	0	13	52
470-0008	EVOLUTION SIDE ROOF SUPPORT,	6	0	0	18	108
470-0009	EVOLUTION SIDE ROOF SUPPORT,	6	0	0	18	108
470-0014	EVOLUTION HEX ROOF	3	0	0	106	318


470 0110	COBRA SLIDE CURVED 120"	1	2	2	407	407
470-0112 470-0122	COBRA SLIDE CURVED 120 COBRA SLIDE CURVED 192"	1	3 3	3 3	563	407 563
470-0122	LUGE SLIDE, 48"-56"	1	3 4	4	198	363 198
470-0760	SOLIS HUE POST TOPPER	3	0	0	99	297
470-0760	SERENITY SPOT, TO ROOF	1	2	2	292	292
570-0072	EVOLUTION HALF BARRIER	4	0	0	26.6	106.4
570-0072	INNOVA ROCKER	1	14	14	703	703
570-0103	SENSORY RAIL TOP PANEL	4	0	0	703	28
570-0104	SENSORY RAIL LOWER PANEL	4	0	0	8	32
570-0108	CHROMA SENSORY EVENT, MIDDLE	1	0	0	12	12
570-0108	MIRROR SENSORY EVENT, MIDDLE	1	0	0	13	13
570-0112	RAINDROPS SENSORY EVENT, MIDDLE	1	0	0	24	24
570-0121 570-0129	BELL SENSORY EVENT, RIGHT	1	0	0	23	23
570-0736	FLAG FULL COLOR CUSTOM POST T	1	0	0	7	7
570-0849	CUSTOM PHOTO PANEL 57	2	2	4	7 73	146
570-1544	EVOLUTION SHORT CURVED TOP BA	4	0	0	50	200
570-1700	CUSTOM PANEL 89	1	1	1	111	111
570-2631	FULL COLOR CUSTOM CURVED 41 3	1	0	0	47	47
570-2634	CUSTOM CURVED 41 2 SIDED	2	1	2	48	96
570-2635	CUSTOM CURVED 41 2 SIDED	2	1	2	48	96
570-2636	FULL COLOR CUSTOM CURVED 41 3	1	0	0	49	76 49
570-2639	CUSTOM CURVED 41 2 SIDED BELO	1	1	1	50	50
570-2639 570-2714	EVOLUTION 2.5' OPENING BARRIER	2	0	0	36.9	73.8
570-2717	STABILITY SANCTUARY	1	2	2	30.7 49	73.0 49
570-2717 570-2719	SEEK'N'FIND 2-SIDED PLAY PANEL	1	2	2	53	53
570-2717	DOTS POST MOUNTED SPINNER	1	∠ 1	∠ 1	0.7	0.7
570-2721	PETALS POST MOUNTED SPINNER	1	1	1	0.7	0.7
570-2723	PINWHEEL POST MOUNTED SPINNER	1	1	1	0.7	0.7
570-2723 570-2724	RADIATE POST MOUNTED SPINNER	1	1	1 1	0.7	0.7
570-2725	SPOKES POST MOUNTED SPINNER	1	1	1	0.7	0.7
570-2725 570-2726	WAVES POST MOUNTED SPINNER	1	1	1	0.7	0.7
660-0103	MAINTENANCE KIT, STRUCTURE	1	0	0	7	7
660-0104	INSTALLATION KIT, STRUCTURE	1	0	0	5	5
670-0425	5" OD STUBBY POST CAP	3	0	0	J 1	3
670-0423 670-0427	5" OD X 11 GA POST EXTENSION	3 7	0	0	10	70
0/0-042/	3 OD A 11 GA FOST EXTENSION	/	U	U	10	70
		Structu	re			
Intensity						
370-0808	TWISTING TRAVERSE	1	5	5	103	103
370-1608	OVISTEP LAUNCH PAD	1	1	1	10	10
370-1683	S HORIZONTAL LADDER, NUCLEUS	1	6	6	56	56
		Structu	re			
Burke Basics						
560-0563	CRUISER WITH ADAPTER	1	12	12	1361	1361
	E <sub>r</sub>	eestan	dina			
	п	eesiui1	ung			
Burke Basics	TOT 05 AT 71 0 01 01 10 15 075	-		-	10	
550-0099	TOT SEAT, 7' & 8' SINGLE, STD	1		1	12	12
550-0111	BELT SEAT, 8' SINGLE, STD CHAIN	4		4	10	40
550-0171	FREEDOM SWING SEAT, 8' BEAM,	1	1	I	38	38
550-0201	SINGLE POST SWING ASSEMBLY 5" OD	1	0	0	220	220
550-0202 550-0225	SINGLE POST SWING ADD-ON 5" OD CIRRUS SWING	2	0 0	0 0	145 437	290 427
JJU-UZZJ	CINNUS SYVIING	I	U	U	43/	437

560-0 560-2 560-2 580-0 580-1 580-1	601 625 235 313	INCLUSIVE ORBIT ROLLER TABLE MOVMNT INCLUSIVE, FREESTANDING BENCH NOVO PICNIC TABLE ADAAG WELCOME SIGN, AGES 5-12	1 1 1 2 1	6 4 2 3 7 0	6 4 2 6 7 0	667 813 328 55 236 45	667 813 328 110 236 45		
660-0		INSTALL KIT, BURKE BASICS - P	1	0	0	2	2		
	Panel Walls								
	1500-128C 1500-96C 1584 1849	5" OD X 128" CAPPED POST 5" OD X 96" CAPPED POST CUSTOM ARCH SIGN CUSTOM PHOTO PANEL 57 FULL COLOR CUSTOM CURVED 41 3	2 12 1 9	0 0 0 2 0	0 0 0 18 0	67 51 40 73 49	134 612 40 657 49		
		S	erenity	Spot					
<b>Inten</b> 470-0 570-2	870	SERENITY SPOT CLASSIC GAME RING PANEL	1 1	2 2	2 2	303 80	303 80		
		S	erenity	Spot					
<b>Nucle</b> 072-0 470-0 670-0	500-108C 1773	5" OD X 108" CAPPED POST EZ TENSION 15' X 15' SHADEPLA ROOF POST 5" OD X 7GA X 223 1/2"	1 1 1	0 0 0	0 0 0	57 249 173	57 249 173		
		Ticket	and C	oncession					
<b>Nucle</b> 072-0		C 5" OD X 128" CAPPED POST	3	0	0	67	201		
072-0	500-1440	5" OD X 144" CAPPED POST	3	0	0	76	228		
470-0 470-0		EVOLUTION TOP ROOF SUPPORT, S EVOLUTION BOTTOM ROOF SUPPORT	. 2 . 2	0 0	0 0	13 13	26 26		
470-0		EVOLUTION SIDE ROOF SUPPORT,	. Z	0	0	18	18		
470-0		EVOLUTION SIDE ROOF SUPPORT,	1	0	0	18	18		
470-0		EVOLUTION MIDDLE ROOF SUPPORT	1	0	0	32	32		
470-0		EVOLUTION SQUARE ROOF	2	0	0	42	84		
570-0		CUSTOM PANEL 57 BELOW PLATFORM		1	1	73	73		
570-0 570-0		CUSTOM PANEL 56 WITH COUNTER CUSTOM PHOTO PANEL 57	2 1	4 2	8 2	76 73	152 73		
5. 5 0			•	_	_	, 0	, 0		

# TOTAL DELIVERED EQUIPMENT PRICE WITH FREIGHT AND COOPERATIVE PURCHASING DISCOUNT: \$306,243.95

### **Special Notes:**

Prices do not include unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. **Pricing is valid for 30 days from the date of this proposal.** 



### SERIES Nucleus | Intensity | Burke Basics

GROUP:

Structure|Panel Walls|Serenity Spot|Ticket and Concession|Freestanding

**DESIGNED FOR AGES:** 

5 to 12, 2 to 12

### Schussler Park Inclusive Playground


Orland Park, IL 60462



### **ELEVATION VIEW**

07/26/2024

Play Illinois, LLC 129-188498-1






DESIGNED FOR AGES:

5 to 12

Burke.
PLAY THAT MOVES YOU

Play Illinois, LLC 129-188498-1






DESIGNED FOR AGES:

2 to 12



Play Illinois, LLC 129-188498-1





GROUP:

Freestanding

DESIGNED FOR AGES:

2 to 12

Schussler Park Inclusive Playground

Orland Park, IL 60462



07/26/2024

Play Illinois, LLC 129-188498-1

### **Volito Swing**

Safety Standards & Guidelines - Reference Information

The Volito Swing was designed to allow multiple children to swing and engage together. For many years the only swings available for kids to use together were tire swings, which are fun and challenging but presented opportunities for improvement. Tire swings are able to rotate and pivot in all directions, often in an unpredictable manner and, because they aren't easy to propel while sitting on them, other children often have to push the swing to gain and maintain motion. The Volito Swing, along with many similar swings in this growing market trend, provides a multi-user swing that moves in a single axis to-fro motion.

The Volito Swing is IPEMA Certified and meets or exceeds the requirements of ASTM F1487-17, which is recognized as the standard of care in the playground industry. This ASTM public playground safety standard is revised every two to three years to remain current with innovation and market trends.

The CPSC Public Playground Safety Handbook hasn't been revised since 2008 and doesn't include new product categories that have been innovated in recent years. There are a couple of points to note when deciding to purchase a multi-user swing:

- Multi-user swings are innovative and CPSC Public Playground Safety Handbook doesn't have a standard that specifically covers them.
- CPSC 5.3.8.3.1 CPSC recommends that belt swing seats should be designed to accommodate
  no more than one user at any time. While the Volito Swing is a single axis swing, it is clearly not a
  belt seat.
- CPSC 2.3.1 CPSC says that swings intended for more than one user are not recommended because of their greater mass, as compared to single occupancy swings, presents a risk of impact injury.
- The ASTM safety standard, F1487, was revised in 2011 to add maximum impact requirements for swings and the Volito Swing has been tested and is compliant with ASTM impact requirements.
- CPSC has written a letter stating that "the swing impact test in F1487-11 is a reasonable approach to address the concerns posed by unoccupied, heavy, multiple occupancy swings."
- CPSC has always included an exemption to both recommendations listed above for tire swings, which are multiple occupancy swings that are suspended from a single pivot and permit swinging in any direction.
- CPSC also emphasizes that their Handbook provides recommendations, not requirements. If a
  jurisdiction adopts the Handbook's recommendations as mandatory requirements, that jurisdiction
  would need to determine how the requirements should be applied in any particular instance.