





GROUPE
Leblanc

Orland Park, Illinois
Design Updates 7/22/16

Artistic
Holiday Designs






Artistic
Holiday Designs

130.46652 Custom Design:
Orland Park logo.

170034
Alternate Pole Decor



Pole Decor version 1
Orland Park | Illinois



Artistic
Holiday Designs

170034
Alternate Pole Decor
Pure White



Pole Decor version 1 - Pure
Orland Park | Illinois



Artistic
Holiday Designs

170034
Alternate Pole Decor
Pure White and Green



Pole Decor version 1 - Pure & Green
Orland Park | Illinois



Artistic
Holiday Designs


170034
Alternate Pole Decor

ESP6685:
Street Crossing pole decor - 3m

201539: Manon Tree
4 sided in pure white with blue ornaments

143rd st. street crossing - version 1
Orland Park | Illinois





Artistic
Holiday Designs


130.404558: Custom Chandelier

Glittering Boa
1m pure white boa

Suspended Diamonds
1m pure white diamond

GROUPE
Leblanc.

Train Station Pergola
Orland Park | Illinois



Artistic
Holiday Designs

201521: Origami Tree
H 8.3m x W 8m



Park Center
Orland Park | Illinois



Artistic
Holiday Designs

201539: Manon tree
4 panels in pure white
with red ornaments.

LED Grapevine Sphere:
36 inch sphere wrapped in red mini
lights.



Ravinia: Corner monument - Traditional
Orland Park | Illinois



Artistic
Holiday Designs

LED Diamond:
Pure white Diamond hanging from boa

LED Boa:
Pure white decor (glittering)

LED Grapevine Sphere:
Grapevine sphere made to order in any size. Apply any color LED lights to it. Secure in pot

LED Curtain Lights:
Box frame windows for unique curtain light effect

LED pure white mini lights:
Canopy tree lighting

Ravinia Drive- Village hall tree (version 3)

Orland Park | Illinois



Artistic
Holiday Designs

201753: Sylma
H 6m x Dia 11m


201740: Coeur de Noel Glace
H 4.4m x W 4.45m x L 4.8m

201452: Lotus
H 1.4m x W 2.7m x L 2.7m

201621: Double Cone tree
H 10m x W 4m

Ravinia city hall field: version 1 - Magestic with green flood light
Orland Park | Illinois





Artistic
Holiday Designs

201621: Double Cone tree
H 10m x W 4m

LED pure white mini lights:
Canopy wrap tree lighting



GROUPE
Leblanc

Ravinia left of City Hall: Version 1

Orland Park | Illinois

Installation


All our decorative motifs are supplied with either 'rapid fix' installation fixing kits for columns, or Karabiner installation fixing kits for across streets.
Please indicate which size of power cable is required when placing your order (3 m, 5 m, 7 m)

Fastenings kits

All our decorative motifs are supplied with either 'rapid fix' installation fixing kits for columns, or Karabiner installation fixing kits for across streets

1- Lamp posts

Height (mm)	Fixing Kits Provided
1 000 to 2 000	2 kits 032094
2 500 to 3 500	3 kits 032094
4 000	4 kits 032094



2- Overcrossing

Width (mm)	Fixing Kits Provided
2 000	2 kits 032220
3 000	3 kits 032220
4 000 to 6 000	4 kits 032220



3- ECODECORS and flexible decorations

Dimensions (mm)	Fixing Kits Provided
3 000 x 1 000	3 kits 032094 + 3 kits 032220
2 000 x 800	2 kits 032094 + 2 kits 032220
1 000 x 1 000	2 kits 032094 + 2 kits 032220




4- Suspensions

Fixings for 'suspended' decorations are available according to the width and weight of the decoration : kit **032233**

On request :

- Installation during the night
- All decorations are tested prior to installation and again once installed. All failures and repairs would be dealt with prior installation. If a product requires replacing, this can be achieved **within 24 / 48 hours** notice.

Security information
The motifs should always be installed using the supplied fixing kits and a suitable steel banding. It is never advised to use plastic ties.



01.2013

Availability, assistance and technical helps

Our Project Managers are always available for any advice and assistance during the installation and takedown process.

3D SET "Lotus" - H: 1,40m L:2,70m WHITE AND GREEN LED STEADY 230V OUTDOOR

125.201452


Technical Data

Tension	230 V	Technology	LED
Power	393 W	Bright points (light)	5010
Class / IP	Class II / IP 44	BP/Power Ratio	13.01
Weight (kg)	53 kg	Luminosity (Lumen)	16283 lm
Size L x H x D	1,40 x 2,70 m	Colors	White and Green
Type of cable		Dominant color	White
Connecting	Connecting Box	Sockets number	
Number of fastenings		Sockets type	
Fastening types	Ground plate	Bulbs	
Main material	Aluminium	Decorative material	White alveolar tissue
Extendable	No	Conditioning	
Cable color	White, Green	Type	Luminous Decoration
Animation		Class	To lay
Animator		Brand	Leblanc



3D SET "Lotus" - H: 1,40m L:2,70m WHITE AND GREEN LED STEADY 230V OUTDOOR USE

Technical diagram



ENVIRONMENTAL REPORT

Total surface area :	3.78 m ²
Surface area :	- m ²
Rh ρ (Air) :	1.225 kg/m ³
Cx estimated :	0.41
SCx :	-
Equivalent CO ₂ :	240.63 kg*

* Environmental impact for 8 hours ignition during 60 days.



The product information are provided for information only and are subject to change.



www.groupe-leblanc.com

Groupe Leblanc® | 6-8 rue Michaël Faraday | 72027 Le Mans Cedex 2 | France
 Standard | Tél. +33 (0)2 43 61 43 61 - Fax. +33 (0)2 43 86 60 20 - e-mail : contact@groupe-leblanc.com
 Sales department | Fax. +33 (0)2 43 61 40 59 - Export department | Fax. +33 (0)2 43 61 43 75



Groupe Leblanc® | 17 février 2015 5:35 PM | 201452 (en) | Visual range only


3D Floor Standing decoration "Origami" H: 8,3 L: 8m LED white/warm white steady 230v

125.201521

Technical Data

Tension	230
Power	1700 W
Class / IP	Class II / IP 44
Weight (kg)	750 kg
Size L x H x D	8,3 x 8 m
Type of cable	
Connecting	Plug & Light Box Ø2,35mm
Number of fastenings	
Fastening types	Circular concrete block
Main material	Aluminium
Extendable	No
Cable color	White
Animation	Static
Animator	
Technology	LED
Bright points (light)	
BP/Power Ratio	
Luminosity (Lumen)	
Colors	White and Warm White
Dominant color	White / Warm White
Sockets number	
Sockets type	
Bulbs	LED Ø 3mm
Decorative material	
Conditioning	Recycled Film
Type	Luminous Decoration 3D
Class	To lay
Brand	Leblanc

Technical diagram




ENVIRONMENTAL REPORT

Total surface area :	- m ²
Surface area :	- m ²
Rh ₀ (Air) :	1.225 kg/m ³
Cx estimated :	0,41
SCx :	-
Equivalent CO ₂ :	3073.44 kg*

* Environmental impact for 8 hours ignition during 60 days.

3D Floor Standing decoration "Origami" H: 8,3 L: 8m LED white/warm white steady 230v



The product information are provided for information only and are subject to change.



www.groupe-leblanc.com

Groupe Leblanc® | 6-8 rue Michaël Faraday | 72027 Le Mans Cedex 2 | France
Standard | Tél. +33 (0)2 43 61 43 61 - Fax. +33 (0)2 43 86 60 20 - e-mail : contact@groupe-leblanc.com
Sales department | Fax. +33 (0)2 43 61 40 59 - Export department | Fax. +33 (0)2 43 61 43 75




Sylma

125.201523


Technical Data

Luminous Decoration 3D

Decoration style	To lay	LED number	18159
Light source	LED	BP/Power Ratio	12.52
Dimensions	H: 7.3 x W: 6 x w: 11 m	Luminosity (Lumen)	59017 lm
LED colors	White and Warm White	Class / IP	Class II / IP 44
Animation	-	Parts number	24
Power	1450 W	Main material	Aluminium
Tension	230 V	Decorative material	Textile 3D White
Net weight	362 kg	Sockets number	-
Fastening type	Platine sol	Sockets type	-
Number of fastenings	4	Conditioning	Recycled film
Connecting	Plug & Light Box Ø2,35 mm	Barcode	3184552015235



Technical diagram



ENVIRONMENTAL REPORT

Total surface area :	-
Surface area :	-
Rh ρ (Air) :	1.225 kg.m ³
Cx estimated :	0.41
SCx :	-
Equivalent CO ₂ :	1510.64 kg.

* Environmental impact for 8 hours ignition during 60 days.

The product information are provided for information only and are subject to change.



www.groupe-leblanc.com

Groupe Leblanc® | 6-8 rue Michaël Faraday | 72027 Le Mans Cedex 2 | France
Standard | Tél. +33 (0)2 43 61 43 61 - Fax. +33 (0)2 43 86 60 20 - e-mail : contact@groupe-leblanc.com
Sales department | Fax. +33 (0)2 43 61 40 59 - Export department | Fax. +33 (0)2 43 61 43 75



Double cône d'argent

125.201621

Technical Data

Decoration style	Candelabra
Light source	LED
Dimensions	H: 10 x D: 4 m
LED colors	White
Animation	-
Power	452 W
Tension	230 V
Net weight	58 kg
Fastening type	Pour Mat
Number of fastenings	2
Connecting	Plug & Light Box Ø2,35 mm
LED number	5692
BP/Power Ratio	12.59
Luminosity (Lumen)	18499 lm
Class / IP	Class II / IP 54
Parts number	6
Main material	Aluminium
Decorative material	-
Sockets number	-
Sockets type	-
Conditioning	Recycled film
Barcode	3184552016218

Technical diagram



ENVIRONMENTAL REPORT

Total surface area :	40.00 m ²
Surface area :	-
Rh ₀ (Air) :	1.225 kg.m ³
Cx estimated :	0,41
SCx :	-
Equivalent CO ₂ :	251.53 kg.

* Environmental impact for 8 hours ignition during 60 days.

Luminous Decoration 3D



Decor 3 D C 'Double cône d'argent' H: 10
D: 4 m LED White Static 230V

THE DESIGNS ARE SUPPLIED WITH THEIR ATTACHMENTS. Not included: decorative balls, chains, all types of bulbs (including satilights) and the power cable. Refer to proposal.

This product complies with safety standards EN60598-1 and EN60598-2-20.



The product information are provided for information only and are subject to change.



www.groupe-leblanc.com

Groupe Leblanc® | 6-8 rue Michaël Faraday | 72027 Le Mans Cedex 2 | France
Standard | Tél. +33 (0)2 43 61 43 61 - Fax. +33 (0)2 43 86 60 20 - e-mail : contact@groupe-leblanc.com
Sales department | Fax. +33 (0)2 43 61 40 59 - Export department | Fax. +33 (0)2 43 61 43 75




Coeur de Noël Glacé

125.201740


Technical Data

Luminous Decoration

Decoration style	To lay	LED number	11117
Light source	LED	BP/Power Ratio	11.76
Dimensions	H: 4.4 x W: 4.8 x w: 4.45 m	Luminosity (Lumen)	36130 lm
LED colors	Warm White	Class / IP	Class II / IP 54
Animation	Glittering	Parts number	26
Power	945 W	Main material	Aluminium
Tension	230	Decorative material	Laqué White brillant
Net weight	228 kg	Sockets number	-
Fastening type	Platine sol	Sockets type	-
Number of fastenings	-	Conditioning	Recycled film
Connecting	Plug & Light Box Ø2,35 mm	Barcode	3184552017406



Technical diagram



ENVIRONMENTAL REPORT

Total surface area :	-
Surface area :	-
Rh ρ (Air) :	1.225 kg.m 3
Cx estimated :	0,41
SCx :	-
Equivalent CO $_2$:	952.82 kg.

* Environmental impact for 8 hours ignition during 60 days.

The product information are provided for information only and are subject to change.



www.groupe-leblanc.com

Groupe Leblanc® | 6-8 rue Michaël Faraday | 72027 Le Mans Cedex 2 | France
 Standard | Tél. +33 (0)2 43 61 43 61 - Fax. +33 (0)2 43 86 60 20 - e-mail : contact@groupe-leblanc.com
 Sales department | Fax. +33 (0)2 43 61 40 59 - Export department | Fax. +33 (0)2 43 61 43 75




Papillon

120.201818

Technical Data

Decoration style	Lamp Column & Across Street
Light source	LED
Dimensions	H: 2 x W: 0.8 m
LED colors	White
Animation	Scintillant
Power	34 W
Tension	230 V
Net weight	9 kg
Fastening type	Kit 032094 + kit 032220
Number of fastenings	3
Connecting	Prise europe Bipolaire 10/16A
LED number	404
BP/Power Ratio	11.88
Luminosity (Lumen)	1313 lm
Class / IP	Class II / IP 54
Parts number	1
Main material	Aluminium
Decorative material	Vitrail givré + Flocons Miroir
Sockets number	-
Sockets type	-
Conditioning	Recycled film
Barcode	3184552018182

Technical diagram





ENVIRONMENTAL REPORT

Total surface area :	1.60 m ²
Surface area :	0.22 m ²
Rh ₀ (Air) :	1.225 kg.m ³
Cx estimated :	0.41
SCx :	0.09
Equivalent CO ₂ :	37.47 kg.

* Environmental impact for 8 hours ignition during 60 days.

Modular Light Decor



Decor TC 'Papillon' H: 2 W: 0.8 m LED BI. Scint. 230V

Livré avec câble d'alimentation de 3m

THE DESIGNS ARE SUPPLIED WITH THEIR ATTACHMENTS. Not included: decorative balls, chains, all types of bulbs (including satillights) and the power cable. Refer to proposal.

This product complies with safety standards EN60598-1 and EN60598-2-20.



The product information are provided for information only and are subject to change.



www.groupe-leblanc.com

Groupe Leblanc® | 6-8 rue Michaël Faraday | 72027 Le Mans Cedex 2 | France
 Standard | Tél. +33 (0)2 43 61 43 61 - Fax. +33 (0)2 43 86 60 20 - e-mail : contact@groupe-leblanc.com
 Sales department | Fax. +33 (0)2 43 61 40 59 - Export department | Fax. +33 (0)2 43 61 43 75

