



HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 1
Quote #181019
Rev #95

To: VILLAGE OF ORLAND PARK, IL
Attn:
Quote Date: 3/18/2024
Valid Until: 5/17/2024
Sourcewell Contract# 080818-HPI
Sourcewell #: 58277
Quoted:

Quoted By: Dan Montiel
Phone: 847-836-4996
Cell:
Fax: 563-927-7108
Email: dmontiel@hendersonproducts.com

2024 Peterbilt SA Complete Snow and Ice Package- RSP, MKE, PWS, FSH,
Certified Power Hydraulics

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Reversible snow plow

Plow Length: **11' length**
Moldboard Trip: **Adjustable cutting edge trip - torsion spring**
Pushframe Type: **Standard Circle Frame with Top Mount Cylinders**
Moldboard Height: **42" height**
Moldboard Shield: **Integral shield**
Moldboard Sheet Material: **3/8" polymer ILO steel**
Mailbox Cut/Mouse Ear: **Mailbox cutout on right side of moldboard**
Adjustable Trip Spring: **Adjustable cutting edge trip springs**
Hydraulic Cylinders: **4" x 2" x 10" reversing nitrided cylinders**
Paint: **Orange Poly Moldboard, all other gloss black**
12" Rubber Deflector: **Yes, w/ SS Backer**
Install Rubber Deflector: **Yes**
36" Plastic Side Markers, Pair: **Yes**
Parking Jack, Screw Adjustable: **Yes**
Install Parking Jack: **Yes**
Curb Guard, Installed: **Double Wrap around curb guards**
Hitch, Plow Portion: **Quick Link hitch**
Plow Portion Installed on Plow: **Yes**
Custom Option Fields: **Note Custom Details Below**
Option 1 Description: **(2) 5/8in. X 8in. CUTTING EDGES ILO 1**
Option 2 Description: **USE 81654 PLAIN RUBBER DEFECTOR NO BRANDING**
Option 3 Description: **ONE CUTTING EDGE INSTALLED, SECOND SHIPPED LOOSE**

Snow Plow Hitch

Reversing Cylinder Style: **None or Top mount reversing cylinders**
Plow Portion Hitch: **Plow portion picked under plow**
Hitch, Truck Portion: **Quick Link hitch, Low Profile**
Hydraulic Lift Cylinder: **4" x 2" x 10" Double Acting Nitrided Lift Cylinder**
Custom Options: **No Custom Options Required**



**National
Purchasing
Partners
Government**
Since 2005





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 2
Quote #181019
Rev #95

HPI Marke

COUNTRY/LANGUAGE: **USA/ENGLISH**
FAMILY: **MARK E, CLASSIC**
FLOOR LENGTH: **10' FLOOR LENGTH**
SIDE HEIGHT: **24" SIDE HEIGHT**
BODY MATERIAL(SIDES/HEADSHEET): **7GA 201SS SIDES/HEADSHEET**
SIDE BRACES: **(1) 7GA 201SS WELD ON SIDE BRACE**
TOP RAIL/RUB RAIL MATERIAL: **7GA 201SS TOP & RUB RAILS**
REAR BOLSTER HEIGHT: **8" BOLSTER, 2-1/8" POCKETS**
REAR BOLSTER MATERIAL: **7GA 201SS REAR BOLSTERS**
FLOOR MATERIAL: **1/4" AR400 FLOOR**
HOIST TYPE: **TRN MT HOIST, INT DH, SUBFRM, DA**
CYLINDER MODEL: **CS/G4, DBL ACT, 2YR SALT WTY***
HOIST MOUNT TYPE: **STANDARD SUBFRAME**
LONGSILLS: **5" I-BEAM LONGSILLS, FULL WELD**
BODY HINGE MAINTENANCE: **GREASEABLE PINS, WITH BUSHINGS**
TAILGATE STYLE: **CONFIGURABLE STANDARD TAILGATE**
TAILGATE SHEET MATERIAL: **7GA 201SS TAILGATE SHEET**
TAILGATE BRACE: **2 HORIZONTAL TAILGATE BRACE**
TAILGATE LIFT STYLE/LOCATION: **FORMED LIFT LOOP, TOP BRACE**
TAILGATE RELEASE & CONTROL: **AIR TRIP, SS BUSHING, TG RELEASE**
TAILGATE HINGE: **STD, 1-1/4" PIN, 1" PLT**
TAILGATE CHAINS: **SS TAILGATE CHAINS**
BOLSTER CHAIN HOOKS: **BANJO CHAIN HOOKS INSTALLED**
LUBRICATION: **GREASEABLE PINS, JAWS, & SHAFT**
CABSHIELD STYLE/WIDTH/OVERHANG: **WELD-ON, 22"x86", NO TARP SHROUD**
CABSHIELD MATERIAL: **201SS, 10GA PANEL, 7GA ENDS**
CABSHIELD LIGHTING: **CS LIGHTS, 4 REAR RECTANGLE, ILDOT SPEC**
SIDE LADDER LOCATION: **LADDER/GRBHND, CS FRNT, SL**
SIDE LADDER TYPE: **LADDER, FOLD DOWN, 201SS**
REAR BOLSTER MARKER LIGHTING: **2.5" RED REAR BLSTR LIGHT**
REAR FACING REAR BOLSTER LIGHT: **2 OBOURD LIGHT**
WALK RAILS: **2" DRVR & CURB WALK RAIL**
VIBRATOR LOCATION: **VIBRATOR PAD BETWEEN LONGSILLS**
FINISH PREP: **WASH & PRIME MILD PARTS ONLY**
NOTE 1:: **ADDITIONAL CUSTOM OPTION**
CUSTOM OFFERING: **ADD 1/2IN. SS TUBE FOR D/A CYLINDER ON INSIDE LONGSILL**

FSH salt / sand spreader

Spreader Model: **FSH-II Salt/Sand Spreader**
Hopper length: **10'**
Hopper material: **201SS - 10 GA sides/ends, 7 GA sills/floor**
Capacity: **FSH-II 50" (5.6 CY) w/ formed chain shields standard**
Conveyor: **Dual 7" dia. augers**
Gearcase: **3.6:1 planetary gearcase**
Flow Divider: **Yes, Factory Installed (recommended)**



National
Purchasing
Partners
Government
Since 2005





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 3
Quote #181019
Rev #95

Chute type: **Standard Dump Over Chute Same Material as Hopper**
Spinner disk: **20" urethane spinner disk**
Inverted vee: **Inverted vee, 201ss**
Install inverted vee: **Install at factory**
Screen type: **Std. top grate screens**
Install top grate screens: **Install at factory**
Rubber side shields: **Rubber side shields (loose "SL")**
Metal spill shields: **Front metal spill shields, 304SS (loose "SL")**
Extended front idler grease tubes: **Extended front idler grease tubes**
Body Guides: **Body Guides (loose "SL")**
Trunnion latch for tailgate: **Trunnion latch, Mild Channel (loose "SL")**
Conveyor speed sensor: **Conveyor speed sensor**
Option 1 Description: **SS MOTOR GUARD - INSTALLED**
Option 2 Description: **SS TRUNNION LATCH ILO MILD STEEL**

PWS liquid pre-wetting system

Power Source: **Hydrualic Powered Pump**
Application: **V-box spreader**
Product Size: **Full Size V-Box 10-13FT Long**
Control Box: **No Valve, Hydraulic Powered Pump and Flow Meter**
Pump: **Upgraded Pump Rated at 8.2 GPM**
Tank Size: **(2) 200 Gal Poly Tanks w/plumb & HW Requires 24" Bracing**
Spray Assembly: **Std Variable Displacement Nozzle Assembly**
Prewet Installed: **Installation on FSH**
Mounting Hardware: **304SS frame mount hardware for FSH**
Flush Kit: **System flush kit**

Installation Workup

Facility: **IDC-IL**
Chassis Delivery To Henderson: **Truck Dealer/Customer Delivers**
Completed Truck Delivery Method: **Henderson Delivers (100 miles or less)**
Chassis Make: **Peterbilt**
Chassis Model Yr: **2024**
Chassis Model: **Model 548**
Vin Number: **na**
Useable CA/CT: **84.5**
Front Axle Rating: **14600**
Rear Axle Rating: **23000**
Front Frame Ext?: **Yes**
Frnt Frame Ext Type: **Full**
Front Frame Wall: **Single Wall**
Front Frame Width: **34"**
Pump Location: **Transmission Mount Pump**
Transmission Type: **Automatic**
Transmission Model: **Allison Transmission**



**National
Purchasing
Partners
Government**
Since 2005





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 4
Quote #181019
Rev #95

Chassis Options 1: **Allison 3000 RDS-9**

Hitch Type: **Low Profile or Manual Tilt Type Hitch**

Mount Type: **Cheek Plate Mount Kit (Select type below)**

Mount Kit Model (Req'd): **Low Pro/MT Ck Plt Kit (No Wng, 34"w Full Frame)**

Front Bumper: **OEM Bumper Cut and Split**

Front Tow Hooks: **Tow hooks Installed, Pair (supplied with chassis)**

Hitch Options 1: **(2)159694 BUMPER,FORMED,IADOT(ILO OEM CUT&SPLIT)**

Front Plow Type: **Standard Henderson Plow**

Plow Markers (Front Plow): **IDC Install of fact supplied markers, sales to order w/ unit**

Rubber Deflector Install: **Supplied By Factory, Installed @ IDC, sales to order w/ unit**

Front Plow Curb Guards: **Supplied/Installed @ Factory (Sales to order with unit)**

Plow Jack Install: **Supl'd/Instl'd on plow @ Factory, Sales order with unit**

Dump Body Type: **Mark E Single Axle**

Floor Length: **(10') Floor length**

Hoist Type: **Tele Trun Hoist with Subframe, Internal Doghouse**

Cylinder Type: **Double Acting**

Body Material (Sides/ends): **Stainless Steel Type Body Material**

Tailgate Release Type: **IDC Supplied manual air over air valve**

Pressure Protection Valve: **Direct to air tank valve (All except Int, Mack & Volvo)**

Cabshield Install: **Supl'd by fact, welded to body @ IDC, sales to order w/ unit**

Grab Handle(s): **(1) Factory supl'd, install @ IDC (Sales to order with unit)**

Ladder(s): **Supplied by factory, Install @ IDC (sales to order w/ unit)**

Ladder Install QTY (Dump): **(1) LADDER INSTALLED @ IDC (LABOR ONLY)**

Ladder Install Style (Dump) 1: **Fold Down Side Ladder**

Ladder Install Loc 1 (Dump): **Passenger Side Front**

Shovel Holder: **(1) IDC Supl'd Spring Loaded SS Shovel Holder w/ SS brckt**

Shovel Holder Loc (1): **Driver side headsheet**

Vibrator: **Cougar Vib, DC2700 kit, 50' cable, SA (order vib pad w unit)**

Sideboards: **Wood (Painted Black), supplied/installed by IDC**

Sideboard Notes:

Body Spec Notes:

Spreader Type: **FSH**

FSH Drive Type: **Hydraulic**

FSH Mount Type: **Slip in Mount**

Slip in Tie Downs: **IDC supp'd Weld-On Winch kit, SS (w/3" x 72" straps)**

Rubber Side Shields: **Supplied by fact, installed @ IDC (Sales to order with unit)**

Front Spill Shield: **Factory supplied, installed @ IDC (sales to order with unit)**





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 5
Quote #181019
Rev #95

FSH Spinner Configuration: **Standard Spinner install**
HYD QD Mount Brackets: **Stainless Steel QD Mount in front of dump body bolster**

Prewet/Liquid System: **V-box Prewet System**

System Type: **FSH**

Drive Configuration: **Hydraulic Drive, Factory Installed (Sales to order w/unit)**

Controls: **Supplied by IDC (sales to order w/ hyd cntrls)**

Flush Kit: **Supplied by factory, Installed @ IDC (sales to order w/unit)**

Liquid Options 1: **(1)140734.304 BOOM PACK, SNGL LANE, CHUTE MT**

Liquid Details:

Chassis Accessories: **Yes (SELECT RELATED OPTIONS BELOW)**

Mudflaps (Rear): **Stationary w/o Logo**

Mudflap Type (Rear): **36" Stationary, SS (No LOGO)**

Fenders: **Front Quarter Fenders, Poly (standard)**

Pintle Plate: **Yes (select from options below)**

Pintle Plate Configuration: **3/4" Plate, PH20 Holes, SA w/ SubFrm (3LTC)**

Pintle Plate D-Rings: **Qty (2) 1" D-rings, 50 deg bend**

Pintle Hook: **20 Ton**

Tow Hooks: **Remount OEM Hooks**

Glad Hands: **Glads, Fixed, Strt, Serv & Emerg, w/Dust Covr, Drop Hoses, Pr**

Trailer Plug (1): **7 Pin Trailer Plug, Truck end 7-Way RV, new style (municipal)**

Truck Wash: **Complete Truck Wash/Clean/Vac 1**

Warranty: **Standard 1 Year Warranty**

Inspection: **Walk-around meeting only**

Training: **Yes, Training Required**

Reflective Tape: **Reflective Tape, No Logo (60' Linear)**

Electrical: **Yes (SELECT RELATED OPTIONS BELOW)**

Power Distribution Panel: **Power Distribution Panel**

Plow Lights: **Plow Lts, ABL, Heated**

Plow Light Brackets: **Plow Lt Brckts, SS, PETERBILT 348, Pair**

Worklight(s) QTY: **(QTY 2) Work Lights (Select type below)**

Worklight (1) Type: **LED, Worklight, 4in Round (Optilux)**

Worklight (1) Gen Location: **Rear Spinner**

Worklight (2) Type: **LED, Worklight, 4in Round (Optilux)**

Worklight (2) Gen Location: **Rear Spinner**

Rear Dump Bolster (S/T/T): **LED S/T/T/BU, MK3, Grote harness light kit**

OEM Light Remount: **Remount OEM Chassis Lights**

Rear Dump Bolster Strobes: **6" LED Oval Strobes, Amber, 1 PR, (order holes w/unit)**

Back up alarm: **Relocate chassis supplied b/u alarm (verify if incl w/ OEM)**

Body up switch/light: **Supplied with Hydraulics, IDC install**

Brake controller: **Brake Controller, Voyager Brake Controller**

License Plate Lights: **IDC Supplied License Plate Light Gray Housing**

Backbone & Wire Standoffs: **10' Backbone (For SA)**

Camera: **Included in Hydraulics Pkg (quote w/ Hyd)**



**National
Purchasing
Partners
Government**
Since 2005





HENDERSON

PRODUCTS, INC.

11921 SMITH DRIVE
HUNTLEY, IL 60142
PHONE: 847-836-4996
FAX: 563-927-7108

CUSTOMER QUOTE

Page 6
Quote #181019
Rev #95

Camera Kit: **2 cameras supplied with hydraulics**
IDC Light Package: **72" Justice (ILDOT) w/2 wk lites, Std Risers**
Pavement Temp Sensor: **Included w/ Hyd (price w/hyd pkg)**
Electrical Install Opt 1: **(1)181543 KIT, LED, TAKEDOWN, PAIR**
Electrical Install Opt 2: **(2)120729.304 HANDLE, GRAB, 60IN.**
Electrical Install Opt 3: **(1)HTE375.201 MOUNT, RESEVOIR, CAMERA, WASH**

Electrical Spec Notes:

Hydraulics: **Full Hydraulic Package**
Hyd Supplier: **Certified (Select Pkg Below)**
Hyd Supplier (Spec): **Certified Quote (11023826)**
Controls Type: **Electric Controls**
PTO Type: **Included in Hydraulics Package**
Reservoir Type: **Supplied With Hydraulics**
Valve Enclosure Type: **Supplied With Hydraulics**
Low Oil Indicator: **Yes, included in Hyd Pkg**
Return Filter: **Provided with Hydraulics**
SS Tubing Upgrade: **SA, F&R lines, 6' Frnt, 9'Rr**
Quick Coupler Upgrade: **Other(quote below)**
Quick Coupler Upgrade (Spec): **(1)162426 PREWET COUPLER SET**
Hyd Options 1: **PTO BRACKET**

Hydraulics Notes:

Total package price: \$173,933.00
Total package w/applicable 10% Sourcewell discount: \$156,540.00
Freight: \$779.00
Single package total: \$157,319.00
Package(s) : 1
Total: \$157,319.00

****10% Sourcewell discount applies to all equipment and installation only.**

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Signed: _____ Date: _____

Quote notes:



**National
Purchasing
Partners
Government**
Since 2005

