

HENDERSON CUSTOMER QUOTE

Page 1

PRODUCTS, INC.

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

To: VILLAGE OF ORLAND PARK, IL

Attn: Tom Morgan Quote Date: 2/7/2019 Valid Until: 3/9/2019 Quoted By: Joe Vagle

Ouote #: 118737 Phone: 847-836-4996 Fax: 563-927-7108

Email: jvagle@hendersonproducts.com

Quoted:

Orland Park Tandem Stainless Steel 2019

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Mark-E Tandem Axle

Body Length: 13' BODY LENGTH Side Style: STRAIGHT SIDES

Side Height (From Floor): 36" SIDE HEIGHT

Rear Body Profile: STANDARD STRAIGHT VERTICAL GATE Rear Corner Posts: REAR BOLSTERS 8" ABOVE SIDES

Board Pockets: 2" WIDE BOARD POCKETS

Hoist Type: TRN MOUNT TELE, EXTERNAL DOGHOUSE (add's 1' to body) Hoist Cylinder/Model: MAILHOT CS-SERIES, DOUBLE ACTING, CS130-5.5-3DA

Hydraulic Pump: NO FACTORY SUPPLIED HYDRAULIC PUMP Cylinder Cradle Style: STANDARD HOIST CRADLE

Install Cylinder: SHIP LOOSE - DEALER TO INSTALL Hydraulic Reservoir: NO RESERVOIR - DEALER TO SUPPLY

Floor Material: 1/4" AR400 FLOOR

Floor to Side Radius: 5" RADIUS FLOOR TO SIDE

Longsill Material: 8" I-BEAM LONGSILLS (STANDARD SKIP WELD)

Sides/Headsheet Material Type: 201 GRADE STAINLESS STEEL SIDES/HEADSHEET

Sides/Headsheet Thickness: 7GA 201SS SIDES/HEAD

Side Bracing Type: (TWO) WELD-ON INTERMEDIATE SIDE BRACES, EA SIDE

Side Brace Material: 10GA 201SS SIDE BRACING Top Rail Style: FLAT (2" FLAT, THEN SLOPED)

Contoured Front Corner Posts: NO FRONT CORNER POSTS Rear Corner Post Material: 7GA 201SS REAR CORNER POSTS

Tailgate Style: STANDARD TAILGATE

Tailgate Sheet Material: 7GA 201SS TAILAGTE SHEET

Tailgate Bracing: (THREE) INTERMEDIATE HORIZONTAL TAILGATE BRACES

Tailgate Material: 10GA 201SS TAILGATE BRACING

Tailgate Top Pivot Hardware: 1-1/4" PINS, 1" PLATES, NON-GREASABLE

Tailgate Latch Type: DBL ACTING AIR CYL TG RELEASE, GREASABLE SS BUSHINGS

Tailgate Release Valve: NO TAILGATE RELEASE VALVE Tailgate Pin Lanyards: TAILGATE PIVOT PIN LANYARDS

Tailgate Lift Loop: TAILGATE LIFT LOOP, CENTER OUTSIDE (SS)

Latch Jaws: LOWER TG LATCH JAWS, NON-GREASABLE

Coal Chute: NO COAL CHUTE

Rear Face Light Holes: (3) OBROUND LIGHT HOLES, EA BOLSTER REAR FACE

Rear Side Marker Light Hole: STD 2.5" SIDE MARKER LIGHT HOLES

Rub Rail Marker Light Hole: NO FRONT MARKER LIGHT HOLES









HENDERSON CUSTOMER QUOTE

PRODUCTS, INC.

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Page 2

Exterior Light Boxes Installed: NO EXTERIOR LIGHT BOXES

Lighting Package: NO OEM LIGHTING PACKAGE

Body Hinge Construction: STD 8" X 6" X 1/2" REAR HINGE ANGLE Body Hinge Type: GREASELESS COMPOSITE BUSHING HINGE BLOCKS (I)

Body Hinge Paint: YES, REAR HINGE PAINTED @ FACTORY

Paint Preparation: SANDBLAST AND PRIME

Cabshield Style: CABSHIELD WITH INTEGRAL TARP SHROUD Cabshield Material: 10GA W/ 7GA END PLATES (201SS)

Cabshield Size: 22" X 86" CABSHIELD (1/2 CAB)(W/TARP SHRD)

Cabshield Mounted Light Holes: FOUR OVALS, (1) EA SIDE, (2) FORWARD (NON-BOXED FOR TARP)

Install Cabshield: CABSHIELD SHIPPED LOOSE, DEALER TO INSTALL

Asphalt Lip: WELD ON ASPHALT LIP

Asphalt Lip Material: 201 STAINLESS STEEL

Asphalt Lip Style: 12" WELD ON, 7GA 201SS WITH 1/4" ENDPLATES

Asphalt Lip Installed: ASPHALT LIP SHIPPED LOOSE Walk Rails: WALK RAIL INSTALLED ON LOWER RUBRAILS Walk Rail Material: STAINLESS STEEL WALKRAIL MATERIAL Walk Rail Type: 1-1/2" GRIP STRUT (304SS W/ 201SS BRKTS)

Tarp Rails: NO TARP RAILS

Side Ladders: (YES) SIDE LADDER, Pick From List Below Side Ladder Material: STAINLESS STEEL LADDER CONSTRUCTION Driver's Side Front Ladder: NO DRIVER'S SIDE FRONT LADDER Driver's Side Rear Ladder: NO DRIVER'S SIDE REAR LADDER

Curbside Front Ladder: FOLD DOWN SIDE LADDER, CS FRONT (304SS) Install Curbside Front Ladder: NO, SHIP CURBSIDE FRONT LADDER LOOSE

Curbside Rear Ladder: NO CURB SIDE REAR LADDER

Body Step Options: NO STEP(S)

Grab Handles: GRAB HANDLE, CURBSIDE FRONT

Show Options: Show Options

Sideboards: NO SLOPED SIDEBOARDS

Rubber Mounting Pads: NO RUBBER MOUNTING PADS

Vibrator Mounting Pad: VIBRATOR MOUNTING PAD, BETWEEN LONGSILLS (MILD) Rear Apron Filler Plate (for TGS Sander): NO REAR APRON FILL PLATE

Install TGS Spreader: NO TGS INSTALL Heated Body: NO HEATED BODY OPTION

Cradle Mount Toolbox: NO TRIANGULAR CRDL MOUNT TOOLBOX (SLOPED HEAD P2P ONLY)

Toolbox (Body Integral): NO INTEGRAL BODY TOOLBOX

Option 1 Description: Tailgate spreader mounting hardware for asphalt lip Option 2 Description: 6in. oval lighthole at midpoint of body rub rail both sides

Reversible snow plow

Plow Length: 11' length

Moldboard Trip: Adjustable cutting edge trip - torsion spring Pushframe Type: Standard Circle Frame with Top Mount Cylinders

Moldboard Height: 42" height









HENDERSON CUSTOMER QUOTE

PRODUCTS, INC.

Page 3

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Moldboard Shield: Integral shield

Moldboard Sheet Material: 3/8" polymer ILO steel

Moldboard Cut-Out / Ears: Mailbox cutout on right side of moldboard

Adjustable Trip Spring: Adjustable cutting edge trip springs Hydraulic Cylinders: 4" x 2" x 10" reversing nitrided cylinders

Paint: Standard Gloss Black

12" Rubber Deflector: Yes, w/ SS Backer

Install Rubber Deflector: Yes

36" Plastic Side Markers, Pair: Yes Parking Jack, Screw Adjustable: Yes

Install Parking Jack: Yes

Cutting Edge: 3/4" x 6" Carbide cutting edge with cover blade

Curb Guard, Installed: Double Wrap around curb guards

Hitch, Plow Portion: Quick Link hitch Plow Portion Installed on Plow: Yes Hitch, Truck Portion: Quick Link

Hydraulic Lift Cylinders, Truck Portion: 4" x 2" x 10" Nitrided Lift Cylinder

FSH salt / sand spreader

Spreader Model: FSH-II Salt/Sand Spreader

Hopper length: 13'

Hopper material: 201SS - 10 GA sides/ends, 7 GA sills/floor Capacity: FSH-II 62" (10.7 CY) w/ formed chain shields standard

Conveyor: Dual 7" dia. augers Gearcase: 3.6:1 planetary gearcase

Chute type: Standard Dump Over Chute Same Material as Hopper

Spinner disk: 20" urethane spinner disk

Inverted vee: Inverted vee, 201ss

Install inverted vee: Install at factory

Screen type: Std. top grate screens

Install top grate screens: Install at factory

Extended front idler grease tubes: Extended front idler grease tubes Trunnion latch for tailgate: Trunnion latch, Mild Channel (loose "SL") Install Henderson pre-wet system: Install Henderson pre-wet system

Conveyor motor w/ integral speed sensor: Motor w/ integral speed sensor

Option 1 Description: SS trunnion bar ILO carbon

Option 2 Description: SS motor guard for dual augers included with tip up

Option 3 Description: Slurry tube

PWS liquid pre-wetting system

Power Source: Hydrualic Powered Pump

Application: V-box spreader

Product Size: Full Size V-Box 10-13FT Long

Control Box: No Valve, Hydraulic Powered Pump and Flow Meter

Pump: Standard 4.1 GPM Bronze Gear Pump









PRODUCTS, INC.

CUSTOMER QUOTE

Page 4

11921 SMITH DRIVE HUNTLEY, IL 60142

PHONE: 847-836-4996 FAX: 563-927-7108

Console: None-Deduct PWSH-I Console

Tank Size: (2) 200 Gal Poly Tanks w/plumb & HW Requires 24" Bracing

Spray Assembly: Std Variable Displacement Nozzle Assembly Mounting Hardware: 304SS frame mount hardware for FSH

Flush Kit: System flush kit

Installation Workup

Facility: IDC-IL

Chassis Delivery To Henderson: Truck Dealer/Customer Delivers

Completed Truck Delivery Method: Customer Pick-Up

Chassis Make: International Chassis Model Yr: 2020 Chassis Model: HV Useable CA/CT: 120in. Front Axle Rating: 20,000

Front Axle Rating: 20,000
Rear Axle Rating: 40,000
Front Frame Ext?: Yes
Frnt Frame Ext Type: Full
Front Frame Wall: Single Wall

Front Frame Width: 34"

Pump Location: Transmission Mount Pump

Transmission Type: Automatic

Transmission Model: Allison Transmission

Hitch Type: Low Profile or Manual Tilt Type Hitch
Mount Type: Cheek Plate Mount Kit (Select type below)

Mount Kit Model (Req'd): Low Pro/MT Ck Plt Kit (No Wng, 34"w Full Frame)

Front Bumper: OEM Bumper Cut and Split

Front Plow Type: Standard Henderson Plow

Plow Markers (Front Plow): IDC Install of fact supplied markers, sales to order w/ unit

Rubber Deflector Install: Supplied/Installed @ Factory, sales to order w/ unit Front Plow Curb Guards: Supplied/Installed @ Factory (Sales to order with unit) Plow Jack Install: Supl'd/Instl'd on plow @ Factory, Sales order with unit

Dump Body Type: Mark E Tandem Axle
Floor Length: 13ft Floor Length

Hoist Type: Tele Trunnion Hoist, Internal Doghouse

Cylinder Type: Double Acting

Body Material (Sides/ends): Painted Steel Type Body Material Tailgate Release Type: IDC supplied Electric over air valve

Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit Asphalt Lip (FF Only): Supld by Fact, instll @ IDC, Bolt On (Sales order with

Grab Handle(s): Supplied/Installed @ factory (sales to order with unit)
Ladder(s): Supplied by factory, Install @ IDC (sales to order w/ unit)









CUSTOMER QUOTE Page 5

PRODUCTS, INC.

11921 SMITH DRIVE HUNTLEY, IL 60142 FAX: 563-927-7108

PHONE: 847-836-4996

Ladder Install QTY (Dump): (1) LADDER INSTALLED @ IDC (LABOR ONLY)

Ladder Install Style (Dump) 1: Fold Down Side Ladder

Ladder Install Loc 1 (Dump): Passenger Side Front

Shovel Holder: (1) IDC Supl'd Spring Loaded SS Shovel Holder w/ SS brckt

Shovel Holder Loc (1): Driver side body

Vibrator: Cougar Vib, DC3200 kit, 50' cable, TA (order vib pad w unit)

Sideboards: Wood (Un-Painted), supplied/installed by IDC

Sideboard Notes:

Tarp Brand: Rollrite (order 86" c/s if using integral shield)

Tarp System: Tarpmaster 400, 30° arms, w/ Wind Defelct, Tensioners

Tarp Material: Black Vinyl (Asphalt rated)

Tarp Length: 18' Body or shorter Length (BV,RR)

Body Spec Notes:

Spreader Type: FSH

FSH Drive Type: Hydraulic FSH Mount Type: Slip in Mount

Slip in Tie Downs: IDC supplied Kinedyne Winch kit, (Includes 4 tie downs) Trunnion Latch: Install Fact Sup'ld Trun Latch Bar, sales to order with unit

FSH Spinner Configuration: Standard Spinner install

Prewet/Liquid System: V-box Prewet System

System Type: FSH

Tank Configuration: Factory Supplied/Installed (Sales to order w/unit)

Drive Configuration: Hydraulic Drive, Factory Installed (Sales to order w/unit

Controls: Supplied by IDC (sales to order w/ hyd cntrls)

Feedback Sensor: Factory Supplied/Installed (Sales to order w/unit)

Flush Kit: Factory Supplied/Installed (Sales to order w/unit)

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Swinging w/o Logo

Mudflap Type (Rear): 36" Swinging, Mild (No LOGO) Fenders: Front Quarter Fenders, Poly (standard) Pintle Plate: Yes (select from options below)

Pintle Plate Configuration: 3/4" Plate, PH45 & PH20 Holes, Tandem, (w/D-rings,

3LTC)

Pintle Hook: 45 Ton

Glad Hands: Glads, Fixed, Strt, Serv & Emerg, w/Dust Covr, Drop Hoses, Pr

Trailer Plug (1): 7 Pin Trailer Plug, Truck end 7-Way RV, new style (municipal)

Trailer Plug (2): 6 Pin Trailer Plug, round (livestock trailer)

Truck Wash: Complete Truck Wash/Clean/Vac 1

Warranty: Standard 1 Year Warranty

Reflective Tape: Reflective Tape, No Logo (60' Linear)

Decal Package: Package Decal Kit









CUSTOMER QUOTE

PRODUCTS, INC.

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108 Page 6

Electrical: Yes (SELECT RELATED OPTIONS BELOW) Power Distribution Panel: Power Distribution Panel Misc Electrical Supplies: Req'd Misc Elect Supplies Plow Lights: Plow Lts, Hella 220, HALO, Except Frtlnr/Mack/Pbilt (PAIR) Plow Light Brackets: Plow Lt Brckts, SS, Mnt to Fact Hood Mnt Mirror, INTL, Pair Worklight(s) QTY: (QTY 2) Work Lights (Select type below) Worklight (1) Type: LED, Worklight, 4in Round (Optilux) Worklight (1) Gen Location: Rear Spinner Worklight (2) Type: LED, Worklight, 4in Round (Optilux) Worklight (2) Gen Location: Rear Spinner Cabshield Warning Light Qty: Qty 4 Lights (Order Holes with Unit) Cabshield Warning Lights: QTY 4, 6" LED Oval Strobes, Amber (order holes w/unit) Cabshield Lighting Harness: Cabshield Warning Lights Only (qty 2-6) Rear Dump Bolster (S/T/T): LED S/T/T, kit (West) (order holes) OEM Light Remount: Remount OEM Chassis Lights Rear Dump Bolster (Back-up): B/U Lights, LED, Clear, Oval, pair (Order holes with body) Rear Dump Bolster Strobes: 6" LED Oval Strobes, Amber, 2 PR, (order holes w/unit) Back up alarm: Backup Alarm, 97db Junction Box/Backup Alarm Bracket: Backup Alarm Bracket Installed Body up switch/light: Body UP Switch/Body Up Light (Trucklite) Brake controller: Brake Controller, Voyager Brake Controller License Plate Lights: IDC Supplied License Plate Light Gray Housing Backbone & Wire Standoffs: 14' Backbone (For TA) Camera: Included in Hydraulics Pkg (quote w/ Hyd) Pavement Temp Sensor: Included w/ Hyd (price w/hyd pkg) GPS System: Included in Hydraulic Package Electrical Install Opt 1: One set of rear corner post warning lights is for Electrical Install Opt 2: body rub rail. Hole to be installed at factory Hydraulics: Full Hydraulic Package Hyd Supplier: Force America (Select Pkg Below) Hyd Supplier (Spec): QT001-1119075-2 Controls Type: Electric Controls PTO Type: Included in Hydraulics Package Low Oil Shut Down: Yes, included in Hyd Pkg

Hydraulics Notes:

Force America SSC6100 spreader controller. Ultra Armrest with two joysticks. Arc pavement temp sensor. Auger reverse.

High Temp Oil Shut Down: Yes, included in Hyd Pkg

Low Oil Indicator: Yes, included in Hyd Pkg SS Tubing Upgrade: TA,F&R lines,6'Frnt,9'Rr Quick Coupler Upgrade: Standard Quick Couplers









PRODUCTS, INC.

Page 7

CUSTOMER QUOTE

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996

FAX: 563-927-7108

Single Package: \$99,019.00

Package(s) : 1 Total: \$99,019.00

Signed:	Date:
biglica:	Date:

Quote notes:





