



FRONT ELEVATION

SCALE: 1/4" = 1'-0"

- WINDOW/DOOR NOTES:
- WINDOW DESIGNATIONS ARE AS FOLLOWS:
 - 2472 IS EQUAL TO 2'-0" x 6'-0" UNIT.
 - 3048 IS EQUAL TO 2'-6" x 4'-0" UNIT, ETC.
 - PROVIDE TEMPERED GLAZING IN DOORS.
 - DOOR SIDE LIGHTS AND WITHIN 24" OF DOOR JAMB.



REAR ELEVATION

SCALE: 1/4" = 1'-0"

I HEREBY CERTIFY THAT THESE PLANS HAVE BEEN PREPARED UNDER MY SUPERVISION AND THAT TO THE BEST OF MY KNOWLEDGE THE SAME COMPLY WITH ALL RULES, REGULATIONS AND ORDINANCES RELATING TO STRUCTURES AND BUILDINGS FOR THE VILLAGE OF ORLAND PARK

DATE: 6/5/19
LICENSE EXPIRES: 11/30/20 ARCHITECT:

DESIGN LOADS	VILLAGE OF ORLAND PARK CODES	SHEET INDEX
ROOF LIVE LOAD 30 lbs. per s.f.	1. VILLAGE OF ORLAND PARK CODE, TITLE 5, CHAPTER 2	1 of 9
FLAT ROOF LIVE LOAD 40 lbs. per s.f.	2. 2015 INTERNATIONAL BUILDING CODE	2 of 9
UNFINISHED ATTIC FLOOR LIVE LOAD 20 lbs. per s.f.	3. 2015 INTERNATIONAL RESIDENTIAL CODE	3A of 9
FLOOR LIVE LOAD (ALL OTHER ROOMS) 40 lbs. per s.f.	4. 2014 NATIONAL ELECTRICAL CODE	3B of 9
FLOOR LIVE LOAD (OTHER ROOMS) 40 lbs. per s.f.	5. 2014 STATE OF ILLINOIS PLUMBING CODE	4 of 9
DECK LIVE LOAD 40 lbs. per s.f.	6. 2012 INTERNATIONAL FIRE CODE	6 of 9
BALCONY LIVE LOAD 60 lbs. per s.f.	7. 2015 INTERNATIONAL MECHANICAL CODE	7 of 9
PARTITION DEAD LOAD 10 lbs. per s.f.	8. 2015 INTERNATIONAL PROPERTY MAINTENANCE CODE	8 of 9
FLOOR DEAD LOAD	9. ILLINOIS INTERNATIONAL ENERGY CONSERVATION CODE (IECC) 2015	9 of 9
	10. VILLAGE OF ORLAND PARK AMENDMENTS.	

DATE:	REVISIONS:
3/11/19	PRELIMINARY DESIGN
6/24/19	ISSUED FOR PERMIT

BLUFF POINTE - ORLAND PARK
LOT A - UNITS 1 - 4

MCAUGHTON
DEVELOPMENT

434 North Dover Avenue
La Grange Park, Illinois 60526
PHONE: 630.325.3400
FAX: 630.325.3402

FERGON
ARCHITECTS, LLC

LOT A

DATE:

MARCH 11, 2019

1 of 8