



Legislation Details (With Text)

**File #:** 2016-0283    **Version:** 1    **Name:** Centennial Park Aquatic Center Chemical Controllers

**Type:** MOTION    **Status:** PASSED

**File created:** 4/11/2016    **In control:** Board of Trustees

**On agenda:** 5/2/2016    **Final action:** 5/2/2016

**Title:** Centennial Park Aquatic Center Chemical Controllers

**Code sections:**

**Attachments:** 1. Aqua Pure Chem Control Bid, 2. Aqua Pure Enterprises - Signed Contracts - CPAC Chemical Controllers

Date	Ver.	Action By	Action	Result
5/2/2016	1	Board of Trustees		
4/25/2016	1	Recreation and Parks Department	INTRODUCED TO BOARD	
4/18/2016	0	Parks and Recreation Committee		
4/11/2016	0	Recreation and Parks Department	INTRODUCED TO COMMITTEE	

Title  
Centennial Park Aquatic Center Chemical Controllers

History

On March 21, 2016 the Village issued bid #16-015 for the permitting, purchase, installation and training on (3) Prominent DCM 501 series controllers complete with pH, ORP, Free Chlorine, Temp Sensors, with flow cell, flow switch and communications module HTML, micro web server with DHCP or user definable IP address.

The only bid was opened on April 7, 2016. Aqua Pure Enterprises, Inc. of Romeoville, IL was the lone bidder at a cost of \$16,710.15. Aqua Pure is a current vendor for the aquatic center and has supplied many items to us over the last several years.

On April, 18, 2016, this item was reviewed by the Parks & Recreation Committee, recommended for approval, and referred to the Village Board of Trustees for consideration.

Financial Impact

Funds for the purchase have been budgeted for fiscal year 2016 in the amount of \$24,000 in account 283-4005-460180. Some of the remaining funds will be utilized to purchase tablet(s) for the automated control of the units through our Information Technology department.

Recommended Action/Motion

I move to approve Aqua Pure Enterprises for permitting, purchase, installation and training on (3) Prominent DCM 501 series controllers for Centennial Park Aquatic Center at a cost not to exceed \$16,710.15.